

4699
945
OFFICIAL COPY.

[All Rights Reserved.]

ANNUAL SUMMARY

OF

BIRTHS, DEATHS, AND CAUSES OF DEATH

IN

LONDON

AND OTHER LARGE TOWNS,

1903.

PUBLISHED BY THE AUTHORITY OF THE REGISTRAR-GENERAL OF
BIRTHS, DEATHS, AND MARRIAGES IN ENGLAND.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD, 34-40, BACON STREET, E.

And to be purchased, either directly or through any Bookseller, from
EYRE & SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C., or
OLIVER & BOYD, EDINBURGH; or
E. PONSONBY, 116, GRAFTON STREET, DUBLIN.


1904.

Price One Shilling and Sixpence.

CONTENTS

OF THE
REGISTRAR-GENERAL'S ANNUAL SUMMARY FOR 1903.

	PAGES.
COMMENTARY :—	
SEVENTY-SIX GREAT TOWNS : Births and Deaths from Several Causes ...	iii-vii
LONDON : Marriages, Births, and Deaths from Several Causes, Death-rates in Metropolitan Boroughs, Deaths in Institutions... ...	vii-xvi
GREATER LONDON : Death-rates	xvi
ONE HUNDRED AND THREE TOWNS : Births and Deaths from Several Causes ...	xvi, xvii
EDINBURGH, GLASGOW, DUBLIN, AND BELFAST : Death-rates ...	xvii
COLONIAL AND FOREIGN CITIES : Death-rates ...	xvii, xviii
LONDON : Summary of Statistics ...	xix
TABLES :—	
TABLES 1-4.—SEVENTY-SIX GREAT TOWNS : Populations, Births, Deaths from Several Causes, Birth- and Death-rates, and Meteorology ...	xxi-xxxv
TABLES 5, 6.—ONE HUNDRED AND THREE TOWNS : Births and Deaths from Several Causes, Birth- and Death-rates ...	xxxvi-xli
TABLES 7, 8.—INFECTIOUS DISEASES : Numbers of Notifications in Large Towns and in Metropolitan Boroughs ...	xlvi-xlv
TABLE 9.—MORTALITY IN VARIOUS GROUPS OF AREAS ...	xlvi
TABLE 10.—GREATER LONDON : Area, Population, Inhabited Houses, Ratable Value, 1901 ...	xlvi
TABLE 11.—LONDON : Marriages, Births, and Deaths, and Marriage-, Birth-, and Death-rates, 1893-1903 ...	xlvi
TABLES 12, 13.—LONDON : Mortality in Groups of Districts and from Epidemic Diseases, 1854-1903 ...	xlvi-xli
TABLE 14.—LONDON : Deaths from Several Causes, 1893-1903 ...	1, li
TABLE 15.—LONDON : Deaths from Several Causes at Ages, 1903 ...	lii, liii
TABLE 16.—LONDON : Deaths in Registration Districts, 1893-1903 ...	liv
TABLES 17, 18.—LONDON : Births and Deaths from Several Causes in Registration Districts and Sub-districts, 1903 ...	lv-lix
TABLES 19, 20.—LONDON : Deaths and Death-rates from Epidemic Diseases in Metropolitan Boroughs, 1903 ...	lx, lxi
TABLE 21.—LONDON : Deaths in Public Institutions ...	lxii-lxvi
TABLE 22.—OUTER RING : Births and Deaths from Several Causes in Registration Sub-districts ...	lxvii
TABLE 23.—LONDON : Weekly Deaths from Epidemic Diseases, 1900-1903	lxviii, lxix
TABLES 24, 25.—LONDON : Meteorology ; Births, and Deaths at Ages, in each Week of 1903 ...	lxx, lxxi
TABLE 26.—LONDON : Meteorology at Greenwich in each Month of 1903	lxxii, lxxiii
TABLES 27, 28.—LONDON : Average Daily Supply of Water, 1903 ...	lxxiv, lxxv
TABLE 29.—COLONIAL AND FOREIGN CITIES : Births and Deaths from Several Causes, 1903 ...	lxxvi
LONDON : Fires in 1903 ...	lxxvii
Changes in Boundaries of Registration Sub-districts of Greater London, 1903 ...	lxxviii



ANNUAL SUMMARY.

LONDON

AND OTHER LARGE TOWNS,

1903.

*General Register Office, Somerset House,
31st March, 1904.*

The 76 Great Towns.

(Towns containing more than 50,000 Inhabitants at the Census of 1901.)

The seventy-six great towns of England and Wales that were included in the weekly returns for 1903 contained an estimated population of 15,075,011 persons in the middle of that year.

The births registered in this population during the period of 52 weeks ended 2nd January 1904 numbered 446,329, and were equal to a rate of 29.7 per 1000 of the population, as compared with a rate of 30.0 per 1000 in the immediately preceding year.

The deaths registered in the same period numbered 244,468, and corresponded to a crude rate of 16.3 per 1000, or 1.1 per 1000 less than the rate of 1902. The death-rate in 1903, calculated without reference either to the age or the sex constitution of the populations varied, as usual, considerably in the several towns; the lowest crude rate being 7.9 per 1000 in Hornsey, and the highest 22.2 in Wigan.

The age and sex constitution of the population having been ascertained at the Census of 1901, both for England and Wales as a whole and for each of the 76 great towns, factors applicable to the recorded death-rates of these towns have been calculated, in order to make approximate corrections for differences of age and sex in the several populations, as enumerated at the recent Census. On applying this factor (column 2 of Table A on pages iv and v) to the recorded rates, we obtain the "corrected rates" which will be found in the fourth column. In calculating the comparative mortality figures for the fifth column, the number for England and Wales has been taken as 1000, and the corrected rate of each town has been reduced to a number comparable to that standard. The fifth column may be read as follows:—After making approximate correction for differences of age and sex constitution, the same number of lives that in the year 1903 gave 1000 deaths in England and Wales as a whole gave 581 deaths in Hornsey, 676 in Kings Norton, 722 in Leyton, 723 in Handsworth (Staffs), and 759 in East Ham, &c., also 1403 in Burnley, 1422 in Liverpool, 1430 in Manchester, 1522 in Middlesbrough, and 1588 in Wigan.

TABLE A.—RECORDED and CORRECTED DEATH-RATES per 1,000 Persons living in 76 GREAT TOWNS in 1903.

TOWNS, in the order of their Corrected Death-rates.	Standard Death-rate.*	Factor for Correction for Sex and Age Dis- tribution.†	Recorded Death-rate, 1903.	Corrected Death-rate, 1903.‡	Comparative Mortality Figure, 1903.§
Cols.	1.	2.	3.	4.	5.
England and Wales ...	18.21	1.0000	15.41	15.41	1,000
England and Wales, less the 76 Towns.	18.84	0.9666	14.72	14.23	923
76 Towns	17.14	1.0624	16.26	17.27	1,121
Hornsey	15.95	1.1417	7.85	8.96	581
Kings Norton	17.40	1.0466	9.96	10.42	676
Leyton	17.69	1.0294	10.80	11.12	722
Handsworth (Staffs.) ...	16.55	1.1003	10.40	11.44	723
East Ham	17.06	1.0674	10.96	11.70	759
Walthamstow	17.20	1.0587	11.10	11.75	762
Croydon	17.75	1.0259	11.83	12.14	788
Hastings	18.92	0.9625	12.89	12.41	805
Bournemouth	17.25	1.0557	12.10	12.77	829
Willesden	16.98	1.0724	12.11	12.99	843
Reading	17.57	1.0364	12.71	13.17	855
Burton-on-Trent ...	16.93	1.0756	12.32	13.25	860
Southampton	18.30	0.9951	13.78	13.71	890
Tottenham	16.87	1.0794	13.03	14.06	912
Brighton	18.47	0.9859	14.27	14.07	913
Barrow-in-Furness ...	16.01	1.1374	12.73	14.48	940
Norwich	19.04	0.9564	15.23	14.57	945
Derby	16.89	1.0782	13.59	14.65	951
Bristol	17.73	1.0271	14.28	14.67	952
Northampton	17.55	1.0376	14.19	14.72	955
Smethwick	16.65	1.0937	13.48	14.74	957
Devonport	17.35	1.0496	14.13	14.83	962
Ipswich	18.64	0.9769	15.24	14.89	966
Portsmouth	17.75	1.0259	14.75	15.13	982
Leicester	17.05	1.0680	14.21	15.18	985
Wallasey	16.63	1.0950	13.86	15.18	985
Grimsby	17.01	1.0705	14.19	15.19	986
Cardiff	16.74	1.0878	13.99	15.22	988
Aston Manor ...	16.41	1.1097	13.89	15.41	1,000
West Hartlepool ...	16.59	1.0976	14.29	15.68	1,018
Plymouth	18.68	0.9748	16.51	16.09	1,044
Wolverhampton ...	17.59	1.0352	15.54	16.09	1,044
Coventry	18.18	1.0017	16.17	16.20	1,051

* The Standard Death-rate signifies the rate at all ages calculated on the hypothesis that the rates for each sex at each of twelve age-periods in each town were the same as in England and Wales during the ten years 1891-1900, the rate at all ages in England and Wales during that period having been 18.21 per 1,000.

† The Factor for Correction is obtained by dividing the Standard Death-rate in England and Wales by the Standard Death-rate in each town, and is the figure by which the Recorded Death-rate should be multiplied in order to correct for variations of sex and age distribution.

‡ The Corrected Death-rate is the Recorded Death-rate multiplied by the Factor for Correction.

§ The Comparative Mortality Figure represents the Corrected Death-rate in each town compared with the Recorded Death-rate at all ages in England and Wales in 1903, taken as 1,000.

TABLE A.—RECORDED and CORRECTED DEATH-RATES per 1,000 Persons living in 76 GREAT TOWNS in 1903—*continued.*

TOWNS, in the order of their Corrected Death-rates.	Standard Death-rate.*	Factor for Correction for Sex and Age Dis- tribution.†	Recorded Death-rate, 1903.	Corrected Death-rate, 1903.‡	Comparative Mortality Figure, 1903.§
Cols.	1.	2.	3.	4.	5.
Halifax	16.78	1.0852	15.02	16.30	1,058
West Ham	17.03	1.0693	15.26	16.32	1,059
London	17.32	1.0514	15.67	16.48	1,069
Great Yarmouth	19.84	0.9178	18.16	16.67	1,082
York	17.69	1.0294	16.27	16.75	1,087
Stockton-on-Tees	17.37	1.0484	16.00	16.77	1,088
West Bromwich	18.04	1.0094	16.81	16.97	1,101
Newport, Mon.	16.83	1.0820	15.71	17.00	1,103
Hull	17.78	1.0242	16.92	17.33	1,125
Walsall	17.18	1.0600	16.45	17.44	1,132
Gateshead	17.27	1.0544	16.73	17.64	1,145
Blackburn	16.10	1.1311	15.73	17.79	1,154
Nottingham	17.28	1.0538	16.93	17.84	1,158
Birkenhead	17.06	1.0674	16.76	17.89	1,161
Huddersfield	16.95	1.0743	16.73	17.97	1,166
Leeds	16.68	1.0917	16.56	18.08	1,173
Bradford	16.47	1.1056	16.39	18.12	1,176
South Shields	17.19	1.0593	17.18	18.20	1,181
Rhondda	16.55	1.1003	16.56	18.22	1,182
Rotherham	17.57	1.0364	17.63	18.27	1,186
Tynemouth	17.64	1.0323	18.17	18.76	1,217
Rochdale	16.46	1.1063	17.15	18.97	1,231
Birmingham	16.92	1.0762	17.78	19.13	1,241
St. Helens	16.80	1.0839	17.71	19.20	1,246
Bury	16.25	1.1206	17.32	19.41	1,260
Bolton	16.09	1.1318	17.46	19.76	1,282
Stockport	16.87	1.0794	18.45	19.91	1,292
Swansea	16.97	1.0731	18.59	19.95	1,295
Sheffield	16.89	1.0782	18.62	20.08	1,303
Warrington	16.87	1.0794	18.67	20.15	1,308
Merthyr Tydfil	17.19	1.0593	19.07	20.20	1,311
Hanley	16.69	1.0911	18.69	20.39	1,323
Preston	16.63	1.0950	18.68	20.45	1,327
Sunderland	17.66	1.0311	19.94	20.56	1,334
Newcastle-on-Tyne	16.88	1.0788	19.22	20.73	1,345
Oldham	16.18	1.1255	18.62	20.96	1,360
Salford	16.47	1.1056	18.97	20.97	1,361
Bootle	16.48	1.1050	19.04	21.04	1,365
Burnley	16.14	1.1283	19.16	21.62	1,403
Liverpool	17.02	1.0699	20.48	21.91	1,422
Manchester	16.30	1.1172	19.72	22.03	1,430
Middlesbrough	16.71	1.0898	21.53	23.46	1,522
Wigan	16.49	1.1043	22.16	24.47	1,588

Particulars of mortality in 1903 in each of the seventy-six great towns are given in Tables 1 to 4.

Infantile mortality.—The 244,468 deaths at all ages included the deaths of 64,113 infants in their first year of life. Infantile mortality, measured by the proportion of deaths under one year to births registered, averaged 144 per 1000 in the seventy-six great towns. The towns with the lowest rates of infantile mortality were Bournemouth 81, Hornsey 84, Burton-on-Trent 93, Barrow-in-Furness 97, Kings Norton 98, and Handsworth (Staffs) 100. The towns with the highest rates were Wigan 180, Rotherham 181, Sheffield 182, Stockport 185, Middlesbrough 186, and Burnley 217.

CAUSES OF DEATH.

Chief Epidemic Diseases.—The death-rate from the chief epidemic diseases averaged 1.89 per 1000 of the population; the highest rates among the great towns were 2.97 in Middlesbrough, 3.08 in Hanley, 3.09 in Preston, 3.10 in Sheffield, 3.29 in Warrington, and 4.18 in Wigan.

Small-pox was the cause of 415 deaths in the 76 towns. Of these 137 belonged to Liverpool, 25 to Manchester, 23 to Oldham, 22 to Leeds, 21 to Leicester, 19 to Gateshead, 13 to London, 12 each to Birmingham and Bradford, 10 to Burnley, 9 to Newcastle-on-Tyne, 7 each to Hanley, Bootle, Bury, and Salford, 6 each to Rochdale and Hull, and smaller numbers to 30 other great towns.

Measles was the registered cause of 5486 deaths, corresponding to a rate of 0.36 per 1000 living at all ages. No deaths from measles were returned from Bournemouth, Grimsby, St. Helens, Huddersfield, or Stockton-on-Tees. The highest rates were 0.79 in Coventry and in Sheffield, 0.81 in Sunderland, 0.90 in Preston, 1.00 in Swansea, 1.45 in Warrington, and 1.61 in Wigan.

Scarlet fever caused 2160 deaths, which corresponded to a rate of 0.14 per 1000 living. No deaths were attributed to this disease either in Brighton, in Ipswich, or in Barrow-in-Furness, and the rate did not exceed 0.01 per 1000 in Croydon or in Hornsey. The highest rates were 0.34 in Bolton, 0.38 in West Bromwich, 0.41 in Merthyr Tydfil, 0.42 in Wigan, 0.45 in Bootle, and 0.50 in Great Yarmouth.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was the stated cause of 2971 deaths, corresponding to a mortality of 0.20 per 1000 of the population. The death-rate from this disease ranged from 0.03 in Derby, 0.04 in Burton-on-Trent, 0.05 in Handsworth (Staffs.) and in Wallasey, to 0.44 in Coventry, 0.85 in Great Yarmouth, and 1.22 in Hanley, in which latter town this disease had been very fatal in the year 1902 also.

Whooping-cough accounted for 4922 deaths and for a mortality equal to 0.33 per 1000 living at all ages. The mortality from this disease ranged from 0.03 per 1000 in South Shields, and 0.05 in Bournemouth, in Handsworth (Staffs.), and in Bolton, to 0.61 in Sheffield, 0.65 in Rotherham, and 0.78 in Oldham.

The continued fevers, mainly enteric, were the registered causes of 1742 deaths, being equal to a rate of 0.12 per 1000 of the population. No deaths from "fever" were registered either in Handsworth (Staffs.) or in Hornsey, and the death-rate did not exceed 0.02 per 1000 in Coventry, Hastings, or Burton-on-Trent. Among the remaining great towns it rose to 0.29 in Grimsby and in Preston, 0.37 in Rhondda, and 0.39 in Merthyr Tydfil.

Diarrhœa (including dysentery and English cholera) accounted for 10,613 deaths at all ages, and for a death rate of 0·71 per 1000 of the population. The lowest death-rates from diarrhœa were 0·09 per 1000 in Hornsey, 0·13 in West Hartlepool, 0·14 in Bournemouth, and 0·16 both in Burton-on-Trent and in Halifax; the highest being 1·40 in Burnley, 1·41 in Middlesbrough, and 1·53 in Bootle.

Violence.—The deaths returned as caused by violence numbered 9426, and corresponded to a death-rate of 0·63 per 1000 persons living. The rates of death by violence ranged from 0·13 in Aston Manor, 0·18 in Hornsey, and 0·22 in Bournemouth and in Smethwick to 1·04 in Newcastle-on-Tyne, 1·15 in Merthyr Tydfil, and 1·16 in Bootle.

Deaths in public institutions.—Of the 244,468 deaths registered in the 76 great towns no fewer than 55,439, or 22·7 per cent., occurred in public institutions. Among the several great towns the lowest proportions of deaths in institutions were 2·8 per cent. in Rhondda, 3·0 in Handsworth (Staffs.), 4·4 in Smethwick, and 5·5 in Hornsey. The highest proportions were 24·5 in Manchester, 29·0 in Liverpool, and 35·4 in London.

Coroners' inquests were held in 19,372 cases during the year, the proportion of inquest cases being equal to 7·9 per cent. of the total deaths registered. The percentage ranged from 2·5 in Aston Manor, 3·1 in Barrow-in-Furness, and 3·6 in Kings Norton and in Gateshead, to 10·3 in Croydon, 11·1 in Derby, and 14·2 in Tottenham.

Uncertified deaths.—The causes of 2788 deaths, or 1·1 per cent. of the total deaths, were uncertified. No uncertified deaths were registered in Croydon, Hornsey, Southampton, Great Yarmouth, or Derby, and the proportion of uncertified deaths did not exceed 0·1 per cent. either in Devonport, in Oldham, or in Cardiff. Among other great towns, however, the proportion rose to 4·6 in Gateshead, 4·7 in Barrow-in-Furness, 4·9 in Warrington, 5·3 in South Shields, and 6·7 in St. Helens.

LONDON.

MARRIAGES.

In the year 1903 the marriages registered in London were 40,215 in number. The proportion of persons married in each 1000 of the population was therefore 17·4.

BIRTHS.

The births registered in London numbered 130,906, and corresponded to a birth-rate of 28·4 per 1000. This is the lowest birth-rate as yet recorded for London, and is 0·1 per 1000 below the rate for 1902. The natural increment of the population, by excess of births over deaths, was 58,797, the average increment in the decennium immediately preceding having been 48,510.

DEATHS.

The deaths registered in London were 72,109 in number, and were equal to a crude death-rate of 15·7 per 1000; the average annual death-rate in the preceding decennium having been 18·9 per 1000.

The London death-rate in the year 1903 was the lowest hitherto recorded, and was below that of the immediately preceding year by no less than 2 per 1000.

TABLE B.—DEATH-RATES during 1903 in LONDON* and the several METROPOLITAN BOROUGHGS, from ALL CAUSES, and from CERTAIN DISEASES (1) before Distribution, and (2) after Distribution of Deaths in Public Institutions.

BOROUGHS.	DEATH-RATES PER 1000 LIVING.							
	All Causes.		Scarlet Fever.		Diphtheria.		Phthisis.	
	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.	Before Distribution.	After Distribution.
COUNTY OF LONDON	15.7	15.2	0.08	0.08	0.16	0.16	1.60	1.55
West.								
Paddington	14.4	13.2	0.01	0.07	0.04	0.10	1.13	1.06
Kensington	15.7	13.9	0.01	0.08	0.04	0.13	2.05	1.25
Hammersmith	11.5	14.1	—	0.07	0.04	0.15	0.89	1.47
Fulham	14.7	13.9	0.24	0.05	0.54	0.16	1.60	1.38
Chelsea	21.3	15.3	—	0.03	0.03	0.05	2.85	1.57
City of Westminster	14.1	13.6	—	0.05	0.03	0.08	1.03	1.69
North.								
St. Marylebone	14.2	16.4	0.02	0.13	0.09	0.20	0.94	1.83
Hampstead	12.4	10.0	0.65	0.05	0.53	0.12	1.55	0.74
St. Pancras	16.5	16.2	—	0.10	0.03	0.16	1.90	1.82
Islington	14.1	14.3	0.01	0.07	0.05	0.12	1.66	1.40
Stoke Newington	10.1	12.6	—	—	0.04	0.13	0.89	1.23
Hackney	14.7	13.9	0.13	0.09	0.40	0.21	1.40	1.27
Central.								
Holborn	18.9	18.6	—	0.09	0.21	0.14	1.80	3.14
Finsbury	11.7	20.3	—	0.11	0.04	0.11	1.09	2.28
City of London	36.1	14.6	—	0.04	0.33	0.08	2.49	1.59
East.								
Shoreditch	19.0	19.4	0.01	0.06	0.02	0.19	2.23	2.32
Bethnal Green	17.4	18.2	0.02	0.09	0.07	0.21	2.39	2.10
Stepney	18.8	18.0	0.00	0.07	0.12	0.19	1.83	2.10
Poplar	18.9	18.2	0.02	0.11	0.11	0.35	1.98	1.74
South.								
Southwark	15.7	18.1	0.00	0.09	0.06	0.11	1.38	2.40
Bermondsey	15.3	18.4	0.02	0.19	0.02	0.14	1.57	1.74
Lambeth	15.8	15.2	0.12	0.07	0.16	0.09	1.35	1.40
Battersea	14.0	14.2	—	0.04	0.07	0.17	1.28	1.29
Wandsworth	11.6	12.4	0.15	0.07	0.22	0.18	0.95	0.95
Camberwell	15.1	13.7	0.00	0.05	0.03	0.13	1.88	1.22
Deptford	12.2	14.9	0.23	0.16	0.58	0.40	0.98	1.35
Greenwich	17.6	13.3	0.50	0.09	0.94	0.27	1.70	1.12
Lewisham	11.5	11.1	0.22	0.08	0.37	0.15	0.79	0.84
Woolwich	12.5	13.5	—	0.03	0.01	0.11	1.32	1.45

* See note * to Table 1, page xxi.

Infantile mortality.—The total deaths at all ages included the deaths of 17,213 infants under the age of one year. These deaths were in the proportion of 131 per 1000 births, against an average for the previous decennium of 158 per 1000. After distribution of the deaths occurring in public institutions, the incidence of infantile mortality in the various Metropolitan Boroughs was as follows:—Hampstead stood lowest in the list (as it had done in 1902 also) with an infantile death-rate of 88 per 1000 births, Lewisham next with 92, and Holborn next with 95. The highest infantile death-rates were 154 in Poplar, 158 in Bermondsey, and 171 in Shoreditch.

CAUSES OF DEATH.

Table C. on the following page shows, in a summary form, the number of lives saved and the number lost in the year 1903, as compared with the corrected average in the previous ten years, under certain of the more important headings in the list of causes. The “net saving of life” in the year 1903 amounts to 14,821. This implies that if the average rate of death in the previous decennium had continued throughout 1903 there would have been lost in that year 14,821 additional lives, which, as it is, have been saved. Compared with the several averages, there was in 1903 an excess of 603 deaths from cancer, of 47 deaths from diseases of the urinary system, and of 86 deaths from suicide. The following diseases were less fatal than the average:—Respiratory diseases (excluding pneumonia) by 4199 deaths, nervous and circulatory diseases by 2286 deaths, diphtheria by 1417 deaths, phthisis and other tuberculous diseases by 1322 deaths, diarrhoea by 710 deaths, and influenza by 635 deaths.

Small-pox was returned as the certified cause of only 13 deaths during the year 1903, as compared with 229 and 1314 in the years 1901 and 1902 respectively. Of the 13 deaths registered in 1903, 4 belonged to Stepney, 4 to Lambeth, 3 to the City of Westminster, and 2 to Poplar.

Measles was the registered cause of 2054 deaths, giving a rate of 0.45 per 1000 living, or 0.10 per 1000 below the average rate in the ten preceding years. Among Metropolitan Boroughs the lowest death-rates from this disease were 0.09 per 1000 in Hampstead, 0.12 in the City of London, 0.19 in Kensington and in Chelsea, and 0.21 in Woolwich. The highest rates were 0.66 in Bethnal Green, 0.69 in Finsbury, 0.83 in St. Pancras, 0.87 in Shoreditch, and 0.95 in Poplar.

Scarlet fever was the assigned cause of 362 deaths, corresponding to a death-rate of 0.08 per 1000, as compared with 0.17 per 1000 the decennial average rate. Of the total deaths from this disease 329, or 91 per cent., occurred in public institutions. No deaths from scarlet fever were registered in Stoke Newington, and the death-rate from that disease did not exceed 0.04 per 1000 in Chelsea or in Woolwich, in the City of London, or in Battersea. The highest scarlet fever rates were 0.13 in St. Marylebone, 0.16 in Deptford, and 0.19 in Bermondsey.

Table B. (p. viii) shows that correction for deaths from scarlet fever occurring in hospitals considerably alters the mortality of the Metropolitan Boroughs. By this correction the scarlet fever mortality in Hampstead was reduced from 0.65 to 0.05 per 1000, and that of Greenwich from 0.50 to 0.09. In both cases the difference between the corrected and the crude rate was due to the presence of a Metropolitan Asylums Board Hospital.

TABLE C.—LONDON.—DIMINUTION or EXCESS of DEATHS in 1903, compared with the Average Annual Deaths in 1893–1902, corrected for increase of Population.

CAUSE OF DEATH.	Diminution in 1903.	Excess in 1903.
Small-pox	186	—
Measles	494	—
Scarlet Fever	422	—
Typhus	—	—
Influenza	635	—
Whooping-cough	484	—
Diphtheria	1417	—
Pyrexia (origin uncertain)	4	—
Enteric Fever	272	—
Diarrhoea	710	—
Pneumonia	504	—
Phthisis and other Tuberculous Diseases (including Scrofula). ...	1322	—
Cancer	—	603
Premature Birth	174	—
Diseases of Nervous System ...	} *	—
Diseases of Circulatory System ...		
Diseases of Respiratory System	4199	—
Diseases of Urinary System	—	47
Childbirth and Puerperal Septic Diseases ...	101	—
Accident	547	—
Homicide	10	—
Suicide	—	86
All other Causes	1840	—
Net Diminution or Excess	14,821	—

* For purposes of comparison deaths from Infective Endocarditis are included under this heading.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was the assigned cause of 752 deaths in the year 1903. These deaths were equal to a rate of 0·16 per 1000 living at all ages, as compared with rates of 0·35, 0·30, and 0·25 per 1000 respectively in the three years immediately preceding.

The London death-rate from diphtheria in 1903 was lower than in any year since 1880, in which year the rate was 0·14 per 1,000. In the year last mentioned, however, 570 additional deaths were registered as from *croup*, against 23 only in 1903. As the majority of these were probably due

to diphtheria, it is evident that the death-rate from this disease in 1903 was much lower than in the earlier year. The stated mortality from diphtheria depends largely on the existence of hospitals in certain of the areas. In the Metropolitan Borough of Greenwich, for example, 94 deaths were registered in the year 1903; most of these deaths occurred in the Metropolitan Asylums Board Hospital, to which patients had been admitted from other districts; after distribution of institution deaths only 27 were accredited to Greenwich. Similarly, in the Borough of Hampstead 45 deaths from diphtheria were registered, but after correction only 10 were attributed to that borough. Other instances of Metropolitan Boroughs whose registered death-rates from diphtheria are greatly increased by the presence of hospitals are furnished by Fulham, Hackney, the City of London, Deptford, and Lewisham. On the other hand, St. Pancras, Shoreditch, Bethnal Green, Poplar, Bermondsey, Battersea, Camberwell, and Woolwich are instances of the opposite kind, in which a large proportion of the diphtheria mortality takes place outside the borough boundaries. After distribution of institution deaths the lowest rates of mortality from diphtheria among the Metropolitan Boroughs were 0·05 in Chelsea, 0·08 in the City of Westminster and in the City of London, and 0·09 in Lambeth; the highest rates were 0·21 in Hackney and in Bethnal Green, 0·27 in Greenwich, 0·35 in Poplar, and 0·40 in Deptford. Table D. (p. xii) shows the death-rates for 1901-1903 in each of the Metropolitan Boroughs. For purposes of comparison the figures relating to the superseded sanitary areas during the years 1894-1900 have been grouped so as to correspond approximately to those for the new areas.

The deaths in London from *diphtheria* and *croup* together numbered 775 last year and were 1498 below the decennial average.

Whooping-cough was the registered cause of 1631 deaths, accounting for a death-rate at all ages of 0·35 per 1000, or 0·10 less than the average rate. The lowest death-rates from whooping-cough were 0·04 in Lewisham, 0·16 in the City of London, and 0·19 both in the City of Westminster and in Hampstead. The highest rates were 0·45 in Islington, 0·47 in Poplar and in Battersea, 0·51 in Kensington, and 0·54 in Finsbury.

Enteric fever accounted for 387 deaths, *typhus* for 3, and *pyrexia* (of uncertain origin) for 6. Thus, to the continued fevers in the aggregate (referred to in the returns as "fever") 396 deaths were attributed, compared with 672 the average number in the ten preceding years corrected for increase of population. The 387 deaths from enteric fever were equal to a rate of 0·08 per 1000, or 0·06 less than the decennial average rate.

Influenza.—The deaths referred to this disease numbered 644 in the year under notice, compared with 1073 the number registered in the preceding year.

Table E. (p. xiii) shows the admissions to the Metropolitan Asylums Board Hospitals and to the London Fever Hospital, together with the deaths there of patients suffering from small-pox, scarlet fever, diphtheria, and enteric fever during the several years 1891-1903.

Diarrhoea (including dysentery and English cholera) was the assigned cause of 2958 deaths last year, and accounted for a death-rate of 0·64 per 1000, against an average rate of 0·80 per 1000 in the preceding ten years. The highest diarrhoea death-rates were 1·07 in Stepney, 1·17 in Fulham, and 1·30 in Shoreditch. The last two boroughs had shown the highest death-rates from diarrhoea in the year 1902 also.

TABLE D.—DEATH-RATES from DIPHTHERIA, exclusive of “CROUP,” per 1000 LIVING in LONDON and in the METROPOLITAN BOROUGHs during the TEN YEARS 1894–1903, after distribution of DEATHS in PUBLIC INSTITUTIONS.

BOROUGHs.	Years.									
	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
COUNTY OF LONDON.	0.61	0.52	0.59	0.50	0.39	0.43	0.34	0.29	0.25	0.16
West.										
Paddington	0.76	0.38	0.51	0.51	0.48	0.23	0.21	0.32	0.22	0.10
Kensington	0.46	0.53	0.40	0.47	0.15	0.25	0.16	0.22	0.11	0.13
Hammersmith	0.49	0.43	0.49	0.28	0.21	0.23	0.25	0.32	0.20	0.15
Fulham	0.99	0.70	0.66	0.53	0.49	0.46	0.50	0.35	0.35	0.16
Chelsea	0.54	0.59	1.17	0.56	0.43	0.27	0.19	0.12	0.17	0.05
City of Westminster ..	0.38	0.36	0.26	0.27	0.23	0.18	0.15	0.12	0.16	0.08
North.										
St. Marylebone	0.51	0.25	0.52	0.33	0.33	0.26	0.30	0.25	0.20	0.20
Hampstead \	0.27	0.19	0.39	0.22	0.24	0.19	0.38	0.24	0.12	0.12
St. Pancras	0.49	0.55	0.40	0.48	0.40	0.47	0.31	0.46	0.45	0.16
Islington	0.67	0.44	0.74	0.38	0.27	0.37	0.31	0.39	0.30	0.12
Stoke Newington ..	0.15	0.15	0.56	0.56	0.15	0.18	0.41	0.27	0.11	0.13
Hackney	0.59	0.39	0.47	0.62	0.56	0.41	0.27	0.44	0.27	0.21
Central.										
Holborn	0.48	0.28	0.27	0.34	0.42	0.17	0.20	0.25	0.17	0.14
Finsbury	0.45	0.50	0.62	0.65	0.57	0.37	0.30	0.36	0.37	0.11
City of London	0.18	0.25	0.35	0.34	0.35	0.25	0.22	0.30	0.38	0.08
East.										
Shoreditch	0.61	0.47	0.60	0.64	0.37	0.54	0.48	0.25	0.21	0.19
Bethnal Green	1.03	0.78	0.57	0.65	0.48	0.46	0.49	0.49	0.25	0.21
Stepney	0.78	0.90	0.75	0.52	0.41	0.46	0.29	0.25	0.28	0.19
Poplar	0.64	0.90	0.61	0.71	0.53	0.46	0.68	0.49	0.33	0.35
South.										
Southwark	0.63	0.40	0.61	0.51	0.60	0.89	0.52	0.26	0.30	0.11
Bermondsey	0.73	0.47	0.77	0.62	0.43	0.96	0.67	0.28	0.23	0.14
Lambeth	0.49	0.38	0.46	0.49	0.38	0.53	0.34	0.17	0.17	0.09
Battersea	0.72	0.56	0.49	0.64	0.72	0.37	0.20	0.12	0.10	0.17
Wandsworth	0.46	0.25	0.21	0.56	0.43	0.32	0.20	0.18	0.27	0.18
Camberwell	0.78	0.71	1.01	0.67	0.34	0.62	0.51	0.43	0.31	0.13
Deptford	0.74	1.00	0.77	0.40	0.25	0.38	0.33	0.34	0.18	0.40
Greenwich	0.74	1.00	0.77	0.40	0.25	0.38	0.33	0.23	0.15	0.27
Lewisham	0.44	0.15	0.76	0.40	0.29	0.65	0.38	0.19	0.33	0.15
Woolwich	0.52	0.51	0.83	0.56	0.33	0.35	0.30	0.17	0.19	0.11

Note.—For the years 1894–1900 the rates in this table are only approximate, having been obtained by grouping the former Sanitary Areas so as to correspond as nearly as possible to the present Metropolitan Boroughs.

TABLE E.—LONDON.*—1891–1903.—ADMISSIONS to and DEATHS at the METROPOLITAN ASYLUMS BOARD HOSPITALS, the HIGHGATE SMALL-POX HOSPITAL, and the LONDON FEVER HOSPITAL—of Persons suffering from SMALL-POX, SCARLET FEVER, DIPHTHERIA, and ENTERIC FEVER.

Years.	Small-pox.		Scarlet Fever.		Diphtheria.		Enteric Fever.	
	Admissions.	Deaths.	Admissions.	Deaths.	Admissions.	Deaths.	Admissions.	Deaths
1891	67	8	5,601	360	1330	399	759	108
1892	366	38	13,686	850	2021	584	430	65
1893	2546	190	15,312	918	2853	866	544	110
1894	1226	108	11,892	725	3691	1041	538	96
1895	971	65	11,800	601	3688	824	661	119
1896	211	8	16,627	674	4580	956	600	96
1897	73	13	15,550	628	5726	993	664	124
1898	5	—	12,456	521	6815	996	869	143
1899	18	3	13,744	359	8758	1193	1538	241
1900	66	3	10,692	315	7966	991	1728	245
1901	1739	256	14,994	547	7719	860	1130	175
1902	7918	1372	14,883	517	6611	745	1420	218
1903	355	12	10,580	336	5113	508	967	145

* The figures in this Table do not refer exclusively to Londoners, and those relating to the Highgate Small-pox Hospital are for the years 1891–6 only.

Phthisis accounted for 7347 deaths last year, as compared with a corrected average number of 8176 in the ten years 1893–1902. The death-rate from phthisis was equal to 1·60 per 1000 at all ages, as compared with 1·90, 1·79, 1·71, and 1·64 severally in the four preceding years. Some of the Metropolitan Boroughs strikingly show the necessity of distributing institution deaths from phthisis, in order to arrive at a fairly reliable measure of its local mortality. Thus, for example, in the Borough of Kensington, which contains the St. Marylebone Infirmary and part of the Brompton Consumption Hospital, 365 deaths from phthisis were registered in the the year 1903; but it was found after distribution that only 223 properly belonged to Kensington. The phthisis death-rate in this borough was, therefore, reduced by correction from 2·05 per 1000 to 1·25. Chelsea is another borough that is similarly in point. This borough contains the workhouse and infirmary belonging to St. George, Hanover Square, which union forms part of the City of Westminster, it also contains part of the Brompton Consumption Hospital. The effect of distribution is to reduce the number of phthisis deaths in Chelsea from 211 to 116, and the death-rate from 2·85 to 1·57. On the other hand, Hammersmith, the City of Westminster, St. Marylebone, Holborn, Finsbury, and Southwark are examples of Metropolitan Boroughs,

TABLE F.—LONDON.—1874–1903.—DEATHS caused by HORSES and VEHICLES in the STREETS.

Years.	Description of Vehicle, &c.										TOTAL.
	Horse, &c.	Carriage.	Omnibus.	Tram-car.	Cab.	Cart.	Van, waggon, dray.	Cycle.	Motor.	Others, and not described.	
1874	28	11	17	14	33	36	67	5	211
1875	11	15	18	9	39	55	82	2	231
1876	13	4	17	12	24	56	84	7	217
1877	16	13	13	4	26	56	97	2	227
1878	17	12	14	10	34	63	84	3	237
1879	16	13	17	18	36	57	74	5	236
1880	12	11	20	17	39	43	76	2	220
1881	13	14	21	23	31	58	88	4	252
1882	12	15	19	23	37	60	100	5	271
1883	6	12	16	25	57	45	57	4	222
1884	12	11	33	18	57	51	74	9	265
1885	12	20	14	11	55	55	89	10	266
1886	10	7	21	9	39	49	111	5	251
1887	13	7	18	19	51	49	85	9	251
1888	5	15	25	9	41	47	91	4	237
1889	15	10	29	12	52	40	83	13	254
1890	3	11	22	18	43	44	109	20	270
1891	9	10	18	12	35	38	111	11	244
1892	17	15	26	11	44	47	101	8	269
1893	21	7	28	16	42	48	109	33	304
1894	17	10	24	13	35	46	86	24	255
1895	12	12	34	12	34	43*	117	27	291*
1896	18	15	30	17	51	33	117	19	300
1897	14	11	32	11	50	36	146	5	...	29	334
1898	16	13	32	19	47	45	100	9	...	28	309
1899	21	9	36	12	45	53	150	10	...	23	359
1900	20	4	40	18	46	30	157	11	...	45	371
1901	12	11	30	17	27	22	134	11	1	37	302
1902	21	4	40	22	38	36*	118	18	2	30	329*
1903	10	7	23	26	37	22	121	29	14	17	306

* Including one case in which a verdict of "Manslaughter" was returned.

the phthisis mortality of which is very imperfectly represented by the deaths registered in those areas. Last year after distribution of deaths the phthisis death-rates in the Metropolitan Boroughs ranged from 0·74 in Hampstead and 0·84 in Lewisham to 2·28 in Finsbury, 2·32 in Shoreditch, 2·40 in Southwark, and 3·14 in Holborn.

Violence was the registered cause of 3109 deaths in London last year, against 3578 the corrected average number in the ten preceding years. The deaths from *suicide* numbered 568, and were 86 more than the average. The deaths from *homicide* numbered 58, or 10 fewer than the average. There were 6 *executions* in the course of the year. Of the 2477 *accidental deaths* 306 were stated to have been caused by horses and vehicles in the streets—the corresponding numbers in the previous five years having ranged between 302 and 371. As in previous years, about 40 per cent. of these deaths were classed as having been caused by "vans, waggons, drays." Compared with the average numbers in the previous five years, the deaths under most of the headings in Table F. (p. xiv) showed a decrease in 1903.

Of the deaths attributed to accident, 534 were those of infants under one year of age that had been suffocated in bed. Of the 58 deaths by homicide, 24 were those of infants in their first year.

Deaths in public institutions.—Of the 72,109 deaths registered in London during last year, 25,505, or 35·4 per cent., took place either in workhouses, in hospitals, or in public lunatic asylums. The percentages in the several classes of institutions were as follows :—

18·3 per cent. in workhouses and workhouse infirmaries.
 1·6 " " in Metropolitan Asylums Board hospitals.
 12·4 " " in other hospitals.
 3·1 " " in public lunatic and imbecile asylums.

TABLE G.—LONDON.—1894–1903.—DEATHS in PUBLIC INSTITUTIONS and PROPORTIONS of PAUPERISM.

—	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.
Deaths in Public Institutions ..	22,117	23,282	23,178	23,553	24,321	26,798	26,259	25,975	28,136	25,505
Metropolitan Asylums Board Hospitals (in and out of London).	2,066	1,669	1,839	1,856	1,765	1,903	1,681	1,904	2,866	1,136
Other Hospitals	7,903	8,182	8,468	8,419	8,458	8,923	8,831	9,061	9,373	8,929
Lunatic and Imbecile Asylums.*	1,737	1,776	1,688	1,667	1,767	1,864	2,046	1,868	2,170	2,209
Workhouses and Workhouse Infirmaries.†	10,411	11,655	11,183	11,611	12,331	14,108	13,701	13,142	13,727	13,231
Proportion of persons in receipt of Poor Law Relief per 1000 population.	14·5 8·3	14·8 9·8	14·5 8·5	14·5 8·3	14·7 8·1	14·6 8·0	14·3 8·0	14·4 8·3	14·6 8·6	15·1 8·6

* Including the City of London Lunatic, London County Lunatic, and Metropolitan Imbecile Asylums situated outside London.

† Including the Strand Union Workhouse and Shoreditch Parish Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, and the Central London Sick Asylum at Hendon.

Thus, in London, about one in every five deaths occurred in a workhouse or workhouse infirmary, one in every sixty-three in a Metropolitan Asylums Board hospital, one in every eight in some other hospital, and one in every thirty-three in a public lunatic or imbecile asylum.

Uncertified deaths.—The causes of 199, or 0·3 per cent. of the total deaths in London were uncertified. Of these uncertified deaths 165 were registered in the southern group of districts.

Coroners' inquests were held in 7341 cases, the proportion of inquests being equal to 10·2 per cent. of the total deaths registered. Among the several groups of registration districts, the proportions ranged from 8·5 per cent. in the southern group to 14·8 per cent. in the eastern group.

GREATER LONDON.

The estimated population of Greater London, which is coterminous with the "Metropolitan" and "City Police" Districts, was 6,806,296 in the middle of the year 1903. Of these, 4,613,812 were estimated to be living in Inner or Registration London, which is coterminous with the administrative county, and 2,192,484 in the Outer Ring. The mortality among the population of the entire area was at the rate of 14·5 per 1000, as compared with 18·5, 17·7, 16·3, and 16·4 severally in the four preceding years. In the County of London the mortality was at the rate of 15·7 per 1000, whilst in the Outer Ring it did not exceed 12·0. Infantile mortality in Greater London was equal to 126 per 1000 births, as compared with 165, 156, 146, and 135 severally in the four preceding years. Last year infantile mortality was equal to 131 in the County of London and to 114 in the Outer Ring.

The One Hundred and Three Smaller Towns.

(*Towns containing from 25,000 to 50,000 Inhabitants at the Census of 1901.*)

In the middle of the year 1903 the 103 English and Welsh towns included in Table 5 contained a population that is estimated at 3,706,326. The births registered in these towns numbered 101,376, and were in the proportion of 27·4 per 1000 of the population. The registered deaths were 54,074 in number, and were equal to a rate of 14·6 per 1000 persons living.

Disregarding the age and sex constitution of the several populations, the local death-rates varied considerably. The lowest crude rates were 9·0 in Beckenham, 9·3 in Reigate, 9·4 in Wimbledon, 10·1 in Ilford, and 10·2 in Withington. The highest rates were 19·8 in Ashton-under-Lyne, 19·9 in Leigh (Lancashire), 20·0 in Dudley, 20·5 in Barnsley, and 21·2 in Longton.

Particulars of mortality in each of the 103 towns will be found in Tables 5 and 6.

Infantile mortality.—The 54,074 deaths at all ages in the 103 towns included the deaths of 13,690 infants under one year of age. Calculated on the registered births these deaths corresponded to a rate of 135 per 1000. The lowest rates of infantile mortality were—in Tunbridge Wells 76, in Wimbledon 85, and in Reigate, Gloucester, and Cheltenham, 86 per 1000 births. The highest rates were—in Stalybridge 194, in Leigh (Lancashire) 198, in

Ashton-under-Lyne 200, in Longton 214, and in Farnworth 220. The last two towns had shown the highest rates of infantile mortality in the year 1902 also.

CAUSES OF DEATH.

The *principal epidemic diseases* caused an average death-rate of 1.41 per 1000 in the 103 towns—among which the lowest rates were 0.24 per 1000 in Bath, 0.30 in Torquay, 0.43 in Beckenham, 0.48 in Shrewsbury, and 0.49 in Reigate. The highest rates were 3.07 in Farnworth, 3.10 in Wednesbury, 4.00 in Barnsley, 4.18 in Ilkeston, and 5.19 in Leigh (Lancashire).

Small-pox was the registered cause of 90 deaths, viz., 14 in Cambridge, 8 in Dewsbury, 5 each in Colchester, Chester, and Middleton, 4 each in Wakefield and Carlisle, and smaller numbers in 27 other towns.

Measles caused an average death-rate of 0.29 per 1000; the highest rates being 1.18 in Rowley Regis, 1.21 in Ashton-under-Lyne, 1.32 in Barnsley, 1.76 in Ilkeston, and 2.71 in Leigh (Lancashire).

Scarlet fever accounted for an average death-rate of 0.12 per 1000. The highest rates were 0.45 in Leigh (Lancashire) and in Accrington, 0.47 in Todmorden, 0.77 in Llanelli, and 0.97 in Wednesbury.

Diphtheria (exclusive of *croup* unless stated to be *membranous*) was responsible for an average death-rate of 0.16 per 1000. The highest rates were 0.50 in Longton and in Darlington, 0.53 in Pontypridd, 0.55 in Todmorden, and 0.68 in Eccles.

Whooping-cough was fatal in the average proportion of 0.28 per 1000 living; the towns with the highest death-rates from this disease were Dover and Wednesbury, where the rate was 0.71, Ilkeston 0.75, Leigh (Lancashire) 0.81, and Peterborough 0.99.

“*Fever*” (mainly “*enteric*,” but including also “*typhus*” and “*pyrexia*”) accounted for a death-rate that averaged 0.11 in the 103 towns. The highest rates from “*fever*” were 0.28 in Leigh (Lancashire) and in Barnsley, 0.34 in Southend-on-Sea, 0.38 in Farnworth and in Gorton, and 0.46 in Widnes.

Diarrhœa (*i.e.*, diarrhœa, dysentery, and English cholera) caused an average death-rate of 0.43 per 1000 in these 103 towns. The highest rates were 1.24 in Oldbury, 1.28 in Doncaster, 1.33 in Longton, 1.62 in Farnworth, 1.63 in Barnsley, and 1.75 in Gorton.

Edinburgh, Glasgow, Dublin and Belfast.

In Edinburgh the death-rate in 1903 was 16.8, in Glasgow 19.2, in Dublin 22.9, and in Belfast 20.0—per 1000 of the several populations.

Colonial and Foreign Cities.

From Weekly and other Returns with which the Registrar-General has been favoured by the Authorities of thirty-nine of the principal Colonial and Foreign cities, of which the estimated aggregate population exceeded thirty millions, it is found that the deaths last year in these cities collectively were equal to a rate of 20.7 per 1000 living.

In thirty-four European, Australian, and American cities, with an aggregate population exceeding twenty-seven millions, the death-rate was 18.3 per 1000. In Paris the rate was 17.9, in St. Petersburg 23.8, in Berlin 16.5, in Vienna 18.6, and in New York 18.2, against 15.7 in London. Among the other cities the lowest rates were 11.6 in Sydney, 13.1 in Brisbane, 14.0 in Amsterdam, 14.1 in the Hague, 14.4 in Antwerp, 15.2 in Brussels, 15.3 in Christiania and in Chicago, 15.4 in Rotterdam, and 15.9 in Copenhagen and in Buenos Ayres; the highest rates were 23.8 in St. Petersburg and in Breslau, 25.5 in Trieste, and 27.5 in Moscow. *Small-pox* caused 278 deaths in Philadelphia, 207 in Buenos Ayres, 155 in St. Petersburg, and 129 in Brussels. *Measles* was most fatal in proportion to population in Antwerp, Rotterdam, Christiania, St. Petersburg, Moscow, and Buda-Pesth; *scarlet fever* in St. Petersburg, Moscow, Hamburg, Prague, and Buda-Pesth; *diphtheria* and *croup* in Christiania, St. Petersburg, Moscow, Buda-Pesth, Milan, New York, Chicago, Philadelphia, Boston, Baltimore, and San Francisco; *whooping-cough* in Rotterdam, St. Petersburg, Trieste, Turin, and San Francisco; "fever" in Brisbane, St. Petersburg, Moscow, Prague, Rome, Milan, Venice, Chicago, Philadelphia, Baltimore, and New Orleans; and *diarrhoeal diseases* in Antwerp, St. Petersburg, Moscow, Breslau, Munich, and Venice.

Among the Indian cities the death-rate was equal to 33.7 in Calcutta, 37.8 in Madras, and 65.1 in Bombay. *Small-pox* caused 1,477 deaths in Bombay, 50 in Calcutta, and 7 in Madras; *measles* caused 1,115 deaths in Bombay. Under the heading "fever" 6,134 deaths were classed in Madras, 13,043 in Calcutta, and 23,121 in Bombay, including respectively 5, 8,222, and 20,788 from *plague*. The mortality from *diarrhoeal diseases* was excessive in each of these Indian cities.

In Cairo and Alexandria the death-rates were 33.0 and 28.9 respectively, these high rates being largely attributable to excessive mortality from *diarrhoeal diseases*. The deaths in Cairo also included 365 from *measles*, 287 from *diphtheria* and *croup*, and 726 from "fever"; and those in Alexandria, 109 from *small-pox*, 58 from *diphtheria* and *croup*, and 230 from "fever," 80 of which were from *plague*.

SUMMARY OF STATISTICS
FOR THE
COUNTY OF LONDON.

AREA.—The Area of the County of London is 74,839 acres, excluding tidal water and foreshore; this is equal to 30,287 hectares, or 303 square kilometres. The total estimated length of public highways formed or sanctioned at the end of 1903 was 2,083 $\frac{3}{4}$ miles.*

ELEVATION.—The population of London resides at a mean elevation of 59 feet (17.9 metres) above approximate mean water at Liverpool; the elevation varying from 1 foot (0.3 metre) in Plumstead Marshes to 441 feet (134.4 metres) at Hampstead, above that datum.

HOUSES.—At the Census in 1901 there were within this area 571,768 inhabited houses, containing an average of 7.9 persons to a house, a slightly higher proportion than in 1891.

ANNUAL RATABLE VALUE.—The Annual Ratable Value of Property within the County of London in 1901, as assessed in accordance with the Valuation (Metropolis) Act, 1869, was 40,209,391*l.*† (For Annual Ratable Value of Greater London in 1901, see Table 10.)

DENSITY (1903).—152 persons to a hectare; 61.6 to an acre; 39,456 to a square mile. (In these calculations no account is taken of tidal water and foreshore.)


AVERAGE ANNUAL RATE OF INCREASE OF POPULATION $\left\{ \begin{array}{l} 1861-71 - 1.015063 \\ 1871-81 - 1.016209 \\ 1881-91 - 1.009935 \\ 1891-01 - 1.007061 \end{array} \right.$

1903.

POPULATION	}{ Males	...	2,178,213	}{ PERSONS...	4,613,812
(Estimated to the middle of the year.)			}{ Females...		2,435,599		
ESTIMATED INCREASE OF POPULATION	1902-1903		34,702
MARRIAGES	40,215
PERSONS MARRIED	80,430
ANNUAL RATE OF PERSONS MARRIED PER 1000 OF THE POPULATION							17.4
BIRTHS	}{ Males	...	66,591	}{ PERSONS...	130,906
			}{ Females	...	64,315		
ANNUAL RATE OF BIRTHS PER 1000 OF THE POPULATION							28.4
DEATHS	}{ Males	...	37,393	}{ PERSONS...	72,109
			}{ Females	...	34,716		
ANNUAL RATE OF MORTALITY PER 1000	...		}{ Males	...	17.2	}{ PERSONS...	15.7
			}{ Females	...	14.3		
EXCESS OF REGISTERED BIRTHS OVER DEATHS		58,797

* The facts concerning public highways were supplied by the Clerk to the London County Council.

† This information is derived from a return of the Gross and Ratable Value of Property in the Metropolis issued by the London County Council.



* Including deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, outside the County of London, but excluding deaths of non-Londoners in the London Fever Hospital, the Metropolitan Asylums Board, the Middlesex County Lunatic Asylum, within the County of London. The deaths in the other towns have not been ascertained.

TABLE I (continued).—76 Great Towns, Greater London, and Four Scottish or Irish Towns.—Population, Births, Deaths, and Meteorology

in the 52 Weeks ended 2nd January, 1902.

TOWNS,	ESTIMATED Population in the middle 1901.	The DATA registered include														TOWNS,			
		DEATHS.			BIRTHS.			Deaths of Infants under Aged 60 Years and upwards.			Deaths from Diseases.			Deaths from Diseases.					
COLS.	1	2	3	4	5	6	7	8	9	10	11.	12.	13.	14.	15.	16.	17.	18.	19.
BIRMINGHAM	533,039	16897	9449	2679	2259	1230	12	183	141	136	93	67	588	405	576	2258	221	48·4
KINGS NORTON	63,717	1763	633	171	186	48	1	7	16	5	6	2	11	18	23	65	13	—
SMETHWICK	58,787	1978	277	169	63	1	5	6	11	16	9	15	13	30	35	27	—	—
ASTON MANOR	79,417	2271	1100	365	257	179	4	25	18	6	20	8	98	10	28	86	16	—
COVENTRY	72,684	2160	1172	243	382	144	1	57	4	32	15	1	34	39	70	176	18	49·2
LEICESTER	220,272	6015	3122	960	808	319	21	74	15	28	36	14.	131	106	254	533	38	—
GRIMSBY	65,772	1889	931	315	205	127	—	9	9	27	19	19	63	43	73	121	15	—
NOTTINGHAM	245,985	6945	4152	1145	1139	495	2	96	35	64	95	35	168	140	258	789	29	48·6
DERBY	118,707	3215	1609	413	477	102	2	5	8	3	32	7	45	69	178	305	—	—
STOCKPORT	95,709	2794	1761	517	400	223	2	41	27	8	52	14	79	53	106	208	4	—
BIRKENHEAD	113,568	3489	1889	544	468	235	5	9	20	11	41	15	134	74	166	348	10	—
WALLASEY	58,255	1605	805	184	242	74	1	3	18	3	10	5	34	45	72	100	11	—
LIVERPOOL *	..	239,610	14842	3795	3256	1790	137	129	191	162	309	162	700	610	967	4245	495	49·0	34·40
BOOTLE	60,761	1989	1154	330	267	164	7	2	27	7	15	13	93	70	82	248	45	—
ST. HELENS	87,259	3373	1541	479	296	164	—	—	27	22	32	15	68	68	79	240	103	—
WIGAN	62,165	2201	1374	397	240	259	1	100	26	13	32	10	77	39	70	166	11	—
WARRINGTON	66,370	2386	1236	368	221	218	4	96	8	11	30	2	87	45	47	146	61	—
BOLTON	173,401	4669	3019	712	747	343	3	47	58	37	8	34	156	101	241	386	10	—
BURRY	58,313	1322	1007	218	299	126	7	21	9	21	7	5	50	32	47	118	16	—
MANCHESTER	553,486	17704	10886	2391	2228	1406	25	349	96	135	213	94	494	400	766	2666	165	48·2
SALFORD	226,480	7284	4284	1216	842	647	7	131	56	86	96	49	222	135	316	816	25	—
OLDHAM	138,786	3545	2577	568	622	323	23	38	30	64	108	12	58	72	166	345	3	—
ROCHDALE	84,824	2029	1451	287	433	115	6	4	13	20	42	7	23	49	76	168	32	—
BURNLEY	99,469	2701	1901	586	420	281	10	17	24	20	56	15	139	57	100	280	17	—
BLACKBURN	131,218	3288	2058	515	592	194	2	54	14	26	13	17	68	65	118	234	53	—
PRESTON	114,404	3466	2131	559	354	2	108	15	21	62	33	118	65	78	214	52	48·8	43·82
BARROW-IN-FURNESS	59,009	1982	749	191	192	50	—	5	—	7	8	14	16	23	23	69	35	—

* As extended in 1902.

TABLE 1 (continued).—76 Great Towns, Greater London, and Four Scottish Towns.—Population, Births, Deaths, &c., in the 52 Weeks ended 2nd January, 1904.

TOWNS.	ESTIMATED POPULATION in the middle of 1903.	Deaths of					Deaths from					TOWNS.													
		BIRTHS.	DEATHS.	INFANTS	PERSONS	MEASLES.	SCARLET	MEASLES.	WHOOPING	FEVER.	DAIRY	FEVER.	SCARLET	MEASLES.	WHOOPING	FEVER.	DAIRY	FEVER.	SCARLET	MEAN	RAINFALL	TEMPERATURE	RAINFALL	TEMPERATURE	RAINFALL
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	COLS.					
HUDDERSFIELD	94,963	2252	1584	271	540	80	2	—	15	14	16	8	25	63	110	212	13	47.8	44.27	HUDDERSFIELD.	—	—	—	—	—
HALIFAX*	106,754	2244	1699	274	599	76	4	6	7	10	19	13	17	68	126	314	24	—	—	HALIFAX.*	—	—	—	—	—
BRADFORD	288,412	6366	4633	976	1478	387	12	15	29	55	90	41	145	156	359	764	32	49.0	50.62	BRADFORD.	—	—	—	—	—
LEEDS	443,559	12996	7325	1989	1756	773	22	123	109	66	119	57	278	269	636	1084	29	49.5	29.60	LEEDS.	—	—	—	—	—
SHERFIELD	425,528	14091	7903	2663	1618	1317	3	337	95	40	268	45	539	227	362	1271	205	48.5	37.61	SHERFIELD.	—	—	—	—	—
ROtherham	57,212	1969	1006	356	194	167	3	30	9	12	37	10	66	43	54	113	30	—	—	ROtherham.	—	—	—	—	—
YORK	80,188	2340	1301	364	335	158	5	42	12	8	37	5	49	27	73	167	2	48.2	29.84	YORK.	—	—	—	—	—
HULL	249,639	7860	4212	1264	983	546	6	104	8	76	23	18	311	163	302	690	59	48.3	29.08	HULL.	—	—	—	—	—
Middlesbrough	96,013	3486	2040	644	317	282	1	72	7	30	16	22	134	63	113	266	44	—	—	Middlesbrough.	—	—	—	—	—
Stockton-on-Tees	51,965	1644	829	226	193	67	—	—	14	10	10	7	26	35	66	106	8	—	—	Stockton-on-Tees.	—	—	—	—	—
West Hartlepool	67,201	2274	958	293	181	55	1	11	7	12	11	4	9	45	67	104	6	—	—	West Hartlepool.	—	—	—	—	—
Sunderland	149,572	6233	2874	820	634	352	3	121	34	31	50	24	89	105	164	496	81	—	—	Sunderland.	—	—	—	—	—
South Shields*	105,325	3625	1805	475	427	115	1	13	14	16	3	10	58	75	95	221	95	—	—	South Shields.*	—	—	—	—	—
Gateshead	115,531	4118	1928	654	404	217	19	4	37	11	36	5	105	46	70	138	88	—	—	Gateshead.	—	—	—	—	—
Newcastle-on-Tyne	229,241	6387	4259	1139	928	271	9	12	27	37	51	7	128	230	402	842	23	48.7	29.65	Newcastle-on-Tyne.	—	—	—	—	—
Tynemouth	62,531	1725	952	279	215	74	4	9	10	12	11	4	24	34	64	112	15	47.6	32.67	Tynemouth.	—	—	—	—	—
Newport (Mon.)	70,217	2271	1100	331	253	122	—	28	6	9	33	10	36	37	81	140	4	—	—	Newport (Mon.).	—	—	—	—	—
Cardiff	172,598	5250	2408	643	542	227	3	27	29	35	38	16	79	105	218	374	3	—	—	Cardiff.	—	—	—	—	—
Rhondda	119,652	4897	1976	775	286	93	—	8	37	41	51	44	112	111	135	55	14	—	—	Rhondda.	—	—	—	—	—
Merthyr Tydfil	71,651	2744	1363	264	190	—	—	33	29	30	28	48	82	117	140	6	—	—	Merthyr Tydfil.	—	—	—	—	—	
Swansea	95,589	3049	1770	502	424	218	—	95	12	21	33	11	46	59	132	199	10	—	—	Swansea.	—	—	—	—	—
Greater London	6306,296	16730	9827	24606	24608	11412	31	2686	502	1118	2466	562	4047	4106	9589	28421	319	—	—	Greater London.	—	—	—	—	—
Outer Ring	2192,484	64824	26166	7393	7228	3246	18	632	140	366	835	166	1689	997	2248	3916	120	—	—	Outer Ring.	—	—	—	—	—
8 Towns in Outer Ring, Remainder of Outer Ring.	1,062,157	32927	13070	3082	3084	1962	3	472	72	186	491	105	633	447	1128	2117	49	—	—	8 Towns in Outer Ring.	—	—	—	—	—
EDINBURGH	327,441	8033	5195	972	1594	503	1	96	52	55	148	25	126	209	?	1674	291	46.5	31.49	Edinburgh.	—	—	—	—	—
GLASGOW	786,897	25019	15097	3563	2843	1942	25	362	79	105	588	155	638	628	?	3633	593	47.6	45.68	Glasgow.	—	—	—	—	—
DUBLIN†	378,994	10876	8643	1639	2283	556	36	48	52	58	129	89	146	203	292	3191	442	47.8a	32.41a	DUBLIN†	—	—	—	—	—
BELFAST†	358,680	11488	7169	1544	1144	1284	15	160	68	180	344	61	456	550	1120	1799	71	—	—	Belfast†	42.02	48.0	48.0	48.0	42.02

* As extended in 1902.

a Phoenix Park.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2.—76 Great Towns.—Birth-rate, Death-rate, and Analysis of Mortality in the 52 Weeks ended 2nd January, 1904.

TOWNS, Boroughs in 2 Weeks ended 2nd Jan., 1904.	ANNUAL RATE PER 1000 PERSONS LIVING.												TOWNS, PERCENTAGE DEATHS to Total Deaths.											
	Total Deaths, 52 or 53 Weeks ended				Deaths from Diphtheria, Small-pox, Puerperal Diseases.				Deaths from Measles, Scarlet Fever, Diphtheria, Whooping- Cough, Diarrhoea, Fever, Measles.				Deaths under 1 Year to 1000 Births, Aged 60 Years and upwards.				Deaths under 1 Year to 1000 Births, Aged 60 Years and upwards.				Deaths under 1 Year to 1000 Births, Aged 60 Years and upwards.			
	2nd Dec., 1900.	28th Dec., 1901.	3rd Jan., 1902.	2nd Jan., 1903.	6.	5.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Col.			
76 TOWNS.	29·7	?	17·4	16·3	1·89	0·03	0·36	0·14	0·20	0·33	0·12	0·71	0·63	144	8·6	66·5	7·9	22·7	1·1	76 TOWNS.				
LONDON*	28·4	19·1	17·6	17·7	15·7	1·77	0·00	0·45	0·08	0·16	0·35	0·09	0·64	0·68	131	8·5	62·9	10·2	35·4	0·3	LONDON.*			
(CROYDON.	26·3	14·6	12·9	14·0	11·8	1·08	0·01	0·18	0·01	0·12	0·44	0·04	0·28	0·40	108	5·6	52·7	10·3	19·3	—	(CROYDON.			
WILLESDEN.	32·0	13·0	12·0	13·1	12·1	1·96	0·01	0·66	0·10	0·08	0·54	0·06	0·51	0·33	117	6·1	56·9	6·8	12·7	0·8	WILLESDEN.			
HORNSEY.	20·3	9·2	8·6	7·9	7·9	0·67	—	0·18	0·01	0·12	0·27	—	0·09	0·18	84	3·9	42·0	7·5	5·5	—	HORNSEY.			
TOTTENHAM.	32·3	15·5	13·8	14·5	13·0	1·89	—	0·71	0·04	0·16	0·53	0·08	0·37	0·60	124	6·4	61·0	14·2	14·4	0·7	TOTTENHAM.			
WEST HAM.	33·7	19·1	17·9	17·1	15·3	2·65	—	0·49	0·07	0·26	0·59	0·13	1·11	0·67	146	7·9	64·8	7·6	22·2	0·3	WEST HAM.			
EAST HAM.	34·5	?	11·9	11·0	1·62	—	0·36	0·12	0·13	0·34	0·14	0·63	0·38	111	52·5	52·5	9·2	9·4	0·5	EAST HAM.				
LEYTON.	30·6	13·0	12·9	11·9	10·8	1·64	—	0·36	0·12	0·25	0·40	0·11	0·40	0·30	103	5·3	44·7	6·1	11·8	1·3	LEYTON.			
(WALTHAMSTOW.	33·0	13·9	13·6	11·5	11·1	1·90	—	0·50	0·07	0·17	0·32	0·18	0·66	0·42	113	5·4	56·5	8·2	13·4	0·2	(WALTHAMSTOW.			
HASTINGS.	15·1	13·6	14·5	12·9	0·69	—	0·17	0·02	0·09	0·18	0·02	0·21	0·50	106	5·9	57·5	6·6	11·2	0·7	HASTINGS.				
BRIGHTON.	24·3	18·0	16·5	15·8	14·3	0·85	—	0·05	—	0·26	0·10	0·04	0·40	0·47	114	7·0	58·4	8·7	24·2	0·3	BRIGHTON.			
PORTSMOUTH.	27·9	17·9	16·8	14·7	1·50	—	0·09	0·14	0·39	0·17	0·12	0·59	0·54	114	7·6	62·4	7·8	18·0	1·0	PORTSMOUTH.				
BOURNEMOUTH.	17·8	15·0	11·8	12·4	12·1	0·40	—	—	0·02	0·13	0·05	0·06	0·14	0·22	81	6·8	52·7	6·0	13·4	0·3	BOURNEMOUTH.			
SOUTHAMPTON.	28·2	17·6	16·7	15·2	13·8	1·31	—	0·01	0·09	0·25	0·18	0·53	0·48	116	6·6	60·1	10·2	16·1	—	SOUTHAMPTON.				
READING.	27·0	14·3	13·7	12·7	0·94	—	0·08	0·03	0·20	0·23	0·05	0·35	0·36	121	6·3	53·3	5·3	16·6	1·7	READING.				
NORTHAMPTON.	24·4	16·6	14·5	15·2	14·2	1·56	—	0·11	0·28	0·23	0·36	0·08	0·50	0·44	139	7·2	63·0	4·6	14·4	1·8	NORTHAMPTON.			
IPSWICH.	28·3	18·5	17·8	14·3	15·2	1·41	—	0·70	—	0·12	0·16	0·07	0·36	0·44	140	6·8	63·3	8·2	13·5	1·1	IPSWICH.			
GREAT YARMOUTH.	27·5	21·7	18·3	18·2	2·79	—	0·23	0·50	0·85	0·25	0·12	0·64	0·77	122	9·6	63·7	8·1	23·9	—	GREAT YARMOUTH.				
NORWICH.	27·9	18·2	18·7	16·7	15·2	1·13	—	0·01	0·13	0·11	0·07	0·06	0·75	0·35	150	6·1	65·6	6·8	15·6	1·4	NORWICH.			
PLYMOUTH.	25·5	20·0	17·9	17·0	16·5	1·16	—	0·04	0·13	0·13	0·24	0·13	0·49	0·47	144	8·0	66·6	7·3	13·7	0·4	PLYMOUTH.			
DEVONPORT.	28·4	18·3	16·6	15·2	14·1	0·94	—	0·20	0·14	0·11	0·11	0·03	0·35	0·39	118	7·1	63·6	9·4	10·7	0·1	DEVONPORT.			
BRISTOL.	27·4	16·6	16·0	17·4	14·3	1·08	0·01	0·03	0·15	0·35	0·20	0·06	0·28	0·67	116	7·4	60·4	9·1	23·2	0·5	BRISTOL.			
HANLEY.	34·9	23·9	21·1	20·0	18·7	3·08	0·11	0·02	0·10	1·22	0·25	0·14	1·24	0·60	173	9·4	78·3	7·2	12·1	2·6	HANLEY.			
BURTON-ON-TRENT.	26·5	18·5	14·1	13·7	12·3	0·54	0·02	0·06	0·10	0·04	0·14	0·02	0·16	0·62	93	6·2	69·9	8·2	16·8	0·5	BURTON-ON-TRENT.			
WOLVERHAMPTON.	30·5	21·6	16·9	16·4	15·5	1·97	—	0·56	0·16	0·09	0·07	0·19	0·90	0·64	141	7·7	65·0	7·6	17·6	0·6	WOLVERHAMPTON.			
WALESALL.	34·0	19·4	17·1	15·9	16·4	1·83	0·04	0·03	0·28	0·10	0·41	0·19	0·78	0·67	150	8·7	59·8	7·1	8·5	0·7	WALESALL.			
HANDSWORTH (STAFFS).	25·4	?	10·9	10·4	0·76	—	0·12	0·19	0·05	0·05	—	0·35	0·28	100	5·2	50·2	4·0	3·0	2·2	(STAFFS).				
WEST BROMWICH.	34·6	21·4	17·4	19·2	16·8	2·36	—	0·63	0·38	0·29	0·17	0·14	0·75	0·63	159	8·5	55·5	6·6	12·5	1·8	WEST BROMWICH.			

* See Note* to Table I.

Note.—The rates in columns 2 and 3 printed in Old Style type relate to calendar years.

Towns,	ANNUAL RATE PER 1000 PERSONS LIVING.												ANNUAL DEATH-RATE per 1000 living.											
	Total Deaths						Deaths from						Deaths under						Deaths					
	Births in 52 Weeks ended 20th Dec., 1900.	52 or 53 Weeks ended 28th Dec., 1901.	3rd Jan., 1903.	Small-pox.	Measles.	Scarlet-fever.	Diphtheria.	Whooping-cough.	Measles.	Scarlet-fever.	Diphtheria.	Whooping-cough.	Measles.	Scarlet-fever.	Diphtheria.	Whooping-cough.	Measles.	Scarlet-fever.	Diphtheria.	Whooping-cough.	Measles.	Scarlet-fever.	Diphtheria.	Whooping-cough.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	Cols.			
BIRMINGHAM.	31.8	21.6	20.5	18.6	17.8	2.32	0.02	0.36	0.27	0.26	0.17	0.13	1.11	0.76	159	9.3	74.0	6.1	23.9	2.3	BIRMINGHAM.			
KINGS NORTON.	27.6	?	11.6	10.0	0.75	0.02	0.11	0.25	0.08	0.09	0.03	0.17	0.28	98	4.8	47.5	3.6	10.3	2.1	KINGS NORTON.				
SMETHEWICK.	33.7	17.4	15.7	14.4	13.5	1.08	0.02	0.09	0.10	0.19	0.27	0.15	0.26	0.22	140	6.3	64.0	3.8	4.4	3.4	SMETHEWICK.			
ASTON MANOR.	28.7	17.6	16.8	13.5	13.9	2.27	0.05	0.32	0.23	0.08	0.25	0.10	1.24	0.13	161	6.6	62.4	2.5	7.8	1.5	ASTON MANOR.			
COVENTRY.	29.8	17.6	17.1	14.0	16.2	1.99	0.01	0.79	0.06	0.44	0.21	0.01	0.47	0.54	113	8.4	73.1	6.0	15.0	1.5	COVENTRY.			
LEICESTER.	27.4	18.3	15.9	14.9	14.2	1.46	0.10	0.34	0.07	0.13	0.16	0.06	0.60	0.48	160	6.7	60.4	8.1	17.1	1.2	LEICESTER.			
GRIMSBY.	28.8	19.5	16.4	14.7	14.2	1.94	—	—	0.14	0.14	0.41	0.14	0.96	0.66	167	6.8	55.5	7.8	13.0	1.6	GRIMSBY.			
NOTTINGHAM.	28.3	19.5	18.5	16.7	16.9	2.01	0.01	0.39	0.14	0.26	0.39	0.14	0.68	0.57	165	8.4	66.7	6.2	19.0	0.7	NOTTINGHAM.			
DERBY.	27.2	18.0	15.2	13.9	13.6	0.87	0.02	0.04	0.07	0.03	0.27	0.06	0.38	0.38	128	6.8	66.5	11.1	19.0	—	DERBY.			
STOCKPORT.	29.3	22.6	19.5	19.0	18.5	2.33	0.02	0.43	0.28	0.08	0.54	0.15	0.83	0.56	185	9.7	65.5	6.0	11.8	0.2	STOCKPORT.			
BIRKENHEAD.	30.8	17.9	18.7	17.7	16.8	2.07	0.04	0.08	0.18	0.10	0.36	0.13	1.18	0.65	156	8.6	68.1	8.7	18.3	0.5	BIRKENHEAD.			
WALLASEY.	27.6	17.2	14.9	13.9	13.9	1.28	0.02	0.05	0.31	0.05	0.17	0.09	0.59	0.77	115	7.1	71.5	8.9	12.4	1.4	WALLASEY.			
LIVERPOOL.	33.4	23.9	22.3	22.5	20.5	2.51	0.19	0.18	0.27	0.23	0.43	0.23	0.98	0.85	159	11.6	78.3	6.6	29.0	3.4	LIVERPOOL.			
BOOLE.	33.0	22.4	18.6	19.7	19.0	2.71	0.12	0.03	0.45	0.12	0.25	0.21	1.53	1.16	165	10.0	87.0	7.1	21.5	3.9	BOOLE.			
ST. HELENS.	38.8	22.9	20.2	20.0	17.7	1.88	—	—	0.31	0.25	0.37	0.17	0.78	0.78	142	9.5	78.7	5.1	15.6	6.7	ST. HELENS.			
WIGAN.	35.5	24.4	24.4	20.6	22.2	4.18	0.02	1.61	0.42	0.21	0.52	0.16	1.24	0.63	180	12.9	81.2	5.1	12.1	0.8	WIGAN.			
WARRINGTON.	36.2	24.2	19.4	16.4	18.7	3.29	0.06	1.45	0.12	0.17	0.45	0.12	0.68	0.03	163	10.6	71.1	3.8	11.8	4.9	WARRINGTON.			
BOLTON.	37.0	19.2	18.2	16.9	17.5	1.93	0.02	0.27	0.34	0.21	0.05	0.20	0.90	0.56	152	9.8	82.8	8.0	12.8	0.3	BOLTON.			
BURY.	32.7	19.3	16.8	16.4	17.3	2.16	0.12	0.46	0.15	0.36	0.12	0.09	0.86	0.35	165	9.2	78.8	4.7	11.7	1.6	BURY.			
MANCHESTER.	32.1	24.5	22.1	20.0	19.7	2.54	0.05	0.63	0.17	0.24	0.39	0.17	0.89	0.72	169	11.1	78.8	7.0	24.5	1.4	MANCHESTER.			
SAFORD.	32.3	26.3	21.7	19.3	19.0	2.86	0.03	0.58	0.25	0.38	0.42	0.22	0.98	0.60	167	10.7	72.8	7.4	19.0	0.6	SAFORD.			
OLDHAM.	35.6	21.9	19.6	19.1	18.6	2.34	0.17	0.27	0.22	0.39	0.78	0.09	0.42	0.52	160	10.9	75.4	6.4	13.4	0.1	OLDHAM.			
ROCHDALE.	34.0	26.2	18.4	18.3	17.1	1.36	0.07	0.05	0.15	0.24	0.50	0.08	0.27	0.53	141	9.5	79.6	5.2	11.6	2.2	ROCHDALE.			
BURNLEY.	32.7	19.8	19.0	19.5	19.2	2.82	0.10	0.17	0.24	0.20	0.66	0.15	1.40	0.57	217	9.8	80.2	5.3	14.7	0.9	BURNLEY.			
BLACKBURN.	35.1	22.1	19.5	16.9	15.7	1.49	0.02	0.41	0.11	0.20	0.10	0.13	0.52	0.30	157	7.9	78.2	5.7	11.4	2.6	BLACKBURN.			
PRESTON.	30.4	26.4	21.0	19.1	18.7	3.09	0.02	0.13	0.18	0.54	0.29	1.03	0.57	161	9.8	79.8	3.7	10.0	2.4	PRESTON.				
BARROW-IN-FURNESS.	33.3	18.9	15.4	15.6	12.7	0.85	—	0.08	—	0.12	0.14	0.24	0.27	0.39	97	6.7	70.3	3.1	9.2	4.7	BARROW-IN-FURNESS.			

NOTE.—The rates in columns 2 and 3 printed in Old Style type relate to calendar years.

TABLE 2 (continued).—76 Great Towns.—Birth-rate, Death-rate, and Analysis of Mortality in the 52 Weeks ended 2nd Januay, 1904.

TOWNS,	BIRTHS in 52 Weeks ended 2nd Jan. 1904,	ANNUAL RATE PER 1000 PERSONS LIVING.										PERCENTAGE to Total Deaths.										
		Total Deaths		52 or 53 Weeks ended		3rd Jan., 1903.		2nd Jan., 1904.		Deaths from		Deaths under 1 Year		ANNUAL DEATH RATE per 1000 living.		TOWNS,		ANNUAL DEATH RATE per 1000 living.		TOWNS,		
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	COLS.	
HUDDERSFIELD ..	23·8	18·4	16·7	17·8	16·7	15·7	15·0	15·0	15·0	0·02	0·16	0·15	0·17	0·08	0·26	0·67	120	9·0	79·9	0·8	HUDDERSFIELD.	
HALIFAX ..	21·1	18·6	16·4	17·4	15·7	15·0	15·0	15·0	15·0	0·04	0·06	0·07	0·09	0·18	0·12	0·18	0·64	122	7·5	78·6	0·6	HALIFAX.
BRADFORD ..	23·3	17·2	16·8	15·8	16·4	15·3	15·0	15·0	15·0	0·04	0·05	0·10	0·19	0·32	0·15	0·51	0·55	148	8·5	78·5	0·7	BRADFORD.
LEEDS ..	20·4	20·4	19·3	17·6	16·3	17·6	17·6	17·6	17·6	0·05	0·28	0·15	0·27	0·13	0·63	0·61	153	8·8	69·9	0·4	LEEDS.	
SHEFFIELD ..	33·2	22·0	20·4	17·1	18·6	18·6	18·6	18·6	18·6	0·01	0·79	0·22	0·09	0·61	0·11	1·27	0·54	182	9·6	71·0	0·6	SHEFFIELD.
ROTHERHAM ..	34·5	18·6	18·2	17·6	17·6	17·6	17·6	17·6	17·6	0·05	0·53	0·16	0·21	0·65	0·18	1·16	0·75	181	8·7	65·6	0·7	ROTHERHAM.
YORK ..	29·3	20·7	16·8	16·3	15·7	15·7	15·7	15·7	15·7	0·06	0·53	0·15	0·10	0·46	0·06	0·61	0·34	156	8·3	58·6	0·2	YORK.
HULL ..	31·3	19·9	18·7	17·2	16·9	2·19	0·02	0·42	0·03	0·31	0·09	0·09	0·07	1·25	0·05	162	8·7	62·3	7·2	16·4	1·4	HULL.
MIDDLEBROUGH ..	36·6	26·6	21·6	20·2	21·5	2·97	0·01	0·76	0·07	0·32	0·17	0·23	1·41	0·66	186	12·3	69·6	5·5	13·0	2·2	MIDDLEBROUGH.	
STOCKTON-ON-TEES ..	31·7	19·8	19·6	17·0	16·0	1·29	—	—	—	0·27	0·19	0·19	0·14	0·50	0·68	137	8·7	64·7	6·8	12·8	1·0	STOCKTON-ON-TEES.
WEST HARTLEPOOL ..	33·9	16·2	16·7	15·1	14·3	0·80	0·01	0·16	0·10	0·18	0·16	0·16	0·06	0·13	0·07	129	7·8	61·9	7·0	10·9	0·6	WEST HARTLEPOOL.
SUNDERLAND ..	35·1	21·8	21·4	19·5	19·9	2·37	0·02	0·81	0·23	0·21	0·34	0·16	0·60	0·70	0·70	157	11·2	71·6	6·5	18·7	2·7	SUNDERLAND.
SOUTH SHIELDS ..	34·5	21·5	20·6	19·5	17·7	17·2	1·09	0·01	0·12	0·13	0·15	0·03	0·10	0·55	0·71	131	9·4	80·8	5·3	12·2	5·3	SOUTH SHIELDS.
GATESHEAD ..	35·8	19·3	21·6	17·7	16·7	1·87	0·16	0·03	0·32	0·10	0·31	0·04	0·91	0·40	150	8·2	68·7	3·6	7·2	4·6	GATESHEAD.	
NEWCASTLE-ON-TYNE ..	31·1	21·5	21·9	19·9	19·2	1·22	0·04	0·05	0·12	0·17	0·23	0·03	0·58	1·04	165	10·8	75·6	9·4	19·8	0·5	NEWCASTLE-ON-TYNE.	
TYNEMOUTH ..	32·9	20·9	19·3	19·5	18·2	1·42	0·08	0·17	0·19	0·23	0·21	0·08	0·46	0·65	162	9·7	61·6	6·7	11·8	1·6	TYNEMOUTH.	
NEWPORT (MON.) ..	32·4	18·9	17·2	15·7	15·7	1·74	—	0·40	0·09	0·13	0·47	0·14	0·51	0·53	146	8·0	63·8	7·4	12·7	0·4	NEWPORT (MON.).	
CARDIFF ..	30·5	16·6	15·8	14·0	13·2	0·02	0·16	0·17	0·20	0·22	0·09	0·43	0·61	122	7·7	63·5	9·1	15·5	0·1	CARDIFF.		
RHONDDA ..	41·1	20·1	21·5	18·7	16·6	2·46	—	0·07	0·31	0·34	0·43	0·37	0·94	0·93	158	8·3	65·6	6·8	2·8	0·7	RHONDDA.	
MERTHYR TYDFIL ..	38·4	23·5	26·0	23·1	19·1	2·66	—	0·46	0·41	0·31	0·42	0·39	0·67	1·15	154	10·3	68·5	8·6	10·3	0·4	MERTHYR TYDFIL.	
SWANSEA ..	32·0	19·2	18·8	16·1	16·6	2·30	—	1·00	0·13	0·22	0·35	0·12	0·48	0·62	165	9·7	71·7	7·5	11·2	0·6	SWANSEA.	
GREATER LONDON ..	28·8	17·7	16·3	16·4	14·5	1·87	0·00	0·40	0·07	0·16	0·36	0·08	0·60	0·60	126	?	?	9·8	29·9	0·3	GREATER LONDON.	
OUTER RING ..	29·7	14·4	13·4	12·0	1·49	0·01	0·29	0·06	0·17	0·38	0·08	0·60	0·48	114	?	?	8·6	15·0	0·5	OUTER RING.		
8 TOWNS IN OUTER RING REMAINDER OF OUTER RING	31·1	?	?	13·7	12·3	1·86	0·00	0·45	0·07	0·18	0·46	0·10	0·60	0·42	121	6·2	55·3	8·6	16·2	0·4	8 TOWNS IN OUTER RING. REMAINDER OF OUTER RING.	
EDINBURGH ..	24·8	19·0	19·4	17·8	16·8	1·64	0·00	0·29	0·16	0·17	0·45	0·08	0·39	0·64	120	9·9	66·7	?	30·5	6·3	EDINBURGH.	
GLASGOW ..	31·9	21·8	21·2	20·1	19·2	2·47	0·03	0·45	0·10	0·13	0·75	0·20	0·81	0·80	143	11·8	69·2	?	24·6	3·9	GLASGOW.	
DUBLIN ..	28·7	26·6	24·2	22·9	1·49	0·10	0·13	0·14	0·15	0·34	0·24	0·39	0·54	151	13·8	86·7	9·4	38·9	5·1	DUBLIN.		
BELFAST ..	32·1	22·3	22·1	20·8	20·0	2·21	—	0·35	0·07	0·11	0·47	0·44	0·77	0·47	134	12·8	73·5	6·4	19·9	?	BELFAST.	

TABLE 3.—76 Towns.—Death-rates per 1000 living from All Causes, and from the Principal Epidemic Diseases, and Infant Mortality

In this Table 0'00 indicates that the deaths were too few to give a rate of 0'005; where no death occurred, — is inserted.

TOWNS,	ALL CAUSES.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHEA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.		
	Ten Years 1893-1902.	Ten Years 1893-1902.																	
76 TOWNS	?	16'3	?	0'03	?	0'14	?	0'20	?	0'33	?	0'12	?	0'71	?	144	.. 76 TOWNS.		
LONDON*	18'9	15'7	0'45	0'00	0'55	0'17	0'08	0'48	0'16	0'45	0'15	0'09	0'80	0'64	158	131	LONDON.*		
(CROYDON	14'2	11'8	0'01	0'23	0'05	0'01	0'24	0'12	0'33	0'44	0'09	0'04	0'69	0'28	141	108	(CROYDON.		
(WILLESDEN†	13'2	12'1	0'02	0'01	0'45	0'13	0'10	0'43	0'08	0'36	0'54	0'11	0'06	0'90	0'51	145	117	(WILLESDEN.†	
(HORNSEY†	9'6	7'9	0'01	—	0'12	0'18	0'04	0'23	0'12	0'24	0'27	0'06	—	0'44	0'00	103	84	(HORNSEY.†	
(TOTTENHAM†	14'5	13'0	0'08	—	0'34	0'11	0'04	0'30	0'16	0'37	0'53	0'15	0'08	0'88	0'37	124	104	(TOTTENHAM.†	
WEST HAM	18'4	15'3	0'11	—	0'62	0'49	0'16	0'07	0'65	0'26	0'49	0'27	0'13	1'25	1'11	169	146	WEST HAM.	
EAST HAM	?	11'0	?	—	?	0'36	?	0'12	?	0'13	?	0'34	?	0'14	?	?	111	EAST HAM.	
LEYTON†	12'8	10'8	0'01	—	0'31	0'36	0'11	0'12	0'40	0'25	0'42	0'15	0'11	0'93	0'40	143	103	LEYTON.†	
(WALTHAMSTOW†	13'0	11'1	0'01	—	0'39	0'50	0'07	0'52	0'17	0'38	0'32	0'16	0'18	0'96	0'66	146	113	(WALTHAMSTOW.†	
HASTINGS†	15'3	12'9	0'01	—	0'18	0'17	0'05	0'02	0'19	0'09	0'21	0'18	0'07	0'02	0'44	0'21	124	106	HASTINGS.†
BRIGHTON..	17'2	14'3	—	—	0'27	0'05	0'06	—	0'30	0'26	0'25	0'10	0'12	0'04	0'84	0'40	156	114	BRIGHTON.
BOURNEMOUTH.	17'6	14'7	0'00	—	0'41	0'09	0'10	0'14	0'30	0'39	0'32	0'17	0'27	0'12	1'18	0'59	162	114	BOURNEMOUTH.
SOUTHAMPTON†	13'6	12'1	—	—	0'13	—	0'06	0'02	0'14	0'13	0'15	0'05	0'06	0'06	0'32	0'14	120	81	(SOUTHAMPTON.†
READING..	17'5	13'8	0'01	—	0'33	0'01	0'03	0'00	0'21	0'25	0'32	0'15	0'18	0'05	0'53	0'16	116	121	READING.†
NORTHAMPTON..	16'3	14'2	—	—	0'42	0'11	0'18	0'28	0'09	0'23	0'37	0'36	0'14	0'08	0'78	0'50	152	139	(NORTHAMPTON.†
IPSWICH..	17'1	15'2	—	—	0'23	0'70	0'07	—	0'21	0'12	0'38	0'16	0'21	0'07	1'17	0'36	155	140	IPSWICH.†
GREAT YARMOUTH†	18'7	18'2	0'00	—	0'38	0'23	0'11	0'50	0'53	0'85	0'31	0'25	0'15	0'18	0'90	0'55	150	122	(GREAT YARMOUTH.†
NORWICH..	18'6	15'2	—	—	0'42	0'01	0'12	0'13	0'19	0'11	0'40	0'07	0'22	0'06	1'11	0'75	181	160	NORWICH.
PLYMOUTH..	19'2	16'5	0'01	—	0'56	0'04	0'66	0'13	0'12	0'13	0'39	0'24	0'10	0'13	0'85	0'49	172	144	PLYMOUTH.
DEVONPORT†	16'3	14'1	—	—	0'38	0'20	0'06	0'14	0'18	0'11	0'27	0'11	0'16	0'03	0'44	0'35	141	116	DEVONPORT.†
BRISTOL..	17'6	14'3	0'02	0'01	0'45	0'03	0'11	0'15	0'24	0'35	0'39	0'20	0'12	0'06	0'66	0'28	144	116	BRISTOL.
HANLEY†	21'2	18'7	0'00	0'11	0'63	0'02	0'20	0'10	0'66	1'22	0'34	0'25	0'14	0'10	1'24	2'06	173	129	HANLEY.†
BURTON-ON-TRENT†	15'5	12'3	—	0'02	0'51	0'06	0'15	0'10	0'39	0'04	0'31	0'14	0'14	0'02	0'63	0'16	129	93	BURTON-ON-TRENT†

* See note (*) to Table 1.

† The average rates for these towns relate to the nine years 1894-1902 only.

TABLE 3—continued.—76 Towns.—Death-rates per 1000 living from All Causes, and from the Principal Epidemic Diseases, and Infant Mortality in the Ten Years 1893-1902, and in 1903.

In this Table 000 indicates that the deaths were too few to give a rate of 005; where no death occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHEA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.
	Ten Years 1893-1902.	1903.	Ten Years 1893-1902.	1903.															
WOLVERHAMPTON	20.5	16.5	0.01	—	0.39	0.56	0.25	0.16	0.37	0.09	0.34	0.07	0.29	0.19	1.43	0.90	1.88	141	WOLVERHAMPTON.
WALESLEY	18.2	16.4	0.02	0.04	0.33	0.03	0.16	0.28	0.14	0.10	0.34	0.41	0.18	0.19	1.41	0.78	1.77	150	WALESLEY.
HANDSWORTH	2	10.4	—	—	2	0.12	—	0.19	—	0.05	—	—	—	0.35	—	—	—	100	HANDSWORTH.
WEST BROMWICH	19.4	16.8	0.00	—	0.61	0.63	0.28	0.38	0.14	0.29	0.33	0.17	0.22	0.14	1.23	0.75	171	WEST BROMWICH.	
BIRMINGHAM	20.5	17.8	0.05	0.02	0.44	0.36	0.22	0.27	0.26	0.26	0.50	0.17	0.22	0.13	1.33	1.11	188	BIRMINGHAM.	
KINGSTON	2	10.0	—	2	0.02	0.11	2	0.25	1	0.08	2	0.03	2	0.03	—	0.17	—	98	KINGSTON.
SMEATHWICK	15.7	13.5	0.02	0.02	0.31	0.09	0.13	0.10	0.17	0.19	0.20	0.27	0.17	0.16	0.73	0.26	161	SMEATHWICK.	
ASTON MANOR	16.7	13.9	0.04	0.05	0.42	0.32	0.13	0.23	0.26	0.08	0.45	0.25	0.21	0.10	1.68	1.24	176	ASTON MANOR.	
COVENTRY	17.0	16.2	0.00	0.01	0.35	0.79	0.19	0.06	0.21	0.44	0.28	0.21	0.15	0.01	1.33	0.47	152	COVENTRY.	
LEICESTER	17.4	14.2	0.01	0.10	0.36	0.34	0.20	0.07	0.50	0.13	0.32	0.16	0.16	0.06	1.48	0.60	187	LEICESTER.	
GRIMSBY	17.3	14.2	0.01	—	0.30	—	0.07	0.14	0.44	0.14	0.28	0.41	0.38	0.29	1.44	0.96	184	GRIMSBY.	
NOTTINGHAM	18.5	16.9	0.00	0.01	0.35	0.39	0.19	0.14	0.10	0.26	0.33	0.39	0.30	0.14	1.26	0.68	185	NOTTINGHAM.	
DERBY	16.5	13.6	0.02	0.02	0.34	0.04	0.15	0.07	0.27	0.03	0.30	0.27	0.21	0.06	0.82	0.38	154	DERBY.	
STOCKPORT	21.5	18.5	0.01	0.02	0.62	0.43	0.16	0.28	0.12	0.08	0.34	0.54	0.20	0.15	1.44	0.83	206	STOCKPORT.	
BIRKENHEAD	19.1	16.8	0.00	0.04	0.42	0.08	0.16	0.18	0.27	0.10	0.48	0.36	0.29	0.13	0.97	1.18	172	BIRKENHEAD.	
WALLASEY	15.8	13.9	—	0.12	0.25	0.05	0.12	0.31	0.12	0.05	0.50	0.17	0.30	0.09	0.65	0.59	143	WALLASEY.	
LIVERPOOL	23.9	20.5	0.02	0.19	0.50	0.18	0.32	0.27	0.23	0.23	0.53	0.43	0.33	0.23	1.50	0.98	189	LIVERPOOL.	
BOOTLE	20.5	19.0	0.02	0.12	0.28	0.03	0.32	0.45	0.18	0.12	0.42	0.25	0.41	0.21	1.48	1.93	185	BOOTLE.	
ST. HELENS	20.8	17.7	—	0.53	—	0.36	0.31	0.21	0.25	0.51	0.37	0.41	0.25	0.17	1.46	0.78	176	ST. HELENS.	
WIGAN	22.4	22.2	0.02	0.76	1.01	0.02	0.28	0.42	0.13	0.21	0.64	0.52	0.26	0.16	1.36	1.24	181	WIGAN.	
WARRINGTON	19.4	18.7	0.00	0.06	0.79	1.45	0.23	0.12	0.10	0.17	0.46	0.45	0.37	0.03	1.24	1.01	169	WARRINGTON.	
BOLTON	20.3	17.5	0.01	0.02	0.64	0.27	0.26	0.34	0.12	0.21	0.47	0.05	0.29	0.20	1.39	0.90	175	BOLTON.	
BURY	19.0	17.3	0.02	0.12	0.32	0.46	0.17	0.15	0.25	0.36	0.23	0.12	0.25	0.09	0.91	0.86	169	BURY.	
MANCHESTER	23.1	19.7	0.01	0.05	0.75	0.63	0.23	0.17	0.20	0.24	0.50	0.39	0.19	0.17	1.44	0.89	188	MANCHESTER.	
SALFORD	23.1	19.0	0.01	0.03	0.86	0.58	0.37	0.25	0.32	0.38	0.61	0.42	0.35	0.22	1.67	0.98	202	SALFORD.	
OLDHAM	20.9	18.6	0.09	0.17	0.64	0.22	0.24	0.27	0.18	0.18	0.42	0.78	0.14	0.09	0.82	0.42	177	OLDHAM.	

† Average rates for these towns relate to the nine years 1894-1902 only.

† The average rates for the five towns relate to the five years 1898-1902 only.

TABLE 3—continued.—76 Towns.—Death-rates per 1000 living from All Causes, and from the Principal Epidemic Diseases, and Infant Mortality in the Ten Years 1893-1902, and in 1903.

In this Table 000 indicates that the deaths were too few to give a rate of 0005; where no death occurred, — is inserted.

TOWNS.	ALL CAUSES.		SMALL-POX.		MEASLES.		SCARLET FEVER.		DIPHTHERIA.		WHOOPING-COUGH.		FEVER.		DIARRHœA.		DEATHS UNDER ONE YEAR TO 1000 BIRTHS.		TOWNS.		
	Ten years 1893-1902.	1903.	Ten years 1893-1902.	1903.	Ten years 1893-1902.	1903.															
FOCHDALE†	..	19.3	17.1	0.00	0.07	0.41	0.05	0.20	0.24	0.25	0.50	0.11	0.08	0.48	0.27	149	141	ROCHDALE.†			
BURNLEY	..	21.1	19.2	0.01	0.10	0.59	0.17	0.37	0.24	0.38	0.20	0.39	0.56	0.23	0.15	1.65	1.40	210	217	BURNLEY.	
BLACKBURN	..	20.5	16.7	0.01	0.02	0.82	0.41	0.20	0.11	0.26	0.20	0.36	0.10	0.25	0.13	1.33	0.52	199	167	BLACKBURN.	
TRIBSTON	..	22.9	18.7	0.00	0.02	0.76	0.90	0.19	0.13	0.16	0.18	0.42	0.54	0.31	0.29	2.68	1.03	232	161	PRESTON.	
EARROW-IN-FURNESS,†	..	14.9	12.7	0.00	—	0.56	0.08	0.13	—	0.18	0.12	0.36	0.14	0.22	0.24	0.62	0.27	152	97	EARROW-IN-FURNESS,†	
HUDDERSFIELD	..	17.4	16.7	0.00	0.02	0.29	—	0.18	0.16	0.13	0.15	0.31	0.17	0.14	0.08	0.54	0.26	146	120	HUDDERSFIELD.	
HALIFAX	..	17.6	15.0	0.04	0.04	0.33	0.06	0.12	0.07	0.15	0.09	0.23	0.18	0.12	0.17	0.39	0.16	148	122	HALIFAX.	
BRADFORD	..	18.1	16.4	0.07	0.04	0.36	0.05	0.20	0.10	0.12	0.19	0.32	0.22	0.18	0.15	0.90	0.51	168	148	BRADFORD.	
LEEDS	..	19.6	16.6	0.01	0.05	0.53	0.28	0.16	0.25	0.34	0.15	0.39	0.27	0.20	0.13	1.14	0.63	179	163	LEEDS.	
SHEFFIELD	..	20.1	18.6	0.00	0.01	0.79	0.79	0.19	0.22	0.44	0.09	0.41	0.61	0.29	0.11	1.49	1.27	186	182	SHEFFIELD.	
ROOTHERHAM	..	17.7	17.6	0.00	0.05	0.53	0.53	0.25	0.16	0.12	0.21	0.40	0.65	0.26	0.18	1.44	1.16	160	181	ROOTHERHAM.†	
YORK†	..	17.9	16.3	0.00	0.06	0.31	0.53	0.06	0.15	0.05	0.10	0.30	0.46	0.24	0.06	1.39	0.61	170	156	YORK.†	
HULL	..	19.2	16.9	0.38	0.02	0.53	0.42	0.17	0.08	0.16	0.31	0.38	0.09	0.25	0.07	1.38	1.25	176	162	HULL.	
MIDDLESBROUGH†	21.2	21.5	0.26	0.01	0.45	0.76	0.07	0.23	0.07	0.22	0.32	0.44	0.17	0.32	0.23	1.00	1.41	181	188	MIDDLESBROUGH.†	
STOCKTON - ON - TEES,†	18.2	16.0	—	0.48	—	0.20	0.27	0.22	0.19	0.45	0.19	0.19	0.21	0.14	0.10	0.50	1.72	137	137	STOCKTON - ON - TEES.†	
WEST HARTLEPOOL†	15.8	14.3	0.01	0.32	0.16	0.11	0.10	0.18	0.18	0.18	0.18	0.35	0.16	0.14	0.06	0.96	0.13	143	129	WEST HARTLEPOOL†	
SUNDERLAND	..	21.3	19.9	0.01	0.02	0.50	0.81	0.20	0.23	0.09	0.21	0.44	0.34	0.50	0.16	1.31	0.60	175	157	SUNDERLAND	
SOUTH SHIELDS†	19.9	17.2	0.00	0.01	0.51	0.12	0.28	0.13	0.09	0.15	0.09	0.49	0.03	0.26	0.10	0.87	0.55	162	131	SOUTH SHIELDS.†	
GATESHEAD	..	19.3	16.7	0.01	0.16	0.63	0.03	0.16	0.32	0.14	0.10	0.48	0.31	0.16	0.04	1.38	0.91	174	159	GATESHEAD.	
NEWCASTLE - ON - TYNE	21.1	19.2	0.00	0.04	0.58	0.05	0.14	0.12	0.16	0.17	0.45	0.23	0.15	0.03	0.82	0.58	173	165	NEWCASTLE - ON - TYNE.		
TYNEMOUTH†	18.9	18.2	0.01	0.08	0.34	0.17	0.18	0.19	0.13	0.23	0.30	0.21	0.13	0.08	0.60	0.46	153	162	TYNEMOUTH.†		
NEWPORT (MON.)†	17.5	15.7	0.01	—	0.57	0.40	0.07	0.09	0.22	0.13	0.20	0.47	0.14	0.14	0.04	0.43	0.51	159	146	NEWPORT (MON.)†	
CARDIFF	..	17.8	14.7	0.01	0.02	0.44	0.16	0.13	0.17	0.54	0.20	0.48	0.22	0.11	0.09	0.83	0.46	159	122	CARDIFF.	
RHONDDA,†	20.3	16.6	0.00	—	0.54	0.07	0.24	0.31	0.80	0.34	0.49	0.43	0.37	0.07	0.97	0.94	203	168	RHONDDA,†		
MERTHYR TYDFIL†	23.5	19.1	0.02	—	0.67	0.46	0.11	0.41	0.46	0.31	0.42	0.42	0.32	0.39	0.11	0.67	0.67	209	154	MERTHYR TYDFIL.†	
SWANSEA	..	18.7	18.6	0.04	—	0.35	1.00	0.14	0.13	0.45	0.22	0.43	0.35	0.12	0.14	0.51	0.48	165	165	SWANSEA.	

† The average rates for these towns relate to the nine years 1893-1902 only.

Seventy-six Great Towns: Weekly Mortality.

TABLE 4.—76 Towns, &c.—Mean Temperature at Greenwich, and

* See note (*) to Table 1.

Annual Rate of Mortality in each Town, in each Week of 1903.

MORTALITY PER 1000 IN

PORTSMOUTH.	BOURNEMOUTH.	SOUTHAMPTON.	READING.	NORTHAMPTON.	LEWES.	GREAT YARMOUTH.	NORWICH.	PLYMOUTH.	DEVONPORT.	BRISTOL.	HANLEY.	BURTON-UPON-TRENT.	WOLVERHAMPTON.	WALSALL.	HANDSWORTH (STAFFS).	Number of Week.
14.7	12.1	13.8	12.7	14.2	15.2	18.2	15.2	16.5	14.1	14.3	18.7	12.3	15.5	16.4	10.4	1
14.6	14.0	15.7	15.2	14.9	15.6	17.6	17.2	18.3	13.9	16.5	21.6	12.9	15.4	16.3	10.0	2
13.4	11.6	12.2	12.1	13.8	12.4	18.4	14.2	15.4	13.9	13.3	15.6	12.2	16.2	15.6	10.9	3
14.2	9.7	14.1	10.8	12.2	15.9	19.0	12.7	14.3	12.4	12.0	17.0	10.6	13.7	16.1	8.4	4
16.8	13.1	13.2	12.8	16.0	17.1	17.7	16.8	18.0	16.3	15.4	20.6	13.6	16.8	17.9	12.3	5
17.7	14.0	12.3	18.1	16.2	18.2	28.2	17.3	20.5	17.0	16.0	19.0	13.2	24.2	18.0	10.9	1
15.8	9.9	21.3	12.5	19.7	23.5	18.1	23.7	15.8	12.0	14.3	19.0	10.1	16.7	20.9	13.6	2
16.3	18.6	18.0	16.0	20.9	18.2	23.1	15.5	22.8	18.4	19.5	24.7	21.3	17.7	15.7	14.5	3
14.2	13.2	17.5	16.7	15.1	22.1	20.1	23.7	18.6	9.2	19.4	23.1	10.1	10.8	21.5	8.2	4
13.6	7.4	15.6	16.7	12.8	18.2	19.1	15.5	19.1	12.0	17.8	31.3	14.2	15.6	14.5	13.6	5
16.3	9.1	20.8	11.8	15.1	12.9	13.1	15.0	16.8	12.7	18.9	26.4	15.2	15.1	18.0	8.2	6
13.9	15.7	15.2	13.9	15.1	14.4	24.1	11.4	12.2	12.0	17.7	21.4	4.1	12.4	15.1	9.1	7
13.9	14.7	10.4	15.1	14.4	17.1	15.0	20.5	14.1	15.8	19.8	17.2	11.8	13.3	8.2	8	8
15.5	17.3	16.1	18.1	9.3	12.1	10.1	13.7	18.2	19.8	16.9	15.7	10.1	10.8	12.2	6.3	9
13.6	18.2	16.1	18.1	15.1	6.8	12.1	16.2	18.2	12.7	16.5	22.3	13.2	12.4	13.3	14.5	10
12.0	14.9	12.8	15.3	13.9	15.2	17.1	17.8	17.2	11.3	13.2	19.0	19.3	21.0	20.9	12.7	11
16.3	15.7	12.3	13.2	13.3	13.6	13.1	20.5	20.0	14.8	13.5	20.6	12.2	13.4	12.8	6.3	12
11.0	11.6	10.9	16.7	11.6	12.0	13.1	17.8	18.6	14.1	14.2	18.1	8.1	18.8	15.7	3.6	13
13.9	14.9	9.5	11.8	16.2	18.2	15.1	13.7	14.0	12.7	12.2	16.5	10.1	10.8	16.2	8.2	14
15.0	14.0	14.2	13.9	13.9	15.9	13.1	17.8	19.1	16.2	17.4	19.0	14.2	12.4	19.1	14.5	15
13.4	8.3	11.8	11.1	19.1	19.1	12.1	21.1	20.9	17.0	13.8	14.9	10.1	22.6	24.9	13.6	16
12.8	13.2	14.2	16.0	12.8	10.6	14.1	10.5	17.2	20.5	16.2	18.1	15.2	19.4	18.6	13.6	17
14.4	12.4	17.5	13.2	15.7	12.9	20.1	15.5	16.8	16.2	13.7	14.0	14.2	18.8	16.2	12.7	18
13.9	15.7	16.1	13.9	15.1	9.1	19.1	13.7	14.0	10.6	14.5	23.1	11.1	16.1	13.3	9.1	19
13.4	11.6	10.4	11.8	13.9	12.9	16.1	13.7	16.3	12.7	14.9	18.1	11.1	17.2	15.1	9.1	20
12.6	11.6	12.8	11.8	11.0	11.4	15.1	12.3	12.3	14.9	15.5	10.8	12.4	11.1	18.3	8.2	21
10.7	9.1	9.0	6.9	14.5	10.6	17.1	13.7	14.4	10.6	8.8	9.1	7.1	18.3	12.8	22.6	22
13.1	13.2	9.9	11.1	12.8	15.2	25.1	16.4	11.2	14.1	12.8	13.2	15.2	13.4	15.1	9.1	23
12.6	11.6	8.0	15.3	14.5	7.6	15.1	11.9	14.4	13.4	11.7	12.4	15.2	15.1	11.0	6.3	24
13.4	7.4	12.3	9.0	9.3	5.3	27.2	10.0	10.2	9.2	12.6	14.0	11.1	15.6	16.8	5.4	25
15.5	7.4	12.3	11.1	9.9	18.9	21.1	16.4	17.2	12.0	13.5	18.1	12.2	12.0	7.5	9.1	26
13.9	8.3	9.9	9.0	11.0	12.1	19.1	8.2	9.3	17.7	10.9	17.3	15.2	13.4	16.2	10.9	27
13.6	8.3	13.3	12.5	9.3	12.1	20.1	6.4	14.0	11.3	12.5	11.5	10.1	16.1	12.8	7.2	28
10.4	15.7	10.4	6.3	7.0	18.2	21.1	14.6	15.4	9.9	9.7	10.7	11.1	10.8	11.6	6.3	29
15.5	6.6	16.6	8.3	9.3	17.4	20.1	10.0	6.5	12.7	10.9	18.1	11.1	15.1	19.1	5.4	30
9.9	7.4	8.5	13.2	13.3	22.7	17.1	14.1	13.5	10.6	13.2	9.1	5.1	13.4	12.2	8.2	31
12.8	11.6	12.3	6.9	9.3	21.2	17.1	14.1	15.8	12.0	11.5	21.4	13.2	13.4	16.2	10.9	32
15.2	9.9	18.5	6.9	16.8	13.6	16.1	17.8	16.8	16.2	11.7	20.6	12.2	15.1	20.3	9.1	33
17.1	8.3	11.4	10.4	11.0	15.2	17.1	12.8	18.6	3.5	9.8	15.7	12.2	12.9	16.8	14.5	34
16.8	9.9	16.6	10.4	11.0	16.7	19.1	10.9	13.5	14.1	12.2	17.3	13.2	10.2	19.1	7.2	35
15.5	5.0	17.0	10.4	18.6	13.6	11.1	16.0	19.1	11.3	12.5	16.5	8.1	13.4	18.2	10.9	36
12.6	8.3	15.6	15.3	16.2	17.4	27.2	12.8	12.1	15.5	12.8	23.1	6.1	11.3	16.8	4.5	37
19.3	12.4	15.2	15.3	16.2	11.4	19.1	14.1	15.4	7.1	14.6	21.4	11.1	18.3	15.7	8.2	38
11.2	14.9	17.5	15.3	8.7	15.2	22.1	13.2	15.8	19.8	13.8	18.1	9.1	15.1	15.7	6.3	39
19.8	14.0	13.7	10.4	12.8	21.2	15.1	14.1	16.8	11.3	12.0	9.9	16.2	16.1	14.5	9.1	40
15.0	12.4	11.8	10.4	18.6	10.6	20.1	10.5	13.0	10.6	10.9	22.3	8.1	15.6	11.6	7.2	41
19.3	12.4	9.5	13.2	13.9	17.4	15.1	15.0	11.6	14.1	12.5	23.1	7.1	11.8	18.6	14.5	42
15.5	12.4	9.9	6.9	11.6	12.1	15.1	12.3	16.3	15.5	13.5	20.6	12.2	10.8	22.0	12.7	43
8.8	8.3	11.4	9.7	13.3	18.9	17.1	20.1	18.6	11.3	13.7	19.0	13.2	15.1	12.2	9.1	44
13.6	12.4	15.6	13.2	20.9	18.9	14.1	21.9	14.0	16.2	14.6	17.3	19.3	14.0	21.5	11.8	45
20.9	10.7	9.5	11.1	14.5	17.4	15.1	14.1	24.7	15.5	24.7	14.2	18.3	14.5	14.5	46	
16.6	14.9	15.2	12.5	12.2	14.4	18.1	19.2	19.5	17.7	16.8	14.9	16.2	15.6	17.4	11.8	47
17.1	14.9	14.2	11.1	20.3	15.9	18.1	21.4	19.1	19.8	16.6	30.5	16.2	22.1	25.5	11.8	48
19.0	18.2	14.2	25.7	23.8	20.5	18.1	21.0	26.5	14.1	18.6	21.4	14.2	24.7	19.7	15.4	49
17.1	9.1	18.0	11.8	17.4	20.5	22.1	17.8	17.7	18.5	23.1	11.1	16.7	23.2	18.1	50	
15.8	13.2	10.9	9.0	14.5	10.6	21.1	12.8	18.2	18.4	18.2	20.6	12.2	13.4	12.8	11.8	51
19.5	17.3	18.0	20.8	13.9	24.2	21.1	18.7	18.6	20.5	20.3	19.8	16.2	23.7	18.6	12.7	52

TABLE 4 (continued)—76 Towns, &c.—Mean Temperature at Greenwich, and

Number of Week.	WEEK ENDED	MEAN TEM- PERATURE AT GREEN- WICH.		ANNUAL RATE OF											
		Fahrenheit.	Centigrade.	WEST BROM- WICH.	BIRMINGHAM.	KINGS NORTON.	SMETHWICK.	ASTON MANOR.	COVENTRY.	LEICESTER.	GRIMSBY.	NOTTINGHAM.	DERBY.	STOCKPORT.	BIRKENHEAD.
	YEAR.	°	°	16°8	17°8	10°0	13°5	13°9	16°2	14°2	14°2	16°9	13°6	18°5	16°8
	1st Quarter	50°0	10°00	20°3	19°1	11°2	14°3	14°6	18°6	14°6	14°0	17°8	13°9	19°4	16°1
	2nd „	51°9	11°06	17°8	16°4	10°1	13°9	12°7	19°0	12°9	13°5	16°9	12°9	16°3	14°9
	3rd „	59°8	15°44	11°6	16°4	8°8	11°1	14°3	13°7	13°9	16°2	15°7	13°0	18°2	19°8
	4th „	44°4	6°89	17°5	19°2	9°9	14°6	13°9	15°3	15°5	13°1	17°4	14°5	19°9	16°2
	1903.														
1	January 10	46°5	8°06	22°7	20°2	13°9	17°7	19°0	14°3	14°2	20°6	19°3	13°6	19°6	15°2
2	" 17	30°1	-1°06	24°3	21°7	5°7	14°2	17°1	15°1	16°1	11°1	15°7	14°9	22°3	14°7
3	" 24	40°4	4°67	32°9	22°0	12°3	6°2	15°1	14°3	12°8	17°4	21°0	17°1	27°8	18°8
4	" 31	46°7	8°17	23°5	18°2	17°2	18°6	14°4	21°5	13°7	15°1	19°1	12°3	18°5	17°9
5	February 7	42°5	5°83	19°6	18°2	16°4	17°7	14°4	21°5	18°9	11°9	19°5	14°5	16°9	17°9
6	" 14	47°7	8°72	18°0	17°9	5°7	14°2	19°0	10°0	13°5	20°6	17°8	9°2	16°6	16°1
7	" 21	44°4	6°89	18°8	19°8	4°1	8°9	7°9	15°8	14°7	12°7	15°9	14°9	20°2	8°7
8	" 28	45°0	7°22	17°2	20°1	9°8	12°4	14°4	15°8	18°0	11°9	17°6	16°3	20°7	
9	March 7	42°7	5°94	16°5	17°8	12°3	9°8	10°5	26°5	12°5	11°1	16°1	11°9	17°4	19°3
10	" 14	42°9	6°06	20°4	20°6	18°0	15°1	16°4	15°8	13°5	9°5	19°5	14°5	21°2	16°1
11	" 21	46°6	8°11	19°6	19°4	9°0	22°2	14°4	15°8	14°0	19°0	16°5	14°9	19°1	18°4
12	" 28	51°0	10°56	18°0	16°6	10°6	15°1	15°8	12°9	14°2	8°7	15°9	13°6	19°6	11°9
13	April 4	46°2	7°89	12°5	15°6	10°6	14°2	11°2	15°8	13°7	12°7	17°4	13°2	16°3	13°8
14	" 11	46°4	8°00	18°8	18°2	10°6	8°9	13°8	15°1	14°0	8°7	16°3	10°5	17°4	14°2
15	" 18	39°5	4°17	17°2	18°3	11°5	14°2	10°5	10°0	12°1	17°4	16°1	14°1	12°9	12°9
16	" 25	42°1	5°61	18°8	19°4	4°9	20°4	19°0	20°8	12°3	13°5	20°3	13°6	21°8	15°2
17	May 2	49°4	9°67	13°3	19°3	9°0	22°2	12°5	18°7	15°6	11°1	17°6	14°1	16°9	20°2
18	" 9	50°4	10°22	18°3	15°1	10°8	15°1	12°5	18°7	13°7	15°1	17°4	11°0	15°8	17°0
19	" 16	48°8	9°33	21°2	18°1	9°8	16°0	12°5	22°2	13°0	12°7	17°4	18°4	22°9	11°9
20	" 23	54°6	12°56	21°9	16°6	9°8	15°1	9°8	17°2	14°0	22°2	17°6	13°2	17°4	13°8
21	" 30	58°4	14°67	16°5	15°7	8°2	16°9	13°8	17°9	14°2	12°7	17°4	11°9	17°4	14°2
22	June 6	57°0	13°89	16°5	14°4	10°6	9°8	12°5	14°3	10°4	15°9	14°2	12°7	11°4	11°0
23	" 13	52°8	11°56	19°8	14°8	13°1	5°3	11°8	21°5	9°2	11°9	15°1	14°1	13°1	11°0
24	" 20	49°9	9°94	18°0	17°1	7°4	14°2	16°4	28°7	13°0	19°8	16°1	10°5	13°6	22°0
25	" 27	59°6	15°33	16°5	16°6	14°7	12°4	10°5	24°4	14°4	10°3	17°4	11°0	15°3	18°8
23	July 4	65°2	18°44	14°9	13°9	11°5	9°8	9°8	17°9	11°6	4°8	16°5	13°2	18°0	11°9
27	" 11	63°6	17°56	11°0	14°6	6°5	5°3	11°8	12°9	13°3	11°9	13°8	12°7	15°3	17°0
28	" 18	60°7	6°3	14°1	11°5	8°0	6°6	14°3	9°7	9°5	14°6	9°7	13°1	13°3	
29	" 25	60°5	15°83	10°2	14°1	8°2	13°3	13°1	17°9	13°0	15°1	11°2	9°2	19°1	19°7
30	August 1	58°6	14°78	12°5	12°5	8°2	13°3	13°1	15°8	13°3	13°5	15°9	10°5	19°1	20°2
31	" 8	61°2	16°22	14°3	10°6	6°2	16°4	5°7	11°1	23°8	15°1	12°7	20°7	24°8	
32	" 15	59°5	15°23	14°9	17°3	7°4	9°8	15°8	10°8	14°0	24°6	14°4	12°3	19°1	28°9
33	" 22	58°3	14°61	8°6	16°4	4°9	12°4	18°4	17°2	14°0	13°5	19°3	7°9	19°6	20°2
34	" 29	58°1	14°50	10°2	18°7	10°6	9°8	23°0	10°0	15°9	17°4	21°0	11°0	13°6	18°4
35	September 5	62°9	17°17	15°7	17°8	3°3	11°5	14°4	18°7	16°8	12°7	15°9	15°8	20°7	23°0
36	" 12	53°7	12°06	11°0	18°5	10°6	8°9	17°7	15°1	13°7	23°0	16°3	14°1	26°7	17°4
37	" 19	51°7	10°94	14°9	18°5	13°1	12°4	13°8	11°5	14°9	16°6	16°5	21°1	15°8	17°4
38	" 26	59°3	15°17	18°0	18°2	8°2	16°0	14°4	12°9	14°2	13°5	14°6	20°6	16°3	18°8
39	October 3	59°3	15°17	7°8	17°7	9°0	17°7	7°9	15°8	16°8	15°1	15°1	11°9	18°0	18°4
40	" 10	54°9	12°72	21°2	17°7	10°6	15°1	15°8	16°5	14°7	18°2	16°3	10°5	20°2	17°9
41	" 17	52°0	11°11	16°5	18°3	8°2	19°5	19°0	9°3	13°3	7°9	17°6	13°6	16°9	15°6
42	" 24	49°3	9°61	17°2	20°6	7°4	16°9	9°2	10°8	14°9	13°5	13°8	16°7	17°4	18°8
43	" 31	50°3	10°44	19°6	18°3	10°6	15°1	13°1	13°6	15°2	17°4	17°2	14°9	20°7	15°6
44	November 7	47°1	8°39	15°7	18°3	5°7	8°0	11°2	18°7	11°8	11°1	16°5	13°2	23°4	14°7
45	" 14	48°4	9°11	18°8	21°4	7°4	16°0	7°9	17°9	19°4	10°3	22°9	16°3	19°1	13°3
46	" 21	41°1	5°06	18°8	20°6	10°6	12°4	14°4	10°8	16°8	12°7	15°7	14°1	21°8	16°5
47	" 28	45°3	7°39	14°9	17°6	17°2	10°6	17°1	23°0	15°4	15°1	19°1	15°8	22°3	15°6
48	December 5	35°2	1°78	18°8	15°7	7°4	14°2	16°4	17°9	13°5	10°3	18°4	18°4	21°8	15°6
49	" 12	41°2	5°28	14°9	21°4	13°1	17°7	15°1	16°5	15°4	6°3	18°0	17°1	16°3	22°5
50	" 19	42°0	5°56	16°5	19°7	8°2	15°1	11°8	17°2	19°4	10°3	12°5	13°2	17°4	17°0
51	" 26	40°2	4°56	17°2	16°9	10°6	8°9	10°5	13°6	12°8	17°4	18°9	10°1	23°4	10°1
	1904.														
52	January 2	32°6	0°33	17°2	23°3	11°5	20°4	19°0	13°6	18°5	19°0	18°9	14°1	18°0	17°4

Annual Rate of Mortality in each Town, in each Week of 1903.

MORTALITY PER 1000 IN

WALLASEY.	LIVERPOOL.	BOOTLE.	ST. HELENS.	WIGAN.	WARRINGTON.	BOLTON.	BURY.	MANCHESTER.	SALFORD.	OLDHAM.	ROCHDALE.	BURNLEY.	BLACKBURN.	PRESTON.	BARROW-IN-FURNESS.	Number of Week.
13·9	20·5	19·0	17·7	22·2	18·7	17·5	17·3	19·7	19·0	18·6	17·1	19·2	15·7	18·7	12·7	
14·3	21·5	20·1	17·5	23·6	15·2	17·4	18·1	21·4	19·7	20·8	18·7	19·1	16·9	18·8	12·2	
13·6	19·5	15·3	16·9	21·6	17·0	16·6	16·5	19·5	17·3	19·0	18·1	18·1	15·8	16·6	14·3	
13·3	19·7	21·5	17·1	20·1	19·7	18·3	16·6	18·4	17·8	15·3	13·6	18·6	12·9	15·8	10·9	
14·2	21·2	19·3	19·4	23·3	22·8	17·5	18·0	19·6	21·0	19·9	18·2	20·8	17·3	23·5	13·5	
19·7	23·7	16·3	17·9	21·0	13·4	18·9	17·9	21·7	20·3	25·2	22·7	15·7	15·5	17·3	17·7	1
13·4	21·5	31·8	20·9	21·8	11·0	18·6	14·3	20·3	18·9	19·5	13·5	18·9	18·3	20·1	9·7	2
22·4	24·5	20·6	14·9	29·4	23·6	19·5	13·4	24·4	19·1	27·8	19·1	19·9	12·3	18·2	18·6	3
11·6	22·6	14·6	18·5	26·0	22·0	20·4	21·5	21·7	20·3	24·0	14·1	17·8	14·7	18·7	11·5	4
16·1	23·3	22·3	15·5	23·5	17·3	14·7	22·4	22·0	19·6	20·3	20·9	15·2	19·1	24·2	12·4	5
22·4	19·6	23·2	14·9	21·0	19·6	18·0	17·0	23·1	19·1	15·4	21·5	16·3	19·5	16·4	8·0	6
13·4	21·2	18·9	16·1	21·0	11·8	18·0	13·4	19·9	21·0	21·0	17·8	20·4	15·1	18·7	11·5	7
11·6	20·7	16·3	12·5	24·3	14·9	12·6	23·2	21·0	23·0	18·8	17·8	19·9	16·7	18·4	12·4	8
8·1	20·1	14·8	17·3	21·0	17·3	19·5	12·5	23·0	18·6	17·3	17·2	18·9	17·9	24·2	8·8	9
15·2	22·8	20·6	19·7	27·7	11·0	18·9	20·6	22·6	18·4	19·5	20·3	24·1	22·3	20·5	11·5	10
10·7	19·4	21·5	25·7	28·5	11·8	18·3	17·0	17·8	21·4	16·9	19·1	23·1	16·7	21·0	17·7	11
9·8	19·3	20·6	15·5	20·1	12·6	12·9	21·5	21·9	18·4	19·9	18·4	18·9	13·1	11·4	12·4	12
11·6	21·1	19·7	17·9	21·8	11·0	15·9	20·6	19·1	18·6	18·8	20·9	19·4	19·1	17·8	7·1	13
14·3	18·8	19·7	17·9	24·3	19·6	16·8	18·8	18·5	16·8	17·7	20·3	19·4	20·7	16·4	14·1	14
10·7	18·3	19·7	19·7	23·5	18·9	17·1	16·1	17·9	17·7	12·6	12·3	15·7	19·9	15·5	10·6	15
18·8	21·2	24·0	14·9	16·8	17·3	22·0	10·7	25·2	25·3	19·9	14·8	19·9	15·1	13·2	16·8	16
11·6	21·5	10·3	21·5	34·4	24·4	17·1	11·6	22·6	20·0	20·7	14·8	21·5	19·9	18·7	21·2	17
11·6	20·9	18·9	18·5	23·5	17·3	16·2	19·7	19·3	17·7	19·0	19·7	16·8	15·5	11·9	11·5	18
11·6	20·0	16·3	17·9	19·3	7·9	16·5	14·3	19·1	14·7	21·4	24·0	15·2	17·5	16·4	20·3	19
15·2	18·3	13·7	18·1	21·8	15·7	16·5	18·8	20·3	21·0	19·9	17·2	13·6	11·5	18·7	19·4	20
7·2	19·8	12·0	16·7	15·9	18·1	12·9	18·8	21·9	16·1	20·2	22·1	23·6	13·1	16·9	13·3	21
16·1	19·9	12·9	9·6	21·0	22·0	17·7	20·6	17·8	14·0	16·9	23·4	18·3	18·3	22·8	10·6	22
10·7	19·3	13·7	14·3	17·6	16·5	15·9	13·4	16·8	15·9	19·4	18·7	19·4	15·5	19·6	12·4	23
17·9	17·8	12·0	16·7	28·5	14·1	13·8	16·1	19·0	12·9	18·4	11·1	18·9	14·7	17·3	13·3	24
12·5	18·8	12·9	14·9	15·1	18·9	17·4	18·8	18·0	18·6	20·7	22·1	14·2	11·9	18·7	12·4	25
18·8	19·0	12·9	20·3	19·3	10·2	15·6	17·0	17·1	13·8	16·9	14·1	18·3	11·9	9·6	9·7	26
9·8	17·0	12·9	19·1	26·0	20·4	17·7	14·3	15·4	14·3	14·3	13·5	14·2	13·1	12·8	7·1	27
16·1	18·0	20·6	9·6	22·6	18·9	18·6	5·4	17·8	15·0	15·4	20·9	18·9	9·9	13·2	13·3	28
9·8	18·0	15·4	19·1	14·3	18·9	18·2	20·6	16·0	15·7	11·6	9·8	18·9	12·7	13·7	13·3	29
17·0	21·2	24·9	9·6	16·8	25·9	17·1	14·3	17·7	15·2	16·2	14·8	13·6	12·3	15·0	8·8	30
17·9	18·0	26·6	20·3	21·0	19·8	17·7	17·0	17·5	17·3	16·5	13·5	21·5	14·3	10·5	7·1	31
8·1	21·2	27·5	19·1	11·7	18·1	21·4	23·2	20·7	21·6	16·9	10·5	16·8	13·9	18·2	9·7	32
14·3	22·1	32·6	13·7	23·5	18·9	22·6	18·8	19·5	20·3	15·0	11·7	18·9	14·3	13·2	7·1	33
19·7	20·8	18·0	16·1	21·8	18·9	16·5	17·0	19·3	20·5	16·5	17·2	21·0	8·7	20·5	11·5	34
13·4	21·9	22·3	16·1	21·8	18·1	18·0	15·2	19·9	19·6	14·7	10·5	21·0	11·5	16·0	12·4	35
14·3	18·8	22·3	22·1	27·7	18·1	18·0	14·3	17·6	16·1	13·1	11·1	18·3	15·1	20·1	12·4	36
13·4	21·0	18·9	26·3	18·5	23·6	17·5	19·7	18·7	15·0	16·5	18·4	20·0	10·3	20·1	14·1	37
9·8	20·9	24·0	13·1	15·1	18·9	17·1	15·2	19·4	20·3	18·0	11·1	18·3	17·1	17·3	15·9	38
9·0	17·6	13·7	18·5	21·0	18·1	15·6	15·2	19·8	21·0	14·7	13·5	18·9	13·9	15·0	9·7	39
19·7	19·1	24·0	20·3	14·3	19·6	18·0	14·3	19·2	17·3	18·0	13·5	15·2	17·5	16·4	15·0	40
9·0	19·5	14·6	13·1	19·3	16·5	15·9	20·3	24·2	17·7	12·9	21·5	14·3	19·6	7·1	41	
9·0	18·8	13·7	16·1	15·9	16·5	18·0	15·2	15·9	24·2	17·3	13·5	19·9	15·1	21·9	11·5	42
18·8	19·3	17·2	23·3	21·0	29·9	11·4	16·1	17·4	20·0	21·0	22·1	17·8	14·7	18·7	18	43
11·6	19·6	15·4	13·7	22·6	22·8	17·1	14·3	20·5	22·3	21·0	20·3	22·0	15·1	20·5	16·8	44
17·0	21·4	21·5	19·1	23·5	32·2	18·3	13·4	20·1	25·3	21·4	25·8	16·3	20·7	22·3	16·8	45
19·7	20·1	15·4	25·1	15·1	21·2	15·9	20·6	18·7	22·3	25·9	16·0	21·5	13·5	25·5	15·0	46
8·1	21·7	23·2	19·7	20·1	23·6	17·4	17·9	20·6	20·5	18·8	19·7	26·2	13·5	23·7	15·9	47
12·5	22·1	29·2	19·7	34·4	27·5	19·2	27·7	21·6	21·9	17·7	23·4	23·6	14·7	21·4	15·0	48
14·3	24·0	18·9	23·9	30·2	18·1	22·0	21·5	17·9	18·6	25·2	20·3	26·2	22·3	22·3	13·3	49
12·5	22·0	18·0	20·3	23·5	23·6	18·8	19·7	19·3	20·7	15·8	14·8	19·9	20·3	36·0	9·7	50
15·2	20·7	20·6	16·1	29·4	26·7	15·9	16·1	19·6	15·2	17·7	18·4	18·9	20·3	24·6	7·1	51
17·0	26·8	18·9	20·9	33·6	18·9	21·4	18·8	23·2	21·0	19·2	16·0	22·0	23·0	32·4	16·8	52

TABLE 4 (continued.)—76 Towns, &c.—Mean Temperature at Greenwich, and

Number of Week	WEEK ENDED	MEAN TEM- PERATURE AT GREEN- WICH.		ANNUAL RATE OF																													
		Fahrenheit.	Centigrade.	HUDDERSFIELD.			HALIFAX.			BRADFORD.		LEEDS.		SHEFFIELD.		ROTHERHAM.		YORK.		HULL.		MIDDLE- BROUGH.		STOCKTON-ON- TEES.		WEST HARTLE- POOL.		SUENDERLAND.					
		°	°	16°7	15°0	16°4	16°6	18°6	17°5	17°8	14°5	17°3	18°4	16°0	21°5	16°0	14°3	19°9	16°1	12°9	19°9	15°1	13°1	19°7	13°6	13°7	17°5	14°0	18°8				
	YEAR.	50°0	10°00	16°7	15°0	16°4	16°6	18°6	17°5	17°8	14°5	17°3	18°4	16°0	21°5	16°0	14°3	19°9	16°1	12°9	19°9	15°1	13°1	19°7	13°6	13°7	17°5	14°0	18°8				
	1st Quarter	44°1	6°72	18°7	17°0	17°6	16°4	17°5	17°8	14°5	17°3	18°4	16°0	21°5	16°0	14°3	19°9	16°1	12°9	19°9	15°1	13°1	19°7	13°6	13°7	17°5	14°0	18°8					
	2nd "	51°9	11°06	16°8	14°1	15°2	15°2	18°4	16°6	13°5	15°6	16°8	16°0	22°8	15°1	13°1	19°7	15°1	13°1	19°7	15°1	13°1	19°7	13°6	13°7	17°5	14°0	18°8					
	3rd "	59°8	15°44	14°8	13°1	14°3	15°6	20°9	16°4	14°1	17°6	19°7	23°0	16°3	22°8	19°1	17°5	21°5	16°0	14°3	19°9	15°1	13°1	19°7	13°6	13°7	17°5	14°0	18°8				
	4th "	44°4	6°89	16°6	15°9	18°6	19°0	17°6	19°7	23°0	16°3	19°0	17°6	16°3	22°8	19°1	17°5	21°5	16°0	14°3	19°9	15°1	13°1	19°7	13°6	13°7	17°5	14°0	18°8				
	1903.																																
1	January 10	46°5	8°06	18°1	16°6	15°6	19°3	17°3	18°2	12°4	18°2	20°9	18°1	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9					
2	" 17	30°1	-1°06	17°6	13°7	16°7	16°1	19°5	10°0	16°3	18°6	15°9	20°1	13°2	20°9	13°2	20°9	13°2	20°9	13°2	20°9	13°2	20°9	13°2	20°9	13°2	20°9	13°2	20°9				
3	" 24	40°4	4°67	25°8	18°6	19°0	19°5	18°1	16°4	14°3	18°8	19°8	14°0	22°7	17°1	22°7	17°1	22°7	17°1	22°7	17°1	22°7	17°1	22°7	17°1	22°7	17°1	22°7	17°1	22°7			
4	" 31	46°7	8°17	13°7	22°0	16°9	17°3	19°9	24°6	12°4	20°9	20°9	13°0	14°0	18°8	13°0	14°0	18°8	13°0	14°0	18°8	13°0	14°0	18°8	13°0	14°0	18°8	13°0	14°0	18°8			
5	February 7	42°5	5°83	19°2	12°2	25°2	18°7	18°3	18°2	9°8	16°3	14°8	18°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1				
6	" 14	47°7	8°72	24°2	17°6	16°0	17°0	15°9	16°4	13°7	19°2	20°3	16°5	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0				
7	" 21	44°4	6°89	15°4	11°2	18°3	16°3	17°5	20°1	18°2	15°9	17°0	16°1	16°5	17°0	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1			
8	" 28	45°0	7°22	20°3	18°6	13°8	15°6	16°4	11°8	15°0	15°0	20°9	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0	14°0				
9	March 7	42°7	5°94	17°0	17°6	18°2	15°2	17°8	21°0	11°7	14°4	20°9	15°1	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5	15°5				
10	" 14	42°9	6°06	21°4	17°1	20°1	15°0	17°2	16°4	16°3	16°5	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0	17°0				
11	" 21	46°6	8°11	20°3	17°1	15°3	14°8	17°0	11°8	16°9	15°0	18°1	19°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1				
12	" 28	51°0	10°56	17°0	17°6	17°8	14°6	17°0	21°9	18°2	16°1	21°9	18°2	17°1	15°4	26°1	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	10°9	
13	April 4	46°2	7°89	13°2	21°5	15°8	14°0	16°4	24°6	18°7	19°4	18°1	13°0	11°6	12°8	13°0	11°6	12°8	13°0	11°6	12°8	13°0	11°6	12°8	13°0	11°6	12°8	13°0	11°6	12°8			
14	" 11	46°4	8°00	12°6	16°1	15°5	16°9	18°1	14°6	13°7	18°2	19°8	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1				
15	" 18	39°5	4°17	17°6	13°7	15°8	14°1	16°7	12°8	17°6	15°7	19°2	16°3	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5	16°5				
16	" 25	42°1	5°61	19°2	14°7	15°5	16°1	17°5	21°0	11°7	11°7	30°7	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1	16°1				
17	May 2	49°4	9°67	19°2	22°5	17°5	17°3	19°2	19°1	14°3	17°3	29°1	14°0	14°7	19°2	19°2	14°0	14°7	19°2	14°0	14°7	19°2	14°0	14°7	19°2	14°0	14°7	19°2	14°0	14°7			
18	" 9	50°4	10°22	13°2	16°6	18°2	15°6	18°4	17°3	17°6	11°1	22°5	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1				
19	" 16	48°8	9°33	16°5	10°8	14°7	14°9	17°8	18°2	16°3	16°3	24°1	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3	16°3				
20	" 23	54°6	12°56	24°7	11°2	16°4	17°4	20°2	12°8	12°8	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9	16°9				
21	" 30	58°4	14°67	20°3	13°2	12°7	15°3	15°3	21°0	9°1	14°0	26°9	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0	13°0				
22	June 6	57°0	13°89	14°3	12°2	13°1	12°5	18°9	9°1	13°0	14°0	29°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1	19°1				
23	" 13	52°8	11°56	12°1	13°2	14°4	15°3	18°6	10°9	8°5	15°2	22°5	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0	11°0			
24	" 20	49°9	9°94	18°7	9°3	13°6	13°5	19°0	21°0	11°7	16°9	23°0	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1	15°1			
25	" 27	59°6	15°33	12°6	13°7	15°8	12°9	19°1	19°1	19°1	19°1	19°1	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0		
26	July 4	65°2	18°44	17°0	16°6	14°0	14°2	20°8	19°1	10°4	14°8	16°5	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1	11°1		
27	" 11	63°6	17°56	15°4	11°2	12°7	13°3	19°7	13°7	11°7	14°6	20°3	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1	17°1		
28	" 18	60°7	15°94	17°0	15°6	12°7	15°5	15°4	19°1	8°5	11°1	21°4	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	18°1	
29	" 25	60°5	15°83	12°6	10°7	12°9	16°6	17°9	18°9	15°5	15°5	20°1	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6	14°6		
30	August 1	58°6	14°78	13°7	17°6	15°5	16°6	18°4	14°6	18°5	22°8	18°7	11°0	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	18°2	
31	" 15	61°2	16°22	15°4	12°7	15°5	15°5	18°4	23°3	19°8	10°9	18°2	20°9	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0	15°0
32	" 22	59°5	15°28	10°4	12°7	14°2	14°2	18°9	26°6	14°6	14°6	14°6	14°6	20°1	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3	20°3
33	" 29	58°3	14°61	11°5	9°3	15°5	15°5	18°5	25°5	14°6	14°6	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7	13°7		
34	" 36	58°1	14°50	17°6	14°7	18°7	15°6	18°2	24°6	11°7	16°7	24°7	13°0	13°0	13°0																		

Seventy-six Great Towns: Weekly Mortality.

XXXV

Annual Rate of Mortality in each Town, in each Week of 1903.

MORTALITY PER 1,000 IN

SOUTH SHIELDS.	GATESHEAD.	NEWCASTLE-ON-TYNE.	TYNEMOUTH.	NEWPORT (MON.).	CARDIFF.	RHONDDA.	MERTHYR TYDFIL.	SWANSEA.	GREATER LONDON.	OUTER RING.	8 TOWNS IN OUTER RING.	REMAINDER OF OUTER RING.	EDINBURGH.	GLASGOW.	DUBLIN.	BELFAST.	Number of Week.
17.2	16.7	19.2	18.2	15.7	14.0	18.6	19.1	18.6	14.5	12.0	12.3	11.6	16.8	19.2	22.9	20.0	1
19.6	16.5	20.1	19.5	16.9	15.8	18.5	19.3	19.7	15.9	13.0	13.7	12.4	18.2	21.3	26.6	22.3	2
16.5	13.6	18.8	15.6	14.3	13.1	16.1	17.8	19.7	13.5	11.1	11.1	11.0	17.9	19.0	22.7	20.4	3
16.3	17.5	19.8	17.3	15.4	11.7	14.8	17.2	15.3	13.1	11.0	11.0	10.9	14.6	16.2	18.9	17.3	4
16.4	19.4	20.1	20.3	16.3	15.4	16.8	21.9	19.7	15.4	12.8	13.5	12.2	16.7	20.2	23.3	20.2	5
18.8	15.8	16.7	12.9	20.0	21.4	24.4	16.7	19.7	17.6	15.1	16.4	13.8	19.3	24.5	26.8	19.3	1
21.3	19.0	20.6	24.8	14.1	16.0	12.6	19.6	22.4	16.0	13.0	13.3	12.8	17.8	25.4	30.0	25.9	2
17.8	18.1	27.0	23.8	27.5	18.1	20.0	26.2	25.7	19.2	15.8	16.5	15.1	21.5	27.2	28.1	25.3	3
23.3	18.1	25.1	21.8	19.3	16.3	19.2	17.5	12.0	16.6	14.2	15.0	13.4	17.8	22.7	24.8	26.2	4
18.8	16.2	23.0	24.8	15.6	16.0	17.9	21.1	19.7	16.2	13.3	13.3	13.3	18.5	23.7	26.4	22.5	5
21.3	18.1	21.4	28.8	17.1	14.5	18.3	20.4	12.6	15.3	11.7	13.3	10.2	15.0	18.4	25.0	20.6	6
23.3	10.4	16.9	8.9	17.8	14.2	21.4	14.6	14.9	12.3	12.3	13.2	13.2	19.7	20.6	20.8	10	7
18.8	16.2	16.9	19.9	15.6	16.3	16.1	16.7	21.8	15.1	12.4	13.0	11.8	17.0	18.8	25.9	21.5	8
14.9	14.0	22.1	21.8	6.7	13.9	19.2	18.9	25.7	14.9	11.8	13.3	10.4	22.1	16.8	27.8	23.3	9
18.8	19.9	19.2	19.9	17.8	12.7	19.6	18.2	24.6	15.1	12.4	13.3	11.6	19.0	19.2	26.6	22.0	10
19.3	16.7	18.8	16.9	18.6	13.9	18.3	24.7	19.1	15.8	12.9	14.2	11.7	20.4	21.1	27.7	20.8	11
20.8	14.0	15.3	17.9	16.3	16.0	16.1	18.9	22.4	15.3	12.7	12.5	12.8	17.4	19.9	29.3	20.5	12
17.3	17.6	18.5	10.9	12.6	15.7	17.4	17.5	17.5	14.4	11.6	11.8	11.4	17.4	19.2	27.1	21.5	13
13.9	14.4	17.8	20.8	16.3	14.5	20.9	17.5	22.9	14.0	11.6	11.7	11.4	20.5	17.0	23.7	22.1	14
13.9	12.6	17.1	15.9	12.6	12.1	20.0	16.7	22.4	14.9	12.4	12.1	12.0	20.4	18.6	24.5	18.6	15
23.3	15.3	18.1	15.9	21.5	12.1	19.2	18.7	27.8	15.4	12.6	13.5	11.7	18.0	20.3	24.8	22.4	16
21.3	16.7	19.5	9.9	14.9	12.1	19.2	18.9	21.8	16.1	13.4	13.0	13.7	15.3	20.6	25.7	21.4	17
20.8	12.6	14.8	20.8	14.9	11.2	17.0	16.0	17.5	14.6	12.3	12.5	12.1	18.6	19.6	25.3	22.5	18
18.9	14.0	17.6	10.9	14.1	14.8	12.2	21.8	20.2	13.1	10.3	10.9	9.8	19.1	19.3	23.8	18.5	19
18.3	12.2	15.5	17.9	14.9	10.9	11.8	18.2	20.2	13.7	11.4	10.9	11.8	14.7	18.7	22.4	23.8	20
12.4	13.1	17.6	9.9	12.6	13.3	15.3	20.4	15.8	12.9	10.7	11.4	10.0	19.7	17.9	22.2	21.5	21
21.3	14.4	13.6	11.9	16.3	12.1	17.9	19.6	19.7	12.8	10.6	10.5	10.7	19.7	19.1	22.7	16.4	22
17.3	13.1	15.7	15.6	12.4	16.1	14.6	11.9	11.5	9.7	9.6	9.6	9.5	15.6	18.9	22.4	19.2	23
11.4	16.7	17.4	13.9	11.1	17.5	13.9	11.6	15.3	12.0	9.7	8.9	10.4	16.4	18.0	19.7	20.4	24
10.9	9.9	17.6	18.9	11.9	10.8	13.9	10.0	16.4	12.2	9.5	9.9	9.1	19.0	21.2	23.3	18.5	25
15.8	11.3	16.7	21.8	9.7	18.3	12.2	23.2	19.1	12.6	9.8	9.4	10.1	17.8	18.9	17.2	20.1	26
15.8	17.2	18.3	13.9	14.1	11.8	17.0	19.6	16.4	12.1	9.7	9.9	9.5	13.9	16.6	18.2	17.6	27
17.8	17.6	11.9	12.6	10.9	15.7	13.1	17.0	11.7	9.1	8.8	9.3	15.0	14.9	16.0	16.3	28	
17.8	16.2	12.4	16.9	15.6	12.7	14.4	11.6	17.5	11.7	9.4	8.7	10.1	14.2	16.9	17.5	15.3	29
11.9	16.7	18.3	19.9	11.1	9.4	17.4	17.5	10.4	12.0	9.0	9.1	8.9	15.5	14.9	18.3	18.3	30
14.9	18.1	20.4	19.9	20.8	9.7	13.9	18.9	7.6	12.0	9.8	9.6	10.1	12.6	15.7	18.2	22.1	31
14.9	17.6	18.8	19.9	20.0	10.3	13.9	16.0	18.0	12.9	10.2	11.7	8.7	12.3	16.7	18.0	19.2	32
16.3	16.7	21.8	16.9	11.9	13.0	13.9	10.9	18.0	13.2	10.7	10.3	11.1	13.5	15.4	22.8	15.0	33
18.3	17.6	20.4	12.9	17.8	11.5	15.3	13.8	9.8	12.9	12.7	13.1	14.2	15.4	23.1	19.0	34	
12.4	21.7	20.6	13.9	18.6	14.2	13.9	18.9	18.6	13.3	11.7	11.2	12.2	15.0	18.8	15.4	16.0	35
16.8	19.2	20.8	17.1	12.7	17.9	18.2	10.4	14.7	12.3	9.1	8.8	10.1	14.2	16.8	17.6	16.6	36
19.8	19.0	23.5	21.8	16.3	10.9	11.8	2.2	18.0	15.3	14.2	13.8	14.5	15.5	16.7	19.5	17.7	37
14.9	14.4	21.4	18.9	9.7	14.8	13.5	24.7	19.7	14.3	11.9	12.0	11.8	16.1	18.4	21.7	15.3	38
19.8	16.7	25.1	17.9	14.1	10.6	13.5	22.6	20.2	13.2	11.3	12.2	10.5	17.0	18.4	18.3	16.4	39
15.8	15.8	20.9	17.9	14.9	13.0	13.9	20.4	19.1	13.8	12.2	13.1	11.4	16.6	15.6	19.7	18.2	40
16.8	18.1	19.9	21.8	15.6	14.8	15.3	18.2	17.5	15.3	12.3	9.4	13.5	17.8	18.6	16.4	41	
15.3	17.2	19.0	30.8	7.4	11.5	19.6	21.8	15.8	13.9	11.3	12.3	10.4	15.6	17.4	21.5	18.2	42
21.8	20.8	20.2	19.9	10.4	15.7	13.9	18.2	18.0	14.2	10.8	12.7	9.1	15.0	17.2	21.2	17.2	43
16.3	20.8	19.2	20.8	7.4	13.0	15.7	18.2	22.4	14.4	10.9	12.1	9.7	14.8	16.9	21.7	18.0	44
19.8	19.0	21.1	26.8	19.3	12.7	15.3	18.9	17.5	15.3	12.3	12.8	11.8	18.0	18.5	20.9	16.4	45
16.3	19.0	21.4	19.9	11.1	17.8	18.3	18.6	15.4	12.8	13.2	12.4	12.4	16.4	20.5	24.5	20.1	46
11.4	19.4	22.8	15.9	17.1	16.0	14.4	21.1	25.1	15.9	12.7	13.2	12.3	18.8	20.9	24.8	17.4	47
21.8	16.2	19.0	16.9	18.6	18.4	19.6	19.6	18.0	16.9	15.0	15.3	14.7	17.2	21.5	27.5	23.7	48
13.4	23.0	20.2	20.8	24.5	18.1	18.7	32.0	21.8	17.5	14.5	15.1	13.9	16.4	25.9	24.6	21.1	49
17.8	24.4	21.4	19.9	22.3	17.2	22.7	21.1	15.8	13.8	14.1	13.6	18.5	22.9	25.6	25.9	50	
14.4	20.8	17.8	11.9	18.6	12.4	16.6	22.6	19.1	12.9	11.3	10.4	12.3	16.4	23.2	19.9	23.0	51
11.9	17.6	18.3	20.8	24.5	19.6	14.8	31.3	18.0	20.1	18.0	18.4	17.7	20.1	24.7	31.8	26.5	52

TABLE 5.—One hundred and three smaller Towns.—Population: Births and Deaths in 1903.

TOWNS.*		BIRTHS.		DEATHS.		DEATHS FROM	TOWNS.*													
						1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.
103 Towns	..	3,706,326	101,376	54,074	13,690	16,286	52,26	90	10,60	428	590	10,53	395	1610	1854	3294	6410	954	103 Towns.	
Population in 1903, the ESTIMATED	Mid-year	..	32,239	935	325	89	55	30	—	3	1	5	7	5	9	18	26	49	11	Aldershot.
..	26,792	567	248	49	107	13	—	—	—	4	1	6	3	7	2	12	14	21	28	Reigate.
..	46,301	1204	925	102	140	65	30	—	—	3	1	2	1	6	1	17	19	33	53	Wimbledon.
Kingston on Thames	..	36,084	993	455	112	165	43	3	—	3	2	10	6	5	2	12	12	31	91	Kingston on Thames.
Richmond	..	32,808	702	416	72	165	24	—	—	—	—	—	—	—	—	—	—	—	—	Richmond.
Bromley	..	28,732	690	313	84	116	35	1	4	—	—	—	—	—	—	21	6	10	56	Bromley.
Beckenham	..	27,491	629	247	58	78	12	32	—	—	—	—	—	—	—	24	21	24	7	Beckenham.
Erith	..	28,017	1018	910	98	78	32	—	—	—	—	—	—	—	—	19	28	32	7	Erith.
Gravesend	..	27,991	727	578	85	117	21	—	—	—	—	—	—	—	—	26	49	91	3	Gravesend.
Rochester	..	31,612	865	341	77	117	21	—	—	—	—	—	—	—	—	12	12	27	61	Rochester.
Chatham	..	38,338	1112	576	147	161	33	—	—	—	—	—	—	—	—	12	12	21	140	Chatham.
Gillingham	..	45,921	1420	567	168	140	61	—	—	—	—	—	—	—	—	10	25	34	47	Gillingham.
Tunbridge Wells	..	34,350	649	445	49	232	24	3	—	—	—	—	—	—	—	5	7	7	9	Tunbridge Wells.
Maidstone	..	33,882	807	445	106	161	31	9	—	—	—	—	—	—	—	10	3	6	22	Maidstone.
Harmgate	..	28,457	620	408	81	142	27	—	—	—	—	—	—	—	—	1	2	1	9	Harmgate.
Dover	..	43,734	1147	570	146	182	66	—	—	—	—	—	—	—	—	31	2	10	20	Dover.
Folkestone	..	32,223	729	396	88	138	39	—	—	—	—	—	—	—	—	13	2	8	17	Folkestone.
Basthouse	..	45,306	900	483	94	192	35	—	—	—	—	—	—	—	—	2	2	2	5	Basthouse.
Hove	..	38,446	665	436	68	214	24	—	—	—	—	—	—	—	—	17	1	17	26	Hove.
Gosport and Alverstoke	..	29,701	854	378	81	117	35	—	—	—	—	—	—	—	—	10	9	10	18	Gosport and Alverstoke.
Heston and Isleworth	..	32,011	1015	544	121	185	43	—	—	—	—	—	—	—	—	1	4	15	40	Heston and Isleworth.
Chiswick	..	31,629	906	423	128	156	51	—	—	—	—	—	—	—	—	2	2	2	22	Chiswick.
Action	..	36,880	1403	466	149	127	65	—	—	—	—	—	—	—	—	20	5	26	9	Action.
Wood Green	..	36,185	1137	397	113	117	50	—	—	—	—	—	—	—	—	11	8	6	18	Wood Green.
Edmonton	..	51,830	1894	653	259	139	105	—	—	—	—	—	—	—	—	19	3	19	62	Edmonton.
Enfield	..	45,336	1319	533	149	174	14	—	—	—	—	—	—	—	—	27	12	22	53	Enfield.
Watford	..	32,142	919	360	184	105	49	—	—	—	—	—	—	—	—	24	2	2	14	Watford.
Oxford	..	50,231	1026	653	98	289	27	—	—	—	—	—	—	—	—	10	2	12	14	Oxford.
Bettering	..	30,776	847	326	97	78	31	—	—	—	—	—	—	—	—	10	1	4	13	Bettering.
Peterborough	..	32,210	762	416	93	146	40	—	—	—	—	—	—	—	—	1	5	24	26	Peterborough.
Bedford	..	32,809	714	386	80	142	22	—	—	—	—	—	—	—	—	6	11	17	44	Bedford.
Luton	..	37,898	979	498	126	171	47	—	—	—	—	—	—	—	—	16	7	21	69	Luton.
Cambridge	..	38,760	881	587	100	229	43	—	—	—	—	—	—	—	—	11	1	1	27	Cambridge.

* See note (*) to Table 1.

The DEATHS registered in the year include

TOWNS.*	DEATHS.	Cols. 1.	DEATHS of										DEATHS from										TOWNS.*	
			Infants under 1 Year of Age.	Principals Diseases.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-Cough.	Fever.	Vomition.	Inquest Cases.	Deaths in Public Institutions.	Deaths of Deaf, Dumb, and Dumb-Deaf.	Principals Diseases.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-Cough.	Fever.	Vomition.		
Ilford	1522	485	137	131	60	1	11	1	13	17	2	15	19	38	30	29	29	29	29	29	29	2	Ilford.	
Southend on Sea	113	322	113	141	39	5	10	5	5	7	11	6	20	27	27	27	27	27	27	27	27	27	29	Southend on Sea.
Colchester	121	239	121	189	35	5	6	1	3	12	2	1	8	26	25	25	25	25	25	25	25	25	25	Colchester.
Lowesoft	133	961	133	149	30	—	—	—	—	—	—	—	8	42	70	70	70	70	70	70	70	70	70	Lowesoft.
Swindon	157	562	157	133	24	—	1	10	3	6	3	1	11	24	58	—	—	—	—	—	—	—	Swindon.	
Exeter	140	753	288	77	10	—	39	6	4	4	2	2	2	10	19	114	10	10	10	10	10	10	Exeter.	
Torquay	155	536	242	12	12	—	1	—	2	2	2	2	4	19	49	7	1	1	1	1	1	1	Torquay.	
Bath	90	355	12	12	—	—	—	—	—	—	—	—	4	42	150	1	1	1	1	1	1	1	Bath.	
Gloucester	117	652	257	34	—	—	—	2	3	3	6	1	22	27	40	117	20	20	20	20	20	20	Gloucester.	
Cheltenham	91	666	343	26	—	—	—	1	3	5	5	1	13	38	128	6	6	6	6	6	6	6	Cheltenham.	
Shrewsbury	735	434	87	163	14	—	4	—	2	2	2	1	5	16	29	76	4	4	4	4	4	4	Shrewsbury.	
Burslem	135	4358	734	256	147	71	3	1	—	14	6	5	42	13	32	32	32	32	32	32	32	32	Burslem.	
Stoke upon Trent	1036	453	115	44	115	44	4	4	5	7	14	5	2	12	32	62	27	27	27	27	27	27	Stoke upon Trent.	
Longton	1306	768	279	144	96	—	—	19	18	—	8	8	31	38	61	23	23	23	23	23	23	23	Longton.	
Oldbury	176	431	176	91	63	—	10	1	7	7	7	3	4	32	10	11	23	12	12	12	12	12	Oldbury.	
Wednesday	131	89	83	—	—	—	1	26	7	7	19	4	4	26	14	39	4	4	4	4	4	4	Wednesday.	
Rowley Regis	1323	358	193	128	87	—	42	13	13	13	13	4	9	7	14	14	10	10	10	10	10	10	Rowley Regis.	
Tipton	1124	474	133	61	—	—	42	13	10	4	4	3	3	7	12	24	31	31	31	31	31	31	Tipton.	
Dudley	1693	992	301	239	101	1	40	7	7	11	11	5	11	31	41	116	36	36	36	36	36	36	Dudley.	
Worcester	1253	811	209	279	78	—	38	6	6	6	6	3	2	23	32	58	7	7	7	7	7	7	Worcester.	
Royal Leamington Spa.	486	401	60	218	17	—	2	1	1	1	6	6	—	7	6	18	55	2	2	2	2	2	2	Royal Leamington Spa.
Lincoln	1304	800	177	269	71	—	15	6	9	20	4	4	17	30	49	86	11	11	11	11	11	11	Lincoln.	
Ickleton	1091	515	210	86	112	2	47	2	—	7	10	3	34	24	24	24	24	24	24	24	24	24	Ickleton.	
Chesterfield	978	455	166	118	65	1	10	—	—	—	—	—	10	3	34	14	65	22	22	22	22	22	22	Chesterfield.
Hyde	851	517	147	152	31	2	2	—	2	10	9	2	24	5	11	7	7	7	7	7	7	7	Hyde.	
Macclesfield	868	607	247	163	55	—	5	3	18	17	3	8	12	5	11	20	40	48	48	48	48	Macclesfield.		
Crewes	1443	653	211	163	55	—	5	6	18	17	3	8	12	8	8	17	20	45	45	45	45	Crewes.		
Chester	1056	666	132	220	52	—	5	3	24	24	2	2	11	13	13	13	13	13	13	13	13	13	Chester.	
Widnes	1003	514	144	802	125	—	5	6	12	12	7	3	12	7	7	13	21	26	26	26	26	26	Widnes.	
Southport	904	731	125	302	48	—	5	1	12	12	7	3	11	12	12	12	21	21	21	21	21	21	Southport.	
Leigh (Lanc.)	1392	837	130	219	100	—	100	81	2	11	11	4	9	12	12	12	53	63	63	63	63	63	Leigh (Lanc.).	
Farnworth	756	807	127	30	30	—	30	2	1	1	1	8	4	4	4	4	13	13	13	13	13	13	Farnworth.	
Heywood	607	443	98	123	80	—	80	123	123	123	123	123	123	123	123	123	14	14	14	14	14	14	Heywood.	
Radcliffe	25501	607	443	98	123	—	123	123	123	123	123	123	123	123	123	123	22	22	22	22	22	22	Radcliffe.	
Swinton and Pendlebury	23361	927	148	148	148	—	148	148	148	148	148	148	148	148	148	148	19	19	19	19	19	19	Swinton and Pendlebury.	

TABLE 5 (continued).—One hundred and three smaller Towns.—Population; Births and Deaths in 1903.

* See note (*) to Table 1.

TABLE 6.—One hundred and three smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1903.

* See Note (*) to Table I.

TABLE 6 (continued).—One hundred and three smaller Towns.—Birth-rates, Death-rates, and Analysis of Mortality in 1903.

* See note (*) to Table I.

TABLE 6 (continued).—One hundred and three smaller Towns.—Births-rates, Deaths-rates, and Analysis of Mortality in 1903.

One hundred and three smaller Towns: Birth rates and Death-rates.

TOWNS.*	ANNUAL RATE PER 1000 PERSONS LIVING.										TOWNS.*						
	DEATHS.			DEATHS from							PERCENTAGE to Total Deaths.						
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.
Eccles	28.6	14.8	1.52	—	0.37	0.08	0.68	0.06	0.08	0.25	0.31	123	7.9	65.3	5.7	15.0	1.1
Stretford	24.9	13.0	1.03	—	0.13	0.03	0.31	0.03	0.15	0.12	0.16	108	7.6	56.4	8.3	7.3	1.4
Withington	20.1	10.2	0.79	—	0.14	0.11	0.40	0.37	0.15	0.18	0.15	102	5.0	42.4	4.6	8.4	1.0
Moss Side	20.3	13.3	1.25	—	0.07	0.21	0.10	0.21	0.07	0.38	0.17	124	6.7	69.5	2.2	6.9	1.9
Gorton	33.9	18.3	2.89	0.07	0.04	1.21	0.07	0.09	0.65	0.11	0.12	200	9.1	4.3	13.1	1.1	0.7
Ashton under Lyne	26.9	19.8	2.89	0.07	0.04	0.29	0.08	0.18	0.63	0.12	0.12	45	7.0	76.0	4.6	14.8	0.7
Stalybridge	24.3	17.6	2.23	0.04	0.14	0.08	0.19	0.19	0.04	0.18	0.06	194	8.5	72.8	5.1	7.5	0.9
Middleton	24.3	16.8	1.04	0.79	0.04	0.14	0.08	0.19	0.19	0.04	0.05	146	8.5	85.8	6.0	7.4	0.9
Rawtenstall	21.7	15.0	1.43	0.69	0.54	0.03	0.13	0.35	0.16	0.16	0.19	124	8.2	74.2	4.7	4.9	2.8
Accrington	21.7	14.8	1.62	0.62	0.81	0.45	0.09	0.02	0.18	0.06	0.06	131	8.9	66.9	6.6	8.4	0.7
Nelson	22.0	12.9	0.82	—	0.09	0.28	0.11	0.14	0.09	0.11	0.31	138	6.9	75.4	3.6	3.6	0.7
Darwen	24.0	13.3	0.84	—	0.10	0.23	0.10	0.23	0.03	0.15	0.31	125	6.7	77.6	3.5	4.8	2.5
Chorley	29.7	16.8	1.37	—	0.32	0.26	0.04	0.40	0.14	0.22	0.47	147	9.4	68.8	3.0	7.3	2.6
Blackpool	23.0	15.2	1.32	—	0.09	0.17	0.11	0.38	0.17	0.40	0.53	136	8.1	68.8	4.6	5.6	2.2
Lancaster	25.5	12.1	0.90	0.05	0.02	0.07	0.07	0.14	0.24	0.31	0.29	109	6.4	54.6	3.6	20.7	3.6
Harrogate	22.8	13.3	0.70	—	0.38	0.03	0.10	0.10	0.03	0.06	0.38	121	6.8	61.4	4.8	4.8	3.0
Keighley	23.7	16.2	0.74	—	0.02	0.27	0.04	0.47	0.14	0.26	0.21	135	7.9	78.9	2.9	13.1	1.2
Todmorden	21.7	16.8	2.15	—	0.27	0.55	0.66	0.16	0.12	0.08	0.66	162	8.7	72.6	6.5	6.5	1.2
Shipley	24.0	15.8	0.54	—	0.04	0.08	0.05	0.15	0.04	0.23	0.23	137	8.1	77.1	7.0	7.7	1.2
Batley	22.4	18.1	2.09	0.07	0.33	0.23	0.15	0.50	0.23	0.15	0.36	166	9.5	85.7	7.3	7.3	—
Dewsbury	23.9	18.9	1.45	0.29	—	0.04	0.14	0.40	—	0.58	0.94	172	10.0	76.4	10.9	16.5	0.2
Wakefield	23.9	16.0	1.27	0.02	0.45	0.05	0.02	0.31	0.10	0.24	1.00	134	8.9	78.1	12.2	22.0	—
Barnsley	37.1	20.5	4.00	0.02	1.32	0.02	0.21	0.49	0.28	1.63	1.74	10.5	17.5	78.2	9.2	14.2	2.2
Doncaster	26.6	17.1	2.11	0.03	0.13	0.07	0.10	0.30	0.20	1.28	1.05	187	8.4	67.4	9.1	11.4	2.2
Scarborough	22.4	15.0	0.99	—	0.18	0.05	0.20	0.08	0.48	0.48	0.48	123	7.0	60.8	9.2	20.7	3.6
Darlington	29.3	17.9	2.45	0.07	0.33	0.07	0.17	0.48	0.11	0.89	0.48	186	8.5	68.6	3.5	11.0	4.5
Jarrow	34.5	17.7	1.59	0.06	—	0.11	0.20	0.35	0.06	0.75	0.84	158	10.0	62.4	6.6	8.2	4.1
Carlisle	28.1	16.8	1.17	0.09	—	0.80	0.11	0.43	0.06	0.02	0.66	120	9.3	72.5	5.3	17.1	3.8
Workington	35.9	18.2	1.86	—	0.09	—	0.11	0.47	0.08	0.45	0.64	164	9.1	83.5	4.2	3.7	3.5
Barry	29.9	11.6	1.25	—	0.36	0.10	0.13	0.33	0.20	0.13	0.83	109	7.0	56.3	13.1	6.3	0.3
Mountain Ash	41.6	16.6	2.28	—	0.23	0.12	0.38	0.44	0.15	0.94	0.91	164	8.1	62.7	7.3	3.0	1.2
Pontypridd	37.1	16.3	2.35	0.03	0.47	0.26	0.53	0.50	0.06	0.50	0.53	150	8.0	64.8	6.5	5.0	1.2
Aberdare	36.3	18.2	1.66	—	0.36	0.18	0.13	0.10	0.16	0.76	0.97	174	8.4	81.9	6.8	2.8	2.2
Llanelli	30.1	16.5	2.12	—	0.88	0.77	0.27	—	0.08	0.12	0.50	145	8.9	61.1	4.0	3.3	3.0

* See note * to Table I.

TABLE 7.—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 2nd January, 1904.*

CITIES, BOROUGHS, AND URBAN DISTRICTS.		Estimated Population in the middle of 1903.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
LONDON	..	4,613,812	416	12531	7738	22	2339	40		4372	233
CROYDON	..	141,157	14	214	259	—	32	2		79	6
WILLESDEN	..	127,077	7	504	223	—	45	15		74	10
HORNSEY	..	78,386	2	202	62	—	54	—		25	3
TOTTENHAM	..	109,749	4	338	140	—	237	—		64	18
WEST HAM.	..	281,894	13	661	556	—	67	3		219	12
EAST HAM.	..	110,451	5	654	212	—	61	2		114	4
LEYTON	..	107,153	3	422	188	—	—			103	7
WALTHAMSTOW	..	106,290	2	296	153	4	85	—		120	7
HASTINGS	..	66,194	—	137	34	—	7	—		31	5
BRIGHTON	..	125,405	2	190	363	—	36	—		77	12
PORTSMOUTH	..	194,960	4	1170	636	—	219	13		75	9
BOURNEMOUTH	..	63,132	—	105	63	—	14	—		28	3
SOUTHAMPTON	..	110,120	2	423	241	—	149	1		50	7
READING	..	75,082	—	65	88	—	16	—		42	5
NORTHAMPTON	..	89,863	37	666	41	—	25	—		141	5
IPSWICH	..	68,818	—	146	49	—	44	—		53	1
GREAT YARMOUTH	..	51,351	—	397	307	—	32	—		90	3
NORWICH	..	114,351	—	385	102	—	91	—		29	11
PLYMOUTH	..	112,022	—	370	63	3	73	—		150	7
DEVONPORT	..	73,815	—	417	44	—	53	1		72	5
BRISTOL	..	338,895	44	2162	1130	—	119	—		241	31
HANLEY	..	63,205	91	113	475	—	59	8		34	2
BURTON-UPON-TRENT	..	51,450	36	181	25	—	20	—		27	2
WOLVERHAMPTON	..	96,947	7	552	47	—	73	—		77	8
WALSALL	..	89,378	55	886	56	—	71	—		93	6
HANDSWORTH (STAFFS.)	..	57,557	1	364	46	—	19	—		92	3
WEST BROMWICH	..	66,558	46	312	41	—	61	1		82	4
BIRMINGHAM	..	533,039	254	2835	903	—	362	2		645	31
KINGS NORTON	..	63,717	10	395	51	—	13	—		42	5
SMETHWICK	..	58,787	25	300	58	—	54	—		41	3
ASTON MANOR	..	79,417	31	384	52	—	76	—		56	5
COVENTRY	..	72,684	71	120	124	—	15	1		42	5
LEICESTER	..	220,272	368	531	212	—	57	—		220	11
GRIMSBY	..	65,772	6	339	96	—	223	3		13	4
NOTTINGHAM	..	245,985	136	1420	422	—	203	2		—	—
DERBY	..	118,707	45	187	85	—	60	—		136	13
STOCKPORT	..	95,709	49	556	27	—	33	—		53	9
BIRKENHEAD	..	113,598	88	680	111	—	73	6		85	6
WALLASEY	..	58,258	27	440	39	—	47	—		41	2
LIVERPOOL	..	716,810	1661	4027	885	273	667	22		1024	50
BOOTLE	..	60,761	107	363	34	—	62	—		25	2
ST. HELENS	..	87,259	26	729	124	—	75	—		66	6
WIGAN	..	62,165	64	355	37	—	47	—		53	5
WARRINGTON	..	66,370	85	284	33	1	21	—		32	1
BOLTON	..	173,401	55	971	143	4	175	2		85	14
BURY	..	58,313	59	154	105	—	33	2		20	2
MANCHESTER	..	553,486	419	2127	734	1	423	2		304	27
SALFORD	..	226,480	181	739	341	—	180	1		158	10
OLDHAM	..	138,786	255	506	204	—	52	—		73	9
ROCHDALE	..	84,824	111	304	67	—	29	2		66	6
BURNLEY	..	99,469	222	410	93	—	45	—		108	4
BLACKBURN	..	131,218	88	338	132	—	96	—		68	11
PRESTON	..	114,404	30	306	80	—	139	4		63	7
BARROW-IN-FURNESS	..	59,009	1	223	27	—	56	1		64	2
HUDDERSFIELD	..	94,963	53	243	79	—	37	1		34	7
HALIFAX	..	106,754	128	323	50	—	62	2		78	1
BRADFORD	..	283,412	361	814	200	—	275	—		194	12
LEEDS	..	443,559	442	2450	601	—	356	—		366	26
SHEFFIELD	..	425,528	58	2118	498	—	355	7		395	33

* The figures in this Table, excepting those for London, which are derived from Table 8, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

+ The figures for Southsea District of Portsmouth are—population, 18,612; small-pox, nil; scarlet fever, 22; diphtheria (including membranous croup), 30; typhus, nil; enteric fever, 7; continued fever, 1; erysipelas, 1; and puerperal fever, nil.

TABLE 7 (continued).—NUMBER of CASES of INFECTIOUS DISEASES NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 2nd January, 1904.*

CITIES, BOROUGHS, AND URBAN DISTRICTS.	Estimated Population in the middle of 1903.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
ROOTHERHAM	57,212	37	249	116	69	2	58		6	
YORK	80,186	27	287	38	52	14	36	3	3	
HULL	249,639	106	489	501	94	2	274	17		
MIDDLESBROUGH	95,013	13	248	123	80				88	10
STOCKTON-ON-TEES	51,965	6	363	45	57	1			36	6
WEST HARTLEPOOL	67,201	11	463	83	25				23	1
SUNDERLAND	149,572	35	752	97	122	14			121	5
SOUTH SHIELDS	105,325	36	382	81	57				108	5
GATESHEAD	115,531	154	643	48	25	1			80	3
NEWCASTLE-ON-TYNE	222,241	156	1163	146	77	2			190	7
TYNEMOUTH	52,531	111	405	43	20				99	
NEWPORT (MON.)	70,217	3	253	80	30	2			36	2
CARDIFF	172,598	65	963	438	100	5			146	20
RHONDA	119,652	—	876	326	262	11			101	21
MERTHYR TYDFIL	71,651	6	609	113	298				54	8
SWANSEA	95,489	—	448	134	85				37	8
ALDERSHOT	32,239									
REIGATE	26,792		21	82	5				19	6
WIMBLEDON	45,301		116	59	16				36	4
KINGSTON-ON-THAMES	36,084	16	218	76	16				6	1
RICHMOND	32,808	1	119	42	11				18	
BROMLEY	28,732	2	35	10	1				21	2
BECKENHAM	27,591	—	48	23	6				11	1
ERITH	28,017	1	53	39	14				25	
GRAVESEND	27,991	1	47	32	19				21	2
ROCHESTER	31,612	1	121	19	46				37	
CHATHAM	38,358	2	111	23	43				53	2
GILLINGHAM	45,921	3	126	76	52				51	2
TUNBRIDGE WELLS	34,350	22	111	10	8				18	
MAIDSTONE	33,882	—	26	16	7				27	5
RAMSGATE	28,457	—	46	68	17				9	
DOVER	43,734	—	50	37	9				16	3
FOLESTONE	32,223	—	70	31	18				12	
EASTBOURNE	45,306	—	44	45	7				20	
HOVE	38,446	1	29	34	8				5	
GOSPORT AND ALVERSTOKE	29,701	—	197	25	18				5	
HESTON & ISLEWORTH	32,011	—	142	29	7				23	1
EALING	35,129	40	201	39	33				26	1
CHISWICK	31,629	1	39	28	19				48	1
ACTON	40,860	1	77	25	39				27	
WOOD GREEN	36,185	—	182	57	8				19	3
EDMONTON	51,830	1	117	20	27	3			60	3
ENFIELD	45,336	2	204	45	22				26	1
WATFORD	32,142	6	154	111	4				17	1
OXFORD	50,231	14	172	63	8				19	
KETTERING	30,776	7	111	10	11				43	1
PETERBOROUGH	32,210	1	52	58	11				35	2
BEDFORD	36,809	—	57	60	1				22	
LUTON	37,598	—	67	17	5				35	8
CAMBRIDGE	38,760	132	280	71	6				22	2
ILFORD	48,139	9	176	91	24	4			49	2
SOUTHEND-ON-SEA	32,426	5	73	60	68				28	
COLCHESTER	39,299	24	89	56	16				46	
LOWESTOFT	31,587	1	104	48	12	1			21	3
SWINDON	47,790	1	374	21	7				18	3
EXETER	47,586	—	316	18	30				19	1
TORQUAY	33,580	2	22	12	8				3	
BATH	49,472	13	136	22	3				26	1

* See note * on preceding page.

TABLE 7 (continued).—Number of Cases of Infectious Diseases Notified in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 3rd January, 1904.*

CITIES, BOROUGHES, AND URBAN DISTRICTS.	Estimated Population in the middle of 1903.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
GLoucester ..	49,537	3	171	13	—	8	—	—	24	1
Cheltenham ..	50,047	1	141	64	—	17	—	—	23	3
Shrewsbury ..	28,768	2	19	12	—	8	—	—	24	7
Burslem ..	40,358	53	43	87	—	29	—	—	18	2
Stoke-upon-Trent ..	31,960	9	154	60	—	26	—	—	29	3
Longton ..	36,212	2	80	84	—	35	—	—	21	4
Oldbury ..	25,797	2	168	2	—	33	—	—	38	3
Wednesbury ..	26,872	—	485	39	—	18	—	—	35	4
Rowley Regis ..	35,604	3	218	31	—	30	—	—	48	5
Tipton ..	30,873	—	350	27	—	25	—	—	53	6
Dudley ..	49,495	52	177	11	—	38	—	—	65	5
Worcester ..	47,542	1	167	36	—	23	—	—	26	5
Royal Leamington Spa ..	26,879	1	82	12	—	2	—	—	45	—
Lincoln ..	50,512	16	141	29	—	30	—	—	30	1
Ilkeston ..	26,699	3	47	34	—	32	—	—	6	5
Chesterfield ..	28,398	42	58	36	—	21	—	—	19	1
Hyde ..	33,295	10	130	4	—	24	—	—	45	1
Macclesfield ..	34,372	20	188	20	—	21	—	—	28	4
Crewe ..	44,243	5	199	153	—	11	—	—	40	6
Chester ..	38,647	61	75	31	—	27	—	—	24	4
Widnes ..	28,306	10	227	27	—	48	—	—	16	2
Southport ..	49,689	9	161	22	—	22	—	—	39	5
Leigh ..	42,125	5	421	12	—	47	—	—	25	4
Farnworth ..	26,458	25	333	22	—	44	—	—	20	4
Heywood ..	25,992	47	85	55	—	7	—	—	5	3
Radcliffe ..	25,501	16	129	25	—	25	—	—	47	—
Swinton & Pendlebury ..	28,261	6	297	85	—	32	—	—	44	2
Eccles ..	35,496	14	139	120	—	16	—	—	22	2
Stretford ..	32,446	14	89	39	—	14	—	—	22	1
Withington ..	38,625	14	85	31	—	14	—	—	10	1
Moss Side ..	27,364	7	98	33	—	10	—	—	6	1
Gorton ..	29,168	11	140	17	—	40	—	—	19	3
Ashton-under-Lyne ..	44,733	153	52	13	—	43	—	—	11	1
Stalybridge ..	27,921	7	29	24	—	26	—	—	9	1
Middleton ..	25,001	30	51	15	—	2	—	—	22	4
Rawtenstall ..	31,455	37	70	20	—	17	—	—	24	2
Accrington ..	44,215	41	275	29	—	24	—	—	6	2
Nelson ..	35,141	14	205	30	—	15	—	—	22	2
Darwen ..	39,184	27	30	20	—	16	—	—	17	2
Chorley ..	27,747	42	207	1	—	11	—	—	11	2
Blackpool ..	52,727	22	256	40	—	41	—	—	19	3
Lancaster ..	41,093	26	183	37	—	63	—	—	24	2
Harrogate ..	31,200	3	39	26	—	8	—	—	10	2
Keighley ..	43,112	25	44	14	—	1	19	—	35	3
Todmorden ..	25,674	15	297	37	—	18	—	—	20	1
Shipley ..	26,109	5	85	4	—	4	—	—	12	1
Batley ..	30,734	57	82	48	—	43	—	—	8	—
Deesbury ..	27,706	137	50	17	—	13	—	—	18	2
Wakefield ..	42,066	98	106	20	—	29	—	—	10	4
Barnsley ..	42,432	38	105	52	—	55	—	—	31	7
Doncaster ..	29,658	16	52	24	—	15	—	—	19	—
Scarborough ..	39,215	28	57	31	—	20	—	—	25	3
Darlington ..	46,041	83	120	178	—	20	—	—	26	3
Jarrow ..	34,494	17	126	19	—	18	—	—	54	2
Carlisle ..	46,379	42	98	72	—	6	—	—	64	1
Washington ..	26,402	13	19	15	—	13	—	—	25	—
Barry ..	30,176	2	189	30	—	16	—	—	15	1
Mountain Ash ..	34,136	3	153	110	—	33	—	—	26	—
Pontypridd ..	34,074	20	361	79	—	37	—	—	25	5
Aberdare ..	44,352	—	290	58	—	46	—	—	79	13
Llanelli ..	26,040	—	365	28	—	18	—	—	9	2

* See note * on first page of table.

TABLE 8.—Number of Cases of Infectious Diseases Notified in the several BOROUGHS of the ADMINISTRATIVE COUNTY of LONDON during the 52 Weeks ended 2nd January, 1904.*

BOROUGHS.	Estimated Population in the middle of 1903.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington	146,032	5	417	150	1	44	3	—	119	4	
Kensington	178,409	5	335	180	—	66	2	—	177	4	
Hammersmith	115,803	7	316	166	—	59	1	—	109	6	
Fulham	147,780	11	406	294	—	80	—	—	116	19	
Chelsea	74,169	7	209	98	—	13	—	—	55	6	
City of Westminster	179,052	45	352	186	—	71	2	—	111	5	
NORTH.											
St. Marylebone	131,234	4	414	238	—	87	4	—	177	7	
Hampstead	85,197	1	174	86	—	29	—	—	41	1	
St. Pancras	235,716	31	658	522	—	88	—	—	224	5	
Islington	339,137	12	867	458	—	131	2	—	228	19	
Stoke Newington	52,069	2	87	40	—	35	1	—	30	2	
Hackney	224,082	4	667	545	—	271	5	—	281	21	
CENTRAL.											
Holborn	57,845	2	144	52	—	54	2	—	90	4	
Finsbury	99,717	2	293	129	—	52	—	—	108	8	
City of London	24,539	—	73	27	—	14	—	—	10	1	
EAST.											
Shoreditch	117,513	1	259	154	—	99	1	—	147	7	
Bethnal Green	130,028	3	392	212	2	59	1	—	214	6	
Stepney	302,153	26	878	543	1	199	—	—	376	10	
Poplar	169,550	28	450	425	—	93	—	—	144	8	
SOUTH.											
Southwark	207,369	40	512	354	—	122	—	—	239	13	
Bermondsey	129,801	7	401	174	16	76	—	—	182	9	
Lambeth	307,711	73	745	546	—	138	7	—	231	18	
Battersea	173,422	37	474	314	—	89	—	—	149	8	
Wandsworth	249,678	29	821	532	—	101	3	—	235	13	
Camberwell	265,562	19	666	365	—	103	2	—	233	6	
Deptford	112,537	2	502	456	2	31	1	—	134	6	
Greenwich	99,824	4	164	208	—	44	—	—	73	7	
Lewisham	136,405	1	463	278	—	49	—	—	82	8	
Woolwich	121,478	6	390	184	—	42	3	—	68	2	
Port of London	—	3	2	2	—	22	—	—	1	—	
ADMINISTRATIVE COUNTY OF LONDON.		4,613,812	416	12,531	7,738	22	2,339	40	—	4,372	233
Ages 0-1											
” 1-5	7	170	176	—	—	—	—	—	140	—	
” 5-10	29	4,134	2,990	1	97	1	—	—	188	—	
” 10-15	38	4,772	2,531	4	268	8	—	—	145	—	
” 15-20	17	1,851	840	1	346	7	—	—	182	—	
” 20-25	36	684	356	6	352	2	—	—	265	7	
” 25-30	47	435	272	3	351	8	—	—	267	51	
” 30-35	129	374	368	4	522	9	—	—	573	122	
” 35-40	62	89	148	3	260	3	—	—	809	52	
” 40-45	31	15	35	—	108	2	—	—	795	1	
” 45-50	14	4	15	—	32	—	—	—	511	—	
” 55-60	6	3	6	—	3	—	—	—	507	—	
Age not stated	—	—	—	1	—	—	—	—	—	—	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

England and Wales, London, and Other Areas.

TABLE 9.—ENGLAND AND WALES.—Birth-rate, Death-rate, and Analysis of Mortality in Various Areas during the year 1903.

—	Births.	Deaths	Diseases	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhoea.	Deaths under 1 Year per 1000 Births.	
		from all Causes.	in Cols. 3-9.									
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.	
England and Wales..	28·4	15·4	1·46	0·02	0·27	0·12	0·18	0·27	0·10	0·50	132	
76 Great Towns ..	29·7	16·3	1·89	0·03	0·36	0·14	0·20	0·33	0·12	0·71	144	
103 Smaller Towns ..	27·4	14·6	1·41	0·02	0·29	0·12	0·16	0·28	0·11	0·43	135	
England and Wales, less the 179 Towns..	27·3	14·8	1·08	0·02	0·17	0·10	0·17	0·22	0·09	0·31	118	

TABLE 10.—GREATER LONDON (THE METROPOLITAN AND CITY POLICE DISTRICTS).—Area, Population, Inhabited Houses, and Ratable Value.

—	AREA.		Enumerated POPULATION, 1901.	DENSITY OF POPULATION in 1901.		INHABITED HOUSES, 1901.	RATABLE VALUE,* 1901.
	In Acres.	In Square Miles.		Persons to an Acre.	Persons to a Square Mile.		
GREATER LONDON	443,419	693	6,581,402	14·8	9497	928,008	51,432,059
REGISTRATION LONDON	74,839	117	4,536,541	60·6	38,774	571,768	40,209,391
OUTER RING	368,580	576	2,044,861	5·5	3550	356,240	11,222,668

* Supplied by the London County Council and the Metropolitan Police Office.

TABLE 11.—LONDON: Marriages, Births, and Deaths, 1893-1903.

YEARS.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903 (52 weeks)
MARRIAGES..	37,016	36,924	37,629	39,872	41,217	42,043	41,876	40,510	40,037	40,866	40,215
BIRTHS ..	Persons ..	133,062	131,454	134,155	133,833	134,187	132,749	133,134	131,628	131,829	130,478
	Males ..	67,688	66,866	68,281	68,490	68,285	67,384	68,004	66,828	67,154	66,337
	Females ..	65,374	64,588	65,874	65,343	65,902	65,365	65,130	64,800	64,675	64,141
DEATHS* ..	Persons ..	91,552	77,407	87,298	82,390	81,119	84,154	89,705	86,438	80,251	81,098
	Males ..	46,840	39,704	44,343	42,457	42,116	43,452	46,161	44,874	41,467	42,099
	Females ..	44,712	37,703	42,955	39,933	39,003	40,702	43,544	41,564	38,784	38,999
EXCESS OF BIRTHS OVER DEATHS		41,510	54,047	46,857	51,443	53,068	48,595	43,429	45,190	51,578	49,380
ANNUAL RATES PER 1000	Persons Married ..	17·2	17·0	17·2	18·0	18·5	18·8	18·6	18·0	17·6	17·8
	Births ..	30·9	30·2	30·6	30·2	29·7	29·6	29·2	29·0	28·5	28·4
	Deaths ..	21·2	17·8	19·9	18·6	18·2	18·8	20·0	19·2	17·7	15·7

NOTE.—The figures in the above table, except some of those for 1903, relate to calendar years. The figures referring to births and deaths in 1903 relate to the 52 weeks ended 2nd January, 1904. See also note to Table 12 respecting changes in area.

* See note * to Table 1.

TABLE 12.—LONDON.—Mortality in Five Groups of Districts (not corrected for Deaths in Institutions), and Meteorology at Greenwich, 1854-1903.

	LONDON.	GROUPS OF DISTRICTS.					METEOROLOGY AT GREENWICH.			
		WEST.	NORTH.	CENTRAL.	EAST.	SOUTH.	Mean Temperature of Air.	Degree of Humidity, Satura- tion = 100.	Rainfall, in Inches.	Mean Hourly Horizontal Movement of the Air.*
Area in Square Miles ..	116.9	16.2	21.4	3.2	8.6	67.5				
Average Annual Rate of Increase of Population per Cent., 1891-1901 ..	0.706	0.839	0.410	-1.551 (decrease).	0.142	1.389				
Enumerated Population, 1901 ..	4,536,541	805,311	1,056,070	209,465	715,739	1,749,956				
Density: Persons to an Acre	1851 1861 1871 1881 1891 1896 1901	30 36 42 49 56 59 61	35 44 52 62 71 75 77	36 46 56 67 74 77 77	203 175 150 127 116 110 101	78 92 107 116 128 130 130	14 17 21 28 35 38 41			
YEARS.	ANNUAL RATE OF MORTALITY PER 1000.						METEOROLOGY IN EACH YEAR.			
1854 ..	29.4	28.5	24.4	27.4	30.0	34.8	48.9	83	18.7	10.3
1855 ..	24.3	23.0	23.3	25.1	25.5	24.6	47.1	83	21.1	9.9
1856 ..	23.0	21.5	21.1	23.0	23.3	21.8	49.0	83	22.2	10.6
1857 ..	22.4	21.2	21.5	23.8	24.6	21.5	51.0	83	21.4	9.3
1858 ..	23.9	22.4	22.9	24.5	25.8	24.0	48.2	79	17.8	9.7
1859 ..	22.7	21.4	21.7	24.1	24.0	22.6	50.7	80	25.9	9.5
1860 ..	22.4	22.2	21.2	23.3	24.1	22.1	47.0	84	32.0	10.0
1861 ..	23.2	22.1	22.3	25.4	24.0	22.8	49.4	84	20.8	9.9
1862 ..	23.6	22.0	22.0	26.2	26.0	22.7	49.5	84	28.2	10.0
1863 ..	24.5	22.9	23.8	26.9	26.5	23.3	50.3	80	20.0	10.3
1864 ..	26.4	24.4	25.3	29.5	29.0	25.3	48.5	78	16.7	9.5
1865 ..	24.5	22.6	24.5	27.1	26.5	23.2	50.3	80	29.0	9.3
1866 ..	26.5	22.6	25.3	27.1	34.0	24.1	49.8	82	30.7	11.4
1867 ..	23.0	21.7	23.1	24.8	24.2	22.1	48.6	82	28.4	11.8
1868 ..	23.5	22.2	22.7	25.2	25.4	22.9	51.6	78	25.2	12.2
1869 ..	24.6	22.2	23.5	26.6	27.9	23.8	49.5	81	24.0	12.2
1870 ..	24.1	23.8	23.5	26.0	25.0	23.4	48.7	79	18.5	11.1
1871 ..	24.6	22.5	25.6	25.0	26.1	24.0	48.7	81	22.3	10.5
1872 ..	21.5	19.6	21.2	23.6	23.6	20.7	50.7	82	30.0	11.9
1873 ..	22.4	20.5	21.2	25.1	25.3	21.7	48.9	82	23.4	11.8
1874 ..	22.4	20.9	21.7	25.7	25.5	21.0	49.3	82	20.0	11.5
1875 ..	23.6	22.2	22.2	26.2	25.7	23.3	49.2	80	28.2	11.5
1876 ..	21.9	21.0	21.2	24.1	24.0	21.2	50.1	80	24.2	12.1
1877 ..	21.6	19.2	21.5	24.2	24.5	20.5	49.4	79	26.9	13.0
1878 ..	23.1	21.6	22.0	25.2	25.1	23.0	49.6	81	29.2	11.1
1879 ..	22.6	20.9	21.5	26.3	25.5	21.8	48.2	83	31.3	11.3
1880 ..	21.7	19.8	20.8	23.8	24.3	21.3	49.4	84	29.8	11.7
1881 ..	21.3	19.6	20.7	23.4	24.3	20.5	48.7	81	25.2	12.1
1882 ..	21.5	20.0	19.8	24.0	25.3	20.8	49.7	84	25.2	12.8
1883 ..	20.8	19.8	19.4	23.3	24.4	19.8	49.4	82	21.9	12.1
1884 ..	20.9	19.7	19.6	23.8	23.8	20.2	50.7	80	18.1	11.9
1885 ..	20.4	19.9	19.3	22.9	23.4	19.1	48.6	81	24.0	12.0
1886 ..	20.6	19.8	19.9	23.4	23.9	19.9	48.7	81	24.2	11.8
1887 ..	20.3	19.9	19.9	23.5	23.3	19.4	47.8	79	19.9	11.5
1888 ..	19.3	19.3	17.7	22.7	22.7	18.1	47.7	82	27.5	12.3
1889 ..	18.4	18.1	16.9	20.9	21.2	17.7	48.8	83	23.3	10.2
1890 ..	21.4	20.5	19.6	24.8	25.1	19.6	48.6	81	21.9	11.2
1891 ..	21.4	20.8	20.0	26.4	24.1	19.8	48.4	82	25.1	11.7
1892 ..	20.7	20.0	19.4	23.8	23.4	19.1	48.1	80	22.3	11.0
1893 ..	21.2	19.6	20.0	25.4	24.7	19.5	51.1	76	20.1	11.2
1894 ..	17.8	17.1	16.3	20.0	20.7	16.4	49.9	81	26.9	12.4
1895 ..	19.9	18.6	18.3	23.7	23.3	18.5	49.3	78	19.7	11.6
1896 ..	18.6	17.6	17.1	21.4	21.3	17.5	50.1	79	22.4	11.4
1897 ..	18.2	17.1	17.0	21.9	21.2	16.9	50.3	79	22.1	12.2
1898 ..	18.8	18.0	17.4	22.2	21.9	17.4	51.3	78	18.9	11.3
1899 ..	20.0	19.1	18.5	22.8	23.2	18.6	50.6	77	22.3	11.5
1900 ..	19.2	17.9	17.6	22.1	22.4	17.9	50.4	79	22.3	12.1
1901 ..	17.7	16.5	16.0	20.3	21.0	16.4	49.2	78	20.3	11.5
1902 ..	17.7	16.6	16.1	21.2	19.9	16.0	48.8	80	19.5	11.5
1903 ..	15.7	14.6	14.4	19.0	18.6	14.2	50.0	80	35.3	13.2

NOTE.—The populations upon which these rates of mortality have been calculated are deduced from the numbers enumerated at the seven Censuses of 1851, 1861, 1871, 1881, 1891, 1896, and 1901. The deaths for the 49 years 1854-1902 are for the endar years, while those for 1903 are the numbers registered in the 52 weeks ended 2nd January, 1904. Certain changes affecting the West and Central groups of districts were made in the year 1868, but no corrections for these changes have been made in this Table for any year prior to 1861. The boundaries of London were extended during 1900, but no correction on account of this extension has been made in the figures for years previous to 1901. The hamlet of Mottingham was transferred from Lewisham District to the Outer Ring on 1st April 1887. Approximated to the results of Robinson's anemometer by reduction from Whewell's, up to 1859,

TABLE 13.—LONDON.—Population, and Epidemic and

PERIOD AND YEAR.	ESTIMATED POPULATION.	DEATHS FROM PRINCIPAL EPIDEMIC DISEASES.									
		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia* (Origin uncertain).	Dysentery, and Cholera.	
Cols. 1	2	3	4	5	6	7	8	9	10	11	
Period.											
1841-50	2,103,487	8,416	13,011	18,314		18,079	20,890			32,514	
1851-60	2,570,489	7,150	13,766	20,317		22,497	22,597			39,248	
1861-70	3,018,193	8,347	17,338	34,391	5,323	26,550	27,149			38,981	
1871-80	3,513,843	15,539	17,947	21,247	4,319	28,728	1,887	8,536	2,579	34,496	
1881-90	4,000,475	6,634	25,449	13,268	10,435	27,086	327	7,503	717	30,863	
1891-1900	4,388,868	431	25,587	8,193	21,942	21,898	51	6,275	152	34,423	
1854	2,503,662	694	1409	3477		2502	2816			14,063	
1855	2,547,639	1039	878	2611		2438	2460			2339	
1856	2,591,815	531	1479	1819		2092	2717			2566	
1857	2,636,174	156	1341	1599		2527	2195			3512	
1858	2,680,700	242	2369	4184		2708	1919			2351	
1859	2,725,374	1158	1330	3481	773	1742	1840			3708	
1860	2,770,181	888	2090	2017	484	2067	1476			1536	
1861	2,815,101	217	1062	2381	674	3548	1848			2908	
1862	2,860,117	366	2334	3492	730	2168	3673			1945	
1863	2,905,210	1996	1634	4955	799	2175	2871			2651	
1864	2,950,361	547	2788	3244	611	2423	3782			3169	
1865	2,995,551	640	1290	2179	431	2935	3217			3917	
1866	3,040,761	1391	2220	1892	462	2960	2688			8890	
1867	3,085,971	1345	1143	1451	447	2278	2184			3300	
1868	3,131,160	597	1962	2916	495	2338	2468			4134	
1869	3,176,308	275	1456	5841	340	3769	716	1069	615	3714	
1870	3,221,394	973	1449	6040	334	1956	472	976	570	4053	
1871	3,267,251	7912	1427	1902	344	2291	384	871	436	4189	
1872	3,314,736	1786	1680	918	267	3259	174	807	322	3769	
1873	3,373,065	113	2149	645	320	2620	277	908	325	4112	
1874	3,427,250	57	1680	2648	419	1867	312	879	337	3224	
1875	3,482,306	46	1408	3677	581	3204	128	817	272	3397	
1876	3,533,246	736	1720	2308	387	2737	159	769	202	3720	
1877	3,595,085	2551	2387	1580	316	1817	157	901	194	2509	
1878	3,652,837	1417	1500	1808	566	4483	151	1033	197	3858	
1879	3,711,517	450	2475	2681	575	2934	71	849	160	1947	
1880	3,771,139	471	1521	3100	544	3516	74	702	134	3871	
1881	3,824,980	2367	2536	2114	657	1973	92	971	134	3150	
1882	3,862,956	430	2338	2006	857	4682	53	975	95	2223	
1883	3,901,309	136	2441	2006	952	1598	55	963	102	2735	
1884	3,940,042	1236	2271	1430	951	3156	32	925	78	4066	
1885	3,979,160	1419	2909	722	904	2481	28	597	78	2800	
1886	4,018,666	24	2086	690	851	2871	13	618	73	4133	
1887	4,058,565	9	2904	1443	953	2935	19	613	44	3908	
1888	4,098,860	9	2425	1214	1311	2993	9	694	35	2260	
1889	4,139,555	—	2308	785	1617	1787	16	538	42	2751	
1890	4,180,654	4	3231	858	1382	3210	10	609	36	2834	
1891	4,223,720	8	1807	598	1435	2872	11	558	44	2506	
1892	4,269,634	41	3415	1167	1969	2507	11	436	22	2644	
1893	4,312,263	206	1652	1590	3271	2326	5	692	21	3560	
1894	4,351,501	88	3295	966	2707	2096	6	640	13	1777	
1895	4,387,248	55	2692	829	2344	1517	4	628	9	3688	
1896	4,419,411	9	3662	916	2657	2904	5	576	17	3300	
1897	4,447,907	16	1909	782	2273	1839	1	585	8	4261	
1898	4,472,664	1	3073	582	1766	2160	4	588	10	4516	
1899	4,493,617	3	2134	398	1951	1720	2	807	2	4377	
1900	4,510,711	4	1948	365	1569	1957	2	765	6	3794	
1901	4,544,984	242	1968	584	1346	1613	4	535	8	3919	
1902	4,579,110	1300	2321	556	1162	1834	1	576	4	2663	
1903	4,613,812	13	2054	362	752	1631	3	387	6	2958	

The figures for the 49 years 1854-1902 relate to calendar years.

* Originally described as

Infant Mortality in 50 Years 1854-1903.

ANNUAL MORTALITY, PER MILLION PERSONS LIVING, FROM PRINCIPAL EPIDEMIC DISEASES.									PERIOD AND YEAR.	
Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Puerperal (Origin uncertain).	Diarrhoea, Dysentery and Cholera.	Annual Mortality of Infants under One Year of Age to 1000 Births.		
2	13	14	15	16	17	18	19	20	21	22
02	623	863		867	979			1469	157	Period. 1841-50
80	530	1017		877	886			1544	155	1851-60
76	576	1133	179	882	904			1284	162	1861-70
57	510	600	122	815	55	244	75	987	158	1871-80
45	636	335	259	693	8	189	18	772	152	1881-90
10	583	188	500	500	1	143	3	781	160	1891-1900
77	563	1389		999	1125			5617	164	1854
08	345	1025		957	966			918	152	1855
04	569	700		805	1045			987	150	1856
59	509	607		959	833			1332	156	1857
90	884	1561		1010	716			877	160	1858
25	488	1277	284	639	675			1360	150	1859
23	752	726	174	744	531			553	153	1860
77	377	846	239	1260	656			1033	155	1861
28	816	1221	255	758	1284			680	143	1862
87	562	1706	275	749	988			913	151	1863
85	942	1097	207	819	1278			1071	169	1864
14	431	727	144	980	1074			1307	171	1865
57	730	622	152	973	884			2922	172	1866
36	370	470	145	738	708			1070	159	1867
90	625	929	158	745	786			1412	166	1868
87	458	1839	107	1187	225	337	194	1168	170	1869
02	450	1875	104	607	147	303	177	1258	164	1870
22	437	582	105	701	118	267	133	1282	171	1871
37	506	276	80	979	52	242	97	1132	158	1872
34	637	191	95	777	82	269	96	1219	160	1873
17	490	773	122	545	91	256	98	970	156	1874
13	404	1056	167	920	37	235	78	975	162	1875
07	485	651	109	771	45	217	57	1048	157	1876
10	664	439	88	505	44	251	54	697	146	1877
38	411	495	155	1227	41	283	54	1001	164	1878
21	667	717	155	791	19	229	43	524	148	1879
25	402	820	144	930	20	186	35	1024	158	1880
19	663	553	172	516	24	254	35	824	148	1881
11	605	519	222	1212	14	252	25	575	151	1882
35	626	514	244	410	14	247	26	701	146	1883
13	575	362	241	799	8	234	20	1029	156	1884
57	731	181	227	624	7	150	20	703	148	1885
6	519	172	212	714	3	154	18	1028	159	1886
2	716	356	235	723	5	151	11	963	158	1887
2	590	295	319	728	2	169	9	550	146	1888
2	558	190	391	432	4	130	10	665	141	1889
1	773	206	331	768	2	146	9	678	163	1890
2	428	142	340	680	3	132	10	594	155	1891
10	798	273	460	586	3	102	5	617	155	1892
48	883	369	759	539	1	160	5	826	164	1893
20	757	222	622	482	1	147	3	408	143	1894
13	614	189	534	346	1	143	2	841	166	1895
2	826	207	600	655	1	130		745	162	1896
4	429	176	511	413	0	132	2	958	159	1897
0	687	130	395	483	1	131	2	1009	167	1898
1	475	89	434	383	0	180	0	974	167	1899
1	432	81	348	434	0	170	1	841	160	1900
53	433	128	296	355	1	118	2	862	149	1901
34	507	121	254	401	0	126	1	582	141	1902
3	446	79	163	354	1	84	1	643	131	1903

Weeks ended 2nd January, 1904. See also note to Table 12 respecting changes in area.
ples Continued Fever.

TABLE 14.—Causes of Death REGISTERED in London in each of the 11 Years 1893-1903.

CAUSES OF DEATH.	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903
	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.
	Days.										
ALL CAUSES	91536	77039	86987	83511	80943	83986	89689	86007	79924	82540	72109
Small-pox	206	89	55	8	16	1	3	4	229	1314	13
Cowpox	15	9	20	7	8	8	7	2	4	4	3
Measles (Morbillo)	1661	3293	2633	3697	1929	3075	2143	1936	1958	2361	2054
Scarlet Fever	1596	962	829	942	780	583	398	361	584	563	362
Typhus	5	5	5	5	1	4	2	2	4	—	3
Plague	—	—	—	—	—	—	—	—	—	—	—
Influenza	1526	750	2156	496	671	1283	1817	1950	664	1073	644
Whooping-cough	2330	2097	1483	2937	1842	2160	1720	1948	1609	1880	1631
Diphtheria	3285	2670	2316	2683	2261	1772	1964	1558	1344	1181	752
Cerebro Spinal Fever	?	?	?	?	?	?	?	?	?	?	6
Pyrexia* (origin uncertain)	21	13	10	13	8	9	1	7	7	5	6
Enteric Fever	693	635	614	591	584	585	801	756	537	585	387
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—
Epidemic Diarrhoea, (Infective Enteritis),	3579	1812	3674	3318	4219	4506	4349	3640	3931	1079	1397
Diarrhoea, Dysentery											
Tetanus	?	?	?	?	?	?	?	?	?	9	38
Rabies, Hydrophobia	1	1	—	4	1	—	—	—	—	1	—
Glanders	3	1	—	—	2	2	2	2	1	2	4
Anthrax (splenic Fever)	?	?	?	?	?	?	?	?	?	4	4
Veneral Dis.	544	499	501	445	454	421	424	416	350	455	429
Puerperal Septicæmia	352	210	208	225	215	184	209	169	184	149	134
Puerperal Pyæmia											
Puerperal Fever	?	?	?	?	?	?	?	?	?	42	29
Infective Endocarditis, Lobar											
Pneumonia	7198	5321	5989	5537	5053	5440	6666	7189	6121	3140	2690
“Broncho- Epidemic”											
Not defined	424	221	179	207	184	185	213	182	171	183	183
Erysipelas											
Septicæmia (not Puerperal)	118	96	102	90	99	67	93	110	118	55	47
Pyæmia (not Puerperal)											
Other Infective Conditions‡	?	?	?	?	?	?	?	?	?	191	498
Tuberculous Phthisis	8179	7543	7974	7778	7864	7966	8510	8030	7735	4925	3676
“Phthisis”											
Tuberculous Meningitis	1180	1093	1244	1187	1208	1232	1122	1169	1113	1058	1131
Tuberculous Peritonitis	1289	954	1253	1066	989	1000	962	829	818	350	417
Tabes Mesenterica											
Tuberculous Dis. (other)	943	980	1045	1005	923	930	994	1101	948	970	931
Scrofula											
Alcoholism	533	430	449	540	632	666	788	696	667	666	644
Rheumatic Fever	?	?	?	?	?	?	?	?	?	300	236
Gout	187	154	169	149	134	137	125	124	126	130	109
Carcinoma	3412	3441	3612	3864	3908	4084	4234	4251	4203	2476	2554
Sarcoma											
Cancer (Undefined)	?	?	?	?	?	?	?	?	?	1870	1843
Diabetes Mellitus											
Premature Birth	2517	2361	2514	2534	2878	2663	2688	2591	2514	2741	2490

* Originally described as Simple Continued Fever.

† See note * on next page.

‡ The increase under this head is partly due to the inclusion of certain conditions that were formerly considered to be merely local.

TABLE 14 (cont.)—Causes of Deaths REGISTERED in London in each of the 11 Years 1893-1903.

CAUSES OF DEATH.	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903
	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.	364 Days.	364 Days.	364 Days.	364 Days.	371 Days.	364 Days.
Meningitis (not tuberc.)											
Insanity, Gen. Par. of Insane											
Epilepsy											
Convulsions											
Locomotor Ataxy											
Paraplegia, Dis. of Cord.											
Nervous Sys. (Other Dis.)											
Valv. Dis., Endocarditis*	16451	14148	15541	15356	15008	14949	15946	15531	15233		
Cerebr. Hæm. Thromb.											
Apoplexy, Hemiplegia											
Aneurysm											
Embolism, Thrombosis (not cerebr.)											
Heart & Blood Vessel Dis.											
Croup (not Spasm: nor Memb.)	217	166	144	147	72	57	77	51	39	37	23
Bronchitis	10413	7816	10633	7558	7408	7779	9195	8699	7317	7901	5240
Asthma, Emphysema†	?	?	?	?	?	?	?	?	?	397	230
Pleurisy	402	241	280	251	271	281	288	321	285	309	139
Respiratory Dis. (Other)†	1524	1097	1436	1171	1183	1149	1385	1235	1130	762	609
Tonsillitis, Quinsy	130	81	83	71	78	56	68	74	71	41	27
Enteritis (not Epid.)	1106	917	1487	1680	2207	2489	3180	1202	944	583	565
Gastro-Enteritis										488	341
Peritonitis (not Puer.)	393	316	300	284	263	280	248	228	261	192	151
Cirrhosis of Liver	1296	1153	1170	1215	1279	1248	1431	1332	1133	760	673
Liver Dis. (other)										369	262
Digestive Dis., Other	1682	1520	1633	1524	1600	1587	1660	1733	1838	2075	1885
Nephritis, Acute	2355	2056	2280	2277	2424	2411	2632	2599	2558	396	340
Bright's Dis., Albuminuria										1771	1748
Urinary Sys., Other Dis.										545	463
Generative Organs Dis.	303	257	288	280	308	268	294	231	252	259	228
Childbirth (Accid. of)	335	266	212	280	229	177	217	230	219	210	197
Old Age	2647	2135	2468	2294	2411	2530	2911	2782	2802	2741	2406
Other Diseases	7100	6083	6591	6355	6070	6168	6157	6163	5917	5261	5185
ACCIDENT.											
By Railways	75	81	84	79	100	109	111	122	87	84	72
By Vehicles and Horses	304	255	290	300	334	309	359	371	302	328	306
In Ships, Boats, Docks, (exclusive of Drowning)	22	31	37	28	30	30	43	32	30	22	43
In Building Operations	41	33	39	57	41	47	56	50	37	33	57
In Confagurations	26	26	23	47	24	19	24	20	28	44	74
By Burns, Scalds, Explosions	349	325	357	373	319	338	356	340	366	355	283
By Drowning	342	311	307	260	324	271	299	302	265	227	245
By Suffocation in Bed	574	518	631	643	585	660	641	611	553	600	538
By Poisons or Poisonous Vapours	104	115	120	100	136	121	125	117	109	132	87
Other Deaths by Accident	1081	929	962	1049	1056	1099	1206	1190	1087	972	772
VIOLENCE OTHER THAN ACCIDENTAL.											
Battle	—	—	—	—	—	—	—	—	1	2	—
Homicide	58	58	72	70	66	73	54	58	77	71	58
Suicide	448	464	482	426	443	437	485	451	502	535	568
Execution	1	1	3	7	1	1	6	6	4	7	6

* For the years 1893-1901 deaths from Infective Endocarditis are included in these figures.

† For the years 1893-1901 deaths from Asthma and Emphysema are included under the heading "Other Respiratory Diseases."

TABLE 15.—Deaths REGISTERED from different Causes in London, in each Quarter of 1903, and in several Groups of Ages during the 52 Weeks of 1903.*

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended January 2nd 1904.							
	April 4 (13 wks.)	July 4 (13 wks.)	Oct. 3 (13 wks.)	Jan. 2 1904 (13 wks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.
ALL CAUSES.. ..	19045	16900	16182	19082	72109	17213	8514	3580	8962	14460	15472	3908
Small-pox	5	2	3	3	13	1	1	2	6	1	2	—
Cowpox	1	1	—	1	3	3	—	—	—	—	—	—
Measles (Morbilli) ..	671	780	247	376	2054	456	1521	72	5	—	—	—
Scarlet Fever	99	82	91	90	362	19	225	105	13	—	—	—
Typhus	1	2	—	—	3	—	—	—	2	1	—	—
Plague	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	350	131	51	112	644	38	34	25	103	170	213	61
Whooping-cough	780	445	217	209	1631	730	849	50	1	—	1	—
Diphtheria	241	175	147	189	752	57	469	212	8	4	—	2
Cerebro Spinal Fever ..	1	2	1	2	6	1	3	1	—	1	—	—
Pyrexia† (origin uncertain)	3	1	2	—	6	1	1	2	2	—	—	—
Enteric Fever	87	46	85	169	387	—	5	86	227	61	8	—
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—
Epidemic Diarrhoea (Infective Enteritis) ..	51	81	947	318	1397	1109	269	7	—	4	6	2
Diarrhoea, Dysentery ..	215	189	790	367	1561	1059	206	15	48	61	127	45
Tetanus	9	12	11	6	38	21	1	2	10	2	2	—
Rabies, Hydrophobia ..	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	1	1	—	2	4	—	—	—	1	2	1	—
Anthrax (Splenic Fever) ..	3	1	—	—	4	—	—	—	1	2	—	1
Venereal Dis.	123	91	103	112	429	302	18	2	49	41	17	—
Puerperal Septicaemia ..	33	30	30	41	134	—	—	4	120	10	—	—
Puerperal Pyæmia ..	2	2	2	1	7	—	—	—	6	1	—	—
Puerperal Fever	7	10	7	5	29	—	—	1	25	3	—	—
Infective Endocarditis ..	37	37	30	27	131	3	2	40	59	24	3	—
Pneumonia { Lobar ..	162	147	89	120	518	34	47	38	104	177	107	11
Pneumonia { Broncho- ..	759	629	365	937	2690	1176	994	61	62	126	215	56
Pneumonia { Epidemic ..	2	—	—	—	2	—	—	2	—	—	—	—
Pneumonia { Not defined ..	662	665	473	816	2616	413	440	122	382	636	526	97
Erysipelas	40	42	41	60	183	34	6	5	25	48	52	13
Septicæmia (not Puerperal) ..	21	10	5	11	47	8	3	6	12	12	6	—
Pyæmia (not Puerperal) ..	15	13	3	19	50	9	2	8	17	12	2	—
Other Infective Conditions ..	81	144	144	129	498	54	91	72	88	98	82	13
Tuberculous Phthisis ..	938	845	854	1039	3676	62	141	271	1530	1352	311	9
"Phthisis"	1025	894	839	913	3671	14	39	264	1584	1436	329	5
Tuberculous Meningitis ..	295	313	290	233	1131	291	570	225	32	12	1	—
Tuberculous Peritonitis ..	94	83	110	130	417	146	127	87	41	26	10	—
Tabes Mesenterica ..	70	50	77	50	247	189	48	10	—	—	—	—
Tuberculous Dis. (other) ..	232	244	229	226	931	220	251	178	157	84	37	4
Serofulosa	5	2	3	5	15	5	6	—	2	2	—	—
Alcoholism	153	156	173	162	644	—	—	—	183	377	80	4
Rheumatic Fever	71	61	47	57	236	3	6	96	58	59	14	—
Gout	36	22	23	28	109	—	—	—	2	29	67	11
Carcinoma	557	663	694	640	2554	—	1	3	193	1131	1118	110
Sarcoma	73	85	74	66	298	5	21	44	61	105	59	3
Cancer (undefined) ..	471	449	442	481	1343	—	2	13	117	787	858	86
Diabetes Mellitus	103	102	85	81	371	—	1	22	74	106	157	11
Premature Birth	614	610	576	690	2190	2490	—	—	—	—	—	—

Note.—For the population at each group of ages, estimated to the middle of 1903, see Table 24.
* See note *, Table I.

† Originally described as Simple Continued Fever.

TABLE 15 (continued).—Deaths REGISTERED from different Causes in London, in each Quarter of 1903 and in several Groups of Ages during the 52 Weeks of 1903.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended January 2nd 1904.							
	April 4 (13 wks.)	July 4 (13 wks.)	Oct. 3 (13 wks.)	Jan. 2 1904 (13 wks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.
Meningitis (not tuberc.)..	200	196	193	190	779	303	286	90	41	43	12	4
Insanity, Gen. Par. of Insane ..	255	187	142	183	767	—	1	12	152	328	204	70
Epilepsy ..	107	81	78	93	359	7	7	47	117	101	69	11
Convulsions ..	317	270	279	286	1152	1042	105	5	—	—	—	—
Locomotor Ataxy..	16	17	15	26	74	—	—	—	7	54	13	—
Paraplegia, Dis. of Cord	66	55	59	47	227	6	7	8	36	69	96	5
Nervous Sys. (Other Dis.)	347	272	225	256	1100	77	51	46	100	274	450	102
Valv. Dis., Endocarditis..	548	477	476	567	2066	4	14	185	343	698	729	93
Cerebr. Haem. Thromb. ..	426	402	353	416	1597	6	1	10	62	483	880	155
Apopoxy, Hemiplegia ..	269	237	170	234	910	—	1	2	33	209	539	126
Aneurysm ..	71	70	55	62	258	—	—	1	52	143	60	2
Embolism, Thrombosis (not cerebral) ..	17	19	9	11	56	2	2	2	12	22	12	4
Heart & Blood Vessel Dis.	1139	1001	849	1113	4102	18	27	189	404	1175	1995	314
Croup (not Spasm: nor Memb.) ..	7	5	4	7	23	2	17	4	—	—	—	—
Bronchitis ..	1904	1050	533	1753	5240	1310	451	31	121	679	2038	610
Asthma, Emphysema ..	111	38	15	66	230	1	3	1	15	75	123	12
Pleurisy ..	54	23	19	43	139	11	10	7	16	44	47	4
Respiratory Dis., Other ..	181	132	122	174	609	132	99	26	56	92	137	67
Tonsillitis, Quinsy ..	12	2	3	10	27	3	11	7	4	1	1	—
Enteritis (not Epid.) ..	110	83	186	186	565	324	53	10	44	67	59	8
Gastro-Enteritis ..	56	45	164	75	340	261	43	2	6	9	16	3
Peritonitis (not Puer.) ..	33	31	47	40	151	6	9	26	33	44	28	5
Cirrhosis of Liver ..	162	164	176	171	673	1	—	2	84	392	188	6
Liver Dis. (other) ..	80	53	61	68	262	8	6	4	30	93	103	18
Digestive Dis., Other ..	508	465	460	462	1895	411	86	191	356	391	377	83
Nephritis, Acute ..	102	86	74	78	340	15	14	26	82	103	87	13
Bright's Dis., Albuminuria ..	544	407	364	433	1748	5	13	45	224	685	706	70
Urinary Sys., Other Dis.	127	103	109	124	463	5	6	10	29	115	246	52
Generative Organs Dis. ..	61	53	55	59	228	5	1	1	86	88	42	5
Childbirth (Accid. of) ..	44	48	55	50	197	—	—	5	170	20	1	1
Old Age ..	674	567	484	681	2406	—	—	—	2	1050	1354	58
Other Diseases ..	1360	1148	1239	1438	5185	3593	507	192	231	283	321	—
ACCIDENT.*												
By Railways ..	18	17	16	21	72	—	—	7	27	32	6	—
By Vehicles and Horses ..	64	92	78	72	306	—	48	63	59	64	62	10
In Ships, Boats, Docks (exclusive of Drowning) ..	11	6	18	8	43	—	—	4	14	22	2	1
In Building Operations ..	8	17	17	15	57	—	—	3	21	26	7	—
In Conflagrations ..	56	8	2	8	74	1	8	5	21	30	8	1
By Burns, Scalds, Explosions ..	101	67	35	80	283	26	136	38	34	17	27	5
By Drowning ..	49	74	83	39	245	7	5	54	92	63	24	—
By Suffocation in Bed ..	176	106	89	167	538	534	4	—	—	—	—	—
By Poisons or Poisonous Vapours ..	23	25	21	18	87	5	5	18	19	30	10	2
Other Deaths by Accident ..	198	200	182	192	772	105	73	72	106	142	187	87
VIOLENCE OTHER THAN ACCIDENTAL.												
Homicide ..	12	13	19	14	58	24	4	6	16	5	3	—
Suicide ..	141	157	148	122	568	—	—	14	191	262	98	3
Execution ..	3	1	1	1	6	—	—	—	4	2	—	—

* The evidence at inquests is often insufficient to enable the Coroner to certify whether a violent death resulted from accident, murder, manslaughter, or suicide. All such cases are classed under "Accident."

TABLE 16.—Deaths REGISTERED in the London Registration Districts, and Mean Temperature and Registered Sunshine at Greenwich, in each of the 11 Years 1893-1903.

REGISTRATION DISTRICTS.	AREA in Acres.	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903
Mean Temperature ..	—	51°·1	49°·9	49°·3	50°·1	50°·3	51°·3	50°·6	50°·4	49°·2	48°·8	50°·0
Registered Sunshine in Hours.	—	1454	1052	1225	1016	1540	1415	1708	1506	1567	1236	1441
LONDON.	74,839	91,552	77,407	87,298	82,390	81,119	84,154	89,705	86,438	80,251	81,098	72,10
1a. PADDINGTON ..	1356	2280	1925	2260	2066	1954	2190	2207	2322	2175	2255	210
1b. KENSINGTON ..	2291	3223	2983	3070	3117	3036	3168	3425	3102	2995	3049	280
2. FULHAM ..	3990	3886	3625	3981	3863	3822	4089	4514	4135	3960	4123	349
3. CHELSEA ..	660	2127	1735	2013	1881	1779	1831	1931	1817	1617	1865	157
4. ST. GEO. HANOVER SQUARE ..	1887	2774	2367	2557	2338	2425	2509	2661	2540	2209	1888	164
5. WESTMINSTER ..	216	578	467	507	517	446	472	486	408	369	364	31
6. ST. MARYLEBONE ..	1473	2651	2226	2494	2463	2220	2182	2288	2261	1925	2042	185
7. HAMPSTEAD ..	2265	1452	1325	1278	1276	1222	1293	1257	1197	1192	1191	105
8. ST. PANCRAS ..	2694	5208	4252	4908	4475	4642	4658	4998	4775	4336	4373	387
9. ISLINGTON ..	3092	6317	5103	5779	5661	5377	5759	6389	5798	5243	5437	477
10. HACKNEY ..	4152	4757	3827	4484	4029	4265	4274	4414	4269	4229	4023	381
11. ST. GILES ..	232	710	603	715	573	544	632	592	531	447	457	36
12. STRAND ..	399	962	821	918	808	795	771	796	766	627	636	60
13. HOLBORN ..	762	3096	2297	2826	2468	2591	2600	2606	2476	2142	2274	195
14. LONDON CITY ..	672	1388	1058	1133	1109	1094	1005	1047	1012	1013	988	91
15. SHOREDITCH ..	658	3196	2569	2974	2623	2659	2719	2926	2747	2644	2388	222
16. BETHNAL GREEN ..	759	3034	2411	2579	2679	2538	2655	2668	2557	2436	2466	225
17. WHITECHAPEL ..	378	2683	2322	2552	2322	2377	2383	2650	2509	2554	2435	231
18. ST. GEORGE - IN - THE-EAST ..	244	1153	952	1095	943	1041	999	1088	995	908	846	830
19. STEPNEY ..	466	1396	1206	1354	1203	1304	1272	1238	1329	1193	1132	102
20. MILE END OLD TOWN ..	678	2166	1960	2205	1960	1829	1950	2115	2032	1785	1713	150
21. POPLAR ..	2328	3925	3384	3931	3596	3471	3690	3917	3879	3504	3325	3200
22. ST. SAVIOUR SOUTH-WARK ..	1132	4075	3306	3987	3374	3548	3387	3891	3669	3607	3709	3240
23. ST. OLAVE SOUTH-WARK ..	1500	3461	2983	3233	3219	3125	3060	3503	3392	2460	2279	1982
24. LAMBETH ..	4080	6165	5225	5887	5288	5507	5581	6062	5612	5386	5451	4850
25. WANDSWORTH ..	11290	5093	4497	5391	5513	5115	5499	5866	5990	5646	5171	530
26. CAMBERWELL ..	4480	5024	4307	4953	4786	4527	4659	4941	4766	4624	4583	400
27. GREENWICH ..	3424	3692	3080	3373	3376	3144	3379	3504	3406	3083	3026	273
28. LEWISHAM ..	10774	1384	1298	1444	1422	1362	1763	1944	1962	1996	2000	164
29. WOOLWICH ..	6507	1971	1585	1782	1950	1868	2190	2132	2294	1920	1999	1817
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON.	—	1725	1708	1635	1492	1482	1535	1649	1890	2026	3310	2035

NOTE.—This Table is compiled from the Abstracts which appear in the Registrar-General's Annual Reports, except the numbers for the year 1903, which are derived from the Weekly Returns embracing 52 weeks.

TABLE 17.—LONDON.—Population; Births and Deaths in Registration Districts during the 52 Weeks of 1903.

REGISTRATION DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include															
				Deaths of Infants under 1 Year of Age.		Deaths from Persons aged 60 Years and upwards.		Deaths from											
				Smallpox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Puerperal (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
ONDON	4,536,541	130906	72109	17213	19380	13	2054	362	752	1631	3	387	6	2958	3109	7341	25503	199	
TH DISTRICTS ..	805,311	18936	11442	2555	3680	—	229	40	103	287	—	59	1	516	1135	4353	18		
TH DISTRICTS ..	1,056,070	28035	15373	3369	4422	—	502	89	172	394	—	99	3	390	615	1507	4971	3	
TRAL DISTRICTS ..	209,465	5908	3835	869	812	—	90	—	25	89	—	25	—	123	240	472	1767	6	
TH DISTRICTS ..	715,739	25693	13342	3837	2872	2	525	8	65	268	—	42	—	739	865	1969	5373	7	
TH DISTRICTS ..	1,749,956	52334	25578	6573	6920	—	707	185	351	593	3	142	2	1109	1011	2184	7002	165	
OPOLITAN HOS- ALS AND ASYLUMS SIDE REGIS- ON LONDON.	—	—	2039	10	694	11	1	40	36	—	—	20	—	62	62	74	2039	—	
EST DISTRICTS.																			
PADDINGTON ..	143,976	3303	2104	428	639	—	41	2	6	55	—	8	—	70	108	229	743	—	
KENSINGTON ..	176,628	3567	2802	523	1039	—	35	2	7	94	—	5	—	119	86	204	1116	—	
ULHAM ..	249,528	7778	3493	1006	886	—	93	36	84	77	—	34	1	265	128	337	901	1	
HELSEA ..	73,842	1518	1579	228	601	—	18	—	2	26	—	2	—	33	49	111	900	—	
GEORGE, HAN- OVER SQUARE.	128,256	2231	1647	317	405	—	36	—	4	32	—	9	—	39	124	215	629	15	
ESTMINSTER ..	33,081	541	317	53	90	—	6	—	—	3	—	1	—	9	21	39	64	2	
RTH DISTRICTS.																			
ARYLEBONE ..	133,301	3984	1856	375	516	—	29	2	12	48	—	7	2	43	79	185	542	—	
AMPSTEAD ..	81,942	1456	1050	150	328	—	16	55	45	16	—	11	—	89	214	440	1493	3	
PANCRA ..	235,317	6339	3878	824	1027	—	190	—	7	83	—	11	—	110	145	404	1405	—	
LINGTON ..	334,991	8883	4711	1090	1448	—	126	2	17	181	—	15	1	137	142	411	1138	—	
ACKNEY ..	270,519	7273	3818	930	1103	—	141	30	91	86	—	56	—	137	142	411	1138	—	
TRAL DISTRICTS.																			
GILES	31,436	991	367	72	114	—	4	—	2	9	—	5	—	10	11	27	124	1	
TRAND	21,674	246	600	53	156	—	4	—	1	2	—	10	—	10	49	79	427	3	
OLBORN	129,432	4333	1950	640	368	—	75	—	14	70	—	3	—	89	72	201	563	2	
ONDON CITY ..	26,923	338	918	104	174	—	7	—	8	8	—	7	—	14	108	165	653	—	
AST DISTRICTS.																			
HOREDITCH ..	118,637	3905	2223	632	603	—	100	1	2	40	—	3	—	136	94	312	832	1	
ETHINAL GREEN ..	129,680	4827	2253	630	517	—	80	—	9	41	—	6	—	90	103	284	845	5	
HITECHAPEL ..	78,768	2839	2310	556	283	1	42	1	26	26	—	18	—	104	150	364	1693	1	
T. GEORGE IN THE EAST	49,068	2174	830	291	176	—	42	—	1	23	—	2	—	72	27	129	247	—	
TEPNAY	57,937	1853	1022	390	119	—	36	—	5	25	—	1	—	72	48	140	336	—	
ILE END OLD TOWN	112,827	4463	1504	414	409	—	51	—	3	35	—	5	—	88	52	210	389	—	
OPLAR	168,822	5832	3200	894	765	1	174	4	19	78	—	7	—	177	191	530	1031	—	
UTH DISTRICTS.																			
OUTHWAIR ..	206,180	6717	3240	1027	516	—	84	1	12	73	—	10	—	195	180	395	913	16	
T. OLAVE (BER- MONDSEY) ..	130,760	4201	1982	596	448	—	44	2	2	38	—	5	—	97	83	166	429	23	
AMBETH	301,895	9080	4850	1193	1337	—	132	38	49	126	—	29	2	199	182	422	1574	36	
ANDSWORTH ..	400,941	11683	5309	1366	1565	—	214	37	68	170	—	35	—	220	159	412	1063	22	
MBERWELL ..	259,339	7311	4004	886	1279	—	80	1	9	71	—	16	—	153	117	262	1377	40	
REENWICH	185,034	5612	2735	729	705	—	88	27	72	73	3	25	—	133	130	225	683	15	
EWISHAM	134,721	3820	1641	349	584	—	37	30	51	8	—	8	—	50	50	113	486	5	
WOOLWICH	131,086	3910	1817	427	486	—	28	49	88	34	—	14	—	62	100	189	477	8	
OPOLITAN HOS- ALS AND ASYLUMS TSIDE REGIS- ON LONDON.	—	—	2039	10	694	11	1	40	36	—	—	20	—	62	62	74	2039	—	

* Originally described as Simple Continued Fever.

TABLE 18.—LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1903.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																
				Deaths of			Deaths from											Inquest Cases,	Deaths in Public Insti- tutions.	Causes of Deaths.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Menses.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pareciet (Origin un- certain).	Diarrhea.	Violence.					
WEST DISTRICTS.																				
St. Mary Paddington <i>W, 2H.</i>	G. & W.	93,178	2482	1377	343	458	—	35	2	2	40	—	2	—	55	38	127	401	—	
St. John Paddington <i>H</i>	.. G.	33,617	884	574	46	145	—	3	—	4	5	—	2	—	6	64	89	342	—	
North-west Paddington <i>C.</i>	.. C.	17,181	437	153	39	36	—	3	—	10	—	—	2	—	9	6	13	—	—	
Kensington Town <i>2W, w, 2H.</i>	G., W., & C.	128,037	3033	2368	486	878	—	35	—	5	87	—	5	—	114	71	172	1026	—	
Brompton <i>2H</i>	.. W. & C.	48,591	534	434	37	161	—	—	2	2	7	—	—	—	5	15	32	90	—	
North Hammer- smith <i>w, w, H.</i>	.. W. & G.	49,347	1425	496	185	143	—	11	—	—	21	—	1	—	28	17	53	10	—	
South Hammer- smith <i>w, 2H.</i>	.. W. & G.	62,892	1584	827	189	254	—	12	—	5	8	—	5	1	35	51	99	159	—	
North-west Fulham <i>W.</i>	.. W. & C.	45,180	1997	1079	318	241	—	45	—	6	23	—	7	—	139	28	86	583	1	
North-east Fulham <i>F.</i>	.. W. & C.	46,405	1276	623	165	122	—	24	36	72	10	—	18	—	35	20	55	149	—	
South Fulham <i>W. ..</i>	.. C.	45,704	1516	468	149	126	—	1	—	1	15	—	3	—	28	12	44	—	—	
Chelsea North <i>W, w, 3H.</i>	.. C.	42,514	846	1165	123	457	—	9	—	1	19	—	1	—	20	25	61	838	—	
Chelsea South <i>W, 2H</i>	.. C.	31,328	670	414	105	144	—	9	—	1	7	—	1	—	13	24	50	62	—	
Mayfair and Knights- bridge <i>H.</i>	.. C. & G.	28,743	256	148	21	55	—	—	—	1	2	—	—	—	5	20	31	—	3	
Belgrave <i>W, 2H</i>	.. C.	55,815	1021	813	155	212	—	15	—	1	13	—	5	—	10	68	107	351	4	
St. Margaret and St. John <i>4H.</i>	.. C.	43,698	954	686	141	138	—	21	—	2	17	—	4	—	24	36	77	278	8	
St. James Westminster <i>W, H.</i>	.. N. & G.	21,588	328	188	30	62	—	6	—	—	1	—	1	—	5	15	24	31	2	
St. Anne Soho <i>5H</i>	.. N.	11,493	213	129	23	28	—	—	—	2	—	—	—	—	4	6	15	33	—	
NORTH DISTRICTS.																				
All Souls <i>8H</i>	.. W.	35,391	573	753	69	186	—	4	1	5	6	—	5	1	8	42	65	391	—	
Rectory <i>W</i>	.. G. & W.	19,849	369	205	45	86	—	—	—	1	3	—	—	—	13	5	26	60	—	
St. Mary <i>4H</i>	.. G. & W.	18,099	1727	225	78	62	—	2	—	—	6	—	—	—	5	7	22	56	—	
Christchurch <i>H</i>	.. W.	39,536	953	439	148	95	—	17	1	2	24	—	2	1	12	21	59	—	—	
St. John <i>3H</i>	.. W.	20,426	362	234	35	87	—	6	—	4	9	—	—	—	5	4	13	35	—	
Hampstead <i>W, F, 7H</i>	N. & W.	81,942	1456	1050	150	328	—	16	55	45	16	—	11	—	11	35	67	393	—	
West St. Pancras* <i>2H</i>	.. W.	60,562	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tottenham Court <i>w, 6H.</i>	.. N. & W.	21,258	385	594	93	130	—	11	—	2	5	—	3	—	11	33	65	420	—	
Gray's Inn Lane <i>4H</i>	.. N.	34,449	878	517	106	96	—	16	—	—	10	—	1	—	20	64	97	188	—	
East St. Pancras* <i>W, 2H</i>	.. N.	60,320	3466	1866	442	543	—	136	—	4	48	—	5	—	44	97	220	562	1	
North St. Pancras* <i>2W</i>	.. N.	58,728	1610	901	183	258	—	27	—	1	22	—	2	—	14	20	58	323	2	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—A Hospital for Infectious Diseases; *H*—Other Hospital; *L*—Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different sub-districts:—*G.* signifies Grand Junction Company; *W.* West Middlesex; *C.* Chelsea; *S.* Southwark and Vauxhall; *L.* Lambeth; *N.* New River; *E.* East London; and *K.* the Kent Company.

* On 1st July, 1903, Camden Town sub-district was abolished and changes made in the boundaries of Regent's Park (re-named West St. Pancras) and Somers Town (re-named East St. Pancras) sub-districts. Kentish Town sub-district was re-named North St. Pancras; see page lxviii. The figures for East and West St. Pancras cannot be shown separately, and are printed against the latter sub-district.

† Originally described as Simple Continued Fever.

TABLE 18 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1903.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																		
				Deaths of		Deaths from														Inquest Cases.	Deaths in Public Institu- tions.	Uncertified Causes of Deaths.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Menses.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Puerpera (Origin un- certain).	Diarrhoea.	Violence.							
NORTH DISTRICTS—cont.																						
Tufnell <i>W</i> .. N.	31,995	740	979	120	431	—	14	—	1	23	—	—	2	9	22	55	—	667	—	—		
Upper Holloway <i>2W, 2H</i> .. N.	33,978	1108	1047	148	295	—	7	—	4	31	—	—	1	9	48	80	723	—	—			
Tollington <i>W</i> .. N.	33,922	850	311	94	92	—	3	—	2	20	—	—	1	18	8	23	44	—	—	—		
Lower Holloway .. N.	41,424	1128	423	143	92	—	22	—	1	24	—	—	2	23	10	59	59	—	—	—		
Barnsbury .. N.	54,478	1648	611	188	131	—	39	—	3	24	—	—	3	15	19	10	101	5	—	—		
Islington South-east <i>F</i> .. N.	75,397	2051	805	246	216	—	21	1	5	24	—	—	1	24	29	10	42	—	—	—		
Highbury <i>2H</i> .. N.	63,797	1460	595	151	191	—	20	—	1	15	—	—	6	12	9	22	55	—	667	—		
Stoke Newington <i>H</i> .. N.	51,247	1091	527	121	203	—	24	—	2	18	—	—	1	19	16	34	34	—	2	—		
North Hackney .. E. & N.	50,560	1032	466	112	176	—	9	—	1	15	—	—	2	11	19	51	51	—	—	—		
Central Hackney <i>2w, F</i> E. & N.	50,536	1460	659	158	141	—	44	28	82	13	—	—	3	21	20	74	74	—	172	—		
South-west Hackney E. & N.	59,921	1871	891	245	161	—	23	1	4	21	—	—	2	39	45	109	109	310	—	—		
<i>3H.</i>																						
South-east Hackney E. & N.	58,255	1819	1275	294	422	—	41	1	2	19	—	—	11	—	47	42	143	654	—	—	—	
<i>2W, w.</i>																						
CENTRAL DISTRICTS.																						
St. Giles and Bloomsbury N.	31,436	991	367	72	114	—	4	—	2	9	—	—	5	—	10	11	27	124	1			
<i>W, 2H.</i>																						
Strand <i>W, 4H</i> .. N. & C.	21,674	246	552	53	114	—	4	—	1	2	—	—	10	—	10	49	74	379	3			
Strand Union Workhouse, Edmonton.	—	—	48	—	42	—	—	—	—	—	—	—	—	—	—	—	5	48	—	—		
Holborn <i>W, 8H</i> .. N.	29,612	672	741	216	91	—	15	—	10	32	—	—	1	—	23	14	46	459	—	—	—	
South Clerkenwell .. N.	28,876	898	236	101	65	—	9	—	1	11	—	—	1	—	14	10	34	34	—	1	—	
North Clerkenwell <i>H</i> .. N.	35,028	1062	401	135	86	—	23	—	1	17	—	—	1	—	20	18	49	49	—	1	—	
Finsbury <i>3H, L</i> .. N.	36,116	1701	460	188	72	—	28	—	3	10	—	—	1	—	32	30	72	42	62	—	—	
Holborn Union Workhouse, Mitcham.	—	—	62	—	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
St. Botolph <i>H</i> .. N. & E.	10,299	170	104	22	39	—	1	—	—	3	—	—	—	—	1	8	18	1	—	—		
St. Sepulchre and All- hallows* <i>W, H.</i> N.	16,624	168	780	82	123	—	6	—	8	5	—	—	6	—	9	100	146	618	—	—		
City of London Asylum, Stone.	—	—	34	—	12	—	—	—	—	—	—	—	1	—	4	—	1	34	—	—		
EAST DISTRICTS.																						
Shoreditch South <i>H, L</i> E. & N.	16,360	423	203	54	51	—	6	—	2	2	—	—	1	—	16	11	31	37	—	—	—	
Hoxton New Town <i>w, H.</i> .. N.	29,761	1011	697	191	233	—	49	1	1	11	—	—	1	—	37	28	95	310	—	—	—	
Hoxton Old Town .. N.	26,504	901	306	141	37	—	12	—	—	9	—	—	2	—	32	16	48	—	—	—		
Haggerston <i>W</i> .. N. & E.	46,003	1570	1016	246	281	—	33	—	18	18	—	—	2	—	51	39	138	484	1	—	—	
Shoreditch Union Workhouse, Wood Green.	—	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
Bethnal Green North <i>2H</i> E.	51,514	1945	721	291	84	—	47	—	8	17	—	—	3	—	34	48	130	165	1	—	—	
Bethnal Green South E.	33,472	1171	361	139	52	—	15	—	2	1	14	—	—	1	—	16	25	63	680	2	—	
Bethnal Green East <i>2W, II, L</i> E.	44,694	1511	1171	200	381	—	18	2	1	14	—	—	1	—	40	30	91	680	2	—	—	

* On 1st November, 1903, St. Sepulchre and Allhallows, Barking, sub-districts were united and called St. Sepulchre and Allhallows. The figures are shown as if the change had taken place at the beginning of the year.

TABLE 18 (continued). LONDON.—Population; Births and Deaths in Registration Sub-Districts during the 52 Weeks of 1903.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include												
				Deaths of			Deaths from									Deaths in Public Institutions
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Ptyoria (Origin un- certain).	Diarrhea.	Violence.	
EAST DISTRICTS—cont.																
Spitalfields .. E. & N.	27,969	951	206	94	31	—	13	—	—	8	—	—	—	—	—	1
Mile End New Town W,H E.	26,718	1313	1809	393	220	1	21	1	25	10	8	—	13	—	—	—
Goodman's Fields .. E.	22,081	572	195	69	32	—	8	—	1	8	—	—	—	5	12	1693
St. George and St. John 2W. E	49,068	2174	830	291	176	—	42	—	1	23	—	2	—	72	27	247
Shadwell and Ratcliff W,H E. & N.	25,568	780	632	248	60	—	11	—	5	13	—	1	—	52	32	78
Limehouse E.	32,369	1073	390	142	59	—	25	—	—	12	—	—	—	20	16	62
Mile End Old Town Western H. .. E.	59,479	2643	569	231	111	—	27	—	1	9	—	—	—	42	18	82
Mile End Old Town Eastern W,w .. E.	53,348	1820	935	213	298	—	24	—	2	26	—	5	—	46	34	128
Bow L E.	41,989	1398	472	157	91	—	18	1	6	45	—	1	—	30	21	78
Bromley 3w,H E.	68,319	2438	1875	477	479	—	105	1	13	23	—	3	—	103	114	297
Poplar W,w E.	58,514	1996	853	260	195	1	51	2	—	—	—	3	—	44	56	155
SOUTH DISTRICTS.																
Christchurch Southwark W,H L. & S.	11,263	275	125	39	26	—	4	—	—	—	—	—	—	5	1	12
St. Saviour Southwark H S. 12,056	429	813	143	86	—	17	—	6	11	—	—	7	—	24	107	160
Kent-road .. S. & L. 21,904	777	234	96	25	—	5	—	6	6	—	—	—	—	26	9	28
St. George the Martyr West* W,2H,L. L. & S.	39,094	1147	609	216	89	—	10	—	2	19	—	—	—	49	21	72
Trinity Newington H S. & L. 28,504	932	352	125	60	—	10	1	1	12	—	—	1	—	27	9	33
St. Peter Walworth W S. & L. 61,767	2154	801	296	174	—	25	—	2	21	—	—	1	—	41	26	63
St. Mary Newington L. & S. 31,592	1003	306	112	56	—	13	—	1	4	—	—	1	—	23	7	27
St. Olave 2W .. S. 9,817	283	135	43	33	—	3	1	—	4	—	1	—	6	16	27	33
Bermondsey W .. S. 82,483	2801	978	364	184	—	28	—	2	25	—	3	—	55	30	82	5
Rotherhithe W,F .. S. & K. 38,460	1117	869	189	231	—	13	1	2	9	—	1	—	36	37	57	391
Waterloo-road 2H L. & S. 27,440	1345	357	137	45	—	11	1	—	12	—	—	—	—	11	15	37
Lambeth Church 1st H L. & S. 18,423	563	853	150	108	—	10	2	9	16	—	5	—	36	91	126	633
Lambeth Church 2nd L. & S. 39,818	1509	1203	231	421	—	34	—	5	31	—	4	—	49	26	96	748
2W. Kensington 1st H S. & L. 53,198	1788	617	198	188	—	37	—	2	30	—	1	1	21	14	50	32
Kensington 2nd H S. & L. 42,896	1005	464	126	156	—	9	1	1	6	—	1	—	20	10	27	2
Brixton F .. L. & S. 84,232	2060	972	257	303	—	18	34	32	16	—	17	1	32	23	63	82
Norwood W,H .. L. 35,888	810	384	94	116	—	13	—	—	15	—	1	—	30	13	23	5

* On 1st July, 1903, Borough Road and London Road sub-districts were united and called St. George the Martyr West. The figures are shown as if the change had taken place at the beginning of the year.

TABLE 18 (continued). LONDON.—Population; Births and Deaths in Registration
Sub-Districts during the 52 Weeks of 1903.

TABLE 19.—LONDON.—Deaths of Persons belonging to London and the Metropolitan Boroughs registered in the 52 Weeks of 1903.

BOROUGHS.	Population estimated to the middle of 1903.	ALL CAUSES.	Deaths from												Deaths under 1 year of Age.							
			Principal Epidemic Disease.	Small-pox.			Measles.			Scarlet Fever.		Diphtheria.		Whooping-cough.		Typhus.		Pyrexia* (Origin uncertain).	Diarrhoea.	Phthisis.		
				Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.													
COUNTY OF LONDON	4,613,812	69737	8088	13	2046	361	740	1627	3	368	5	2925	7124	16978								
West.																						
PADDINGTON	146,032	1928	191	—	40	10	15	54	—	7	—	—	—	—	—	—	65	155	392		
KENSINGTON	178,409	2468	278	—	34	14	24	90	—	9	—	—	—	—	—	—	107	223	518		
HAMMERSMITH	115,803	1634	185	—	27	8	17	30	—	9	—	—	—	—	—	—	93	170	422		
FULHAM	147,780	2046	327	—	62	8	24	46	—	15	—	—	—	—	—	—	172	204	806		
CHELSEA	74,169	1131	84	—	14	2	4	29	—	4	—	—	—	—	—	—	31	116	216		
CITY OF WESTMINSTER	179,052	2432	179	3	49	9	15	34	—	14	—	—	—	—	—	—	55	301	372		
North.																						
ST. MARYLEBONE	131,234	2148	210	—	37	17	26	56	—	13	—	—	—	—	—	—	50	240	382		
HAMPSTEAD	85,197	848	49	—	8	4	10	16	—	2	—	—	—	—	—	—	9	63	128		
ST. PANCRAS	235,716	3806	448	—	193	23	37	91	—	14	—	—	—	—	—	—	90	428	841		
ISLINGTON	339,137	4837	489	—	125	24	42	153	—	23	—	—	—	—	—	—	121	472	1136		
STOKE NEWINGTON	52,069	655	76	—	24	—	7	19	—	5	—	—	—	—	—	—	21	64	130		
HACKNEY	224,082	3099	397	—	113	21	48	67	—	36	—	—	—	—	—	—	112	283	736		
Central.																						
HOLBORN	57,845	1072	83	—	18	5	8	18	—	5	—	—	—	—	—	—	29	181	155		
FINSBURY	99,717	2015	231	—	69	11	11	54	—	10	—	—	—	—	—	—	76	227	498		
CITY OF LONDON	24,539	358	21	—	3	1	2	4	—	3	—	—	—	—	—	—	8	39	46		
East.																						
SHOREDITCH	117,513	2273	340	—	102	7	22	44	—	13	—	—	—	—	—	—	152	272	669		
BETHNAL GREEN	130,028	2363	290	—	85	12	27	42	—	12	—	—	—	—	—	—	112	272	654		
STEPNEY	302,153	5430	712	4	173	21	58	108	—	27	—	—	—	—	—	—	321	633	1569		
POPLAR	168,550	3078	505	2	161	19	60	80	—	17	—	—	—	—	—	—	166	294	896		
South.																						
SOUTHWARK	207,369	3742	412	—	83	18	23	68	—	23	—	—	—	—	—	—	197	496	993		
BERMONDSEY	129,801	2387	265	—	51	25	18	41	—	12	—	—	—	—	—	—	115	225	662		
LAMBETH	307,711	4659	530	4	130	23	29	126	—	23	—	—	—	—	—	—	194	430	1132		
BATTERSEA	173,422	2464	343	—	108	7	29	81	—	17	—	—	—	—	—	—	101	223	666		
WANDSWORTH	249,678	3083	401	—	107	17	44	89	—	18	—	—	—	—	—	—	126	237	735		
CAMBERWELL	265,562	3627	359	—	81	13	34	72	—	17	—	—	—	—	—	—	142	323	902		
DEPTFORD	112,537	1674	246	—	62	18	45	45	—	4	—	—	—	—	—	—	72	152	452		
GREENWICH	99,824	1326	173	—	28	9	27	37	—	1	—	—	—	—	—	—	71	111	345		
LEWISHAM	136,405	1516	131	—	34	11	21	6	—	10	—	—	—	—	—	—	49	114	327		
WOOLWICH	121,478	1638	133	—	25	4	13	27	—	5	—	—	—	—	—	—	59	176	398		

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the boroughs in which the deceased had previously resided. The deaths of 2184 London resident who died outside the County of London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Workhouse at Wood Green, the Central London Sick Asylum at Hendon, certain local Small-pox Hospitals, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 2372 cases the previous residence was outside the County of London, and these have been excluded from the Table.

* Originally described as Simple Continued Fever.

TABLE 20.—LONDON.—Death-rates of London and the Metropolitan Boroughs during the 52 Weeks of 1903, after Distribution of Deaths in Public Institutions.

BOROUGHS,	PER 1000 PERSONS LIVING.													Deaths under 1 year to 1000 Births registered.	
	Deaths from														
	ALL CAUSES.	Principal Epidemic Diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia* (Origin uncertain).	Diarrhoea.	Phthisis.			
COUNTY OF LONDON	15.2	1.75	0.00	0.44	0.08	0.16	0.35	0.00	0.08	0.00	0.64	1.55	130		
West.															
ADDINGTON	13.2	1.31	—	0.27	0.07	0.10	0.37	—	0.05	—	0.45	1.08	119		
ENSINGTON	13.9	1.56	—	0.19	0.08	0.13	0.51	—	0.05	—	0.60	1.25	145		
AMMERSMITH	14.1	1.61	—	0.23	0.07	0.15	0.26	—	0.08	0.01	0.81	1.47	141		
ULHAM	13.9	2.21	—	0.42	0.05	0.16	0.31	—	0.10	—	1.17	1.38	127		
HELSEA	15.3	1.13	—	0.19	0.03	0.05	0.39	—	0.05	—	0.42	1.57	142		
CITY OF WESTMINSTER	13.6	1.00	0.02	0.27	0.05	0.08	0.19	—	0.08	—	0.31	1.69	123		
North.															
C. MARYLEBONE	16.4	1.61	—	0.28	0.13	0.20	0.43	—	0.10	0.02	0.45	1.83	96		
C. AMPSTEAD	10.0	0.58	—	0.09	0.05	0.12	0.19	—	0.02	—	0.11	0.74	88		
C. PANCRAS	16.2	1.92	—	0.83	0.10	0.16	0.39	—	0.06	—	0.38	1.82	133		
C. LINGTON	14.3	1.44	—	0.37	0.07	0.12	0.45	—	0.07	0.00	0.36	1.40	126		
C. COKE NEWINGTON	12.6	1.46	—	0.46	—	0.13	0.37	—	0.10	—	0.40	1.23	119		
C. ACKNEY	13.9	1.77	—	0.51	0.09	0.21	0.30	—	0.16	—	0.50	1.27	119		
Central.															
C. OLBORN	18.6	1.44	—	0.31	0.09	0.14	0.31	—	0.09	—	0.50	3.14	95		
C. INSBURY	20.3	2.31	—	0.69	0.11	0.11	0.54	—	0.10	—	0.76	2.28	135		
C. CITY OF LONDON	14.6	0.85	—	0.12	0.04	0.08	0.16	—	0.12	—	0.33	1.59	136		
East.															
C. HORNSEY	19.4	2.91	—	0.87	0.06	0.19	0.38	—	0.11	—	1.30	2.32	171		
C. ETHEL GREEN	18.2	2.23	—	0.66	0.09	0.21	0.32	—	0.09	—	0.88	2.10	141		
C. PEPNEY	18.0	2.36	0.01	0.57	0.07	0.19	0.36	—	0.09	—	1.07	2.10	138		
C. DPLAR	18.2	2.97	0.01	0.95	0.11	0.35	0.47	—	0.10	—	0.98	1.74	154		
South.															
C. DUTHWARK	18.1	1.99	—	0.40	0.09	0.11	0.33	—	0.11	—	0.95	2.40	148		
C. ERMONDSEY	18.4	2.04	—	0.39	0.19	0.14	0.32	0.02	0.09	—	0.89	1.74	158		
C. AMBETH	15.2	1.70	0.01	0.42	0.07	0.09	0.41	—	0.07	0.00	0.63	1.40	125		
C. ATTERSEA	14.2	1.98	—	0.62	0.04	0.17	0.47	—	0.10	—	0.58	1.29	134		
C. ANDSWORTH	12.4	1.62	—	0.43	0.07	0.18	0.36	—	0.07	—	0.51	0.95	109		
C. AMBERWELL	13.7	1.36	—	0.31	0.05	0.13	0.27	—	0.06	—	0.54	1.22	123		
C. EPTFORD	14.9	2.19	—	0.55	0.16	0.40	0.40	—	0.04	—	0.64	1.35	134		
C. REENWICH	13.3	1.73	—	0.28	0.09	0.27	0.37	—	0.01	—	0.71	1.12	127		
C. EWISHAM	11.1	0.95	—	0.25	0.08	0.15	0.04	—	0.07	—	0.36	0.84	92		
C. OOLWICH	13.5	1.10	—	0.21	0.03	0.11	0.22	—	0.04	—	0.49	1.45	108		

In this Table 0.00 indicates that the deaths were too few to give a rate of 0.005; where no death occurred, — is inserted.

Note.—The rates for the County of London do not in all cases agree with those in other Tables. (See note on preceding page.)

* Originally described as Simple Continued Fever.

TABLE 21.—Deaths in Public Institutions registered during the 52 Weeks of 1903.

	DEATHS.		
	Persons.	Males.	Females.
TOTAL DEATHS IN PUBLIC INSTITUTIONS	25,505	14,210	11,295
WORKHOUSES AND WORKHOUSE INFIRMARIES	13,231	7,341	5,890
METROPOLITAN ASYLUM HOSPITALS	1,136	551	585
GENERAL HOSPITALS	7,795	4,509	3,286
HOSPITALS FOR SPECIAL DISEASES	802	339	263
LYING IN HOSPITALS	{ Women 15 Children 143	72	71
MILITARY AND NAVAL HOSPITALS	168	159	9
HOSPITALS FOR FOREIGNERS	206	141	65
LUNATIC ASYLUMS	2,209	1,098	1,111

WORKHOUSES AND WORKHOUSE INFIRMARIES

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
1a.—PADDINGTON ..	1. St. Mary, Paddington ..	{ WORKHOUSE { Infirmary	56	33	2
1b.—KENSINGTON ..	1. Kensington Town ..	{ WORKHOUSE { Infirmary	261	139	12
2.—FULHAM	1. North Hammersmith ..	{ WORKHOUSE (Mary Place) { Infirmary (St. Marylebone Union)	451	227	22
	2. South Hammersmith ..	WORKHOUSE, Children's Receiving Home ..	—	1	—
	3. North-west Fulham ..	Infirmary (Hammersmith)	—	7	—
	5. South Fulham	Workhouse, Kensington and Chelsea District Schools .. { WORKHOUSE { Infirmary	—	21	9
		WORKHOUSE Schools, Fulham	562	299	28
3.—CHELSEA	1. Chelsea North	{ WORKHOUSE { Infirmary	—	22	6
		{ Workhouse (St. George's Union) { Infirmary (St. George's Union)	—	252	143
	2. Chelsea South	WORKHOUSE, Casual Ward	—	8	5
4.—ST. GEORGE, HANOVER SQUARE.	2. Belgrave	WORKHOUSE, Wallis's Yard	—	368	228
5.—WESTMINSTER ..	1. St. James, Westmnstr.	WORKHOUSE	—	1	—
6.—ST. MARYLEBONE	2. Rectory	{ WORKHOUSE { Casual Wards	—	59	33
7.—HAMPSTEAD ..	1. Hampstead	WORKHOUSE	—	1	1
8.—ST. PANCRAS ..	2. Tottenham Court	Workhouse Infirmary (Central London Sick Asylum) ..	145	92	5
	4. East St. Pancras	WORKHOUSE	381	211	17
	5. North St. Pancras	Casual Ward	—	3	3
9.—ISLINGTON	1. Tufnell	Infirmary	320	182	12
	2. Upper Holloway	Infirmary, Highgate Hill	667	347	32
		WORKHOUSE (St. John's Road)	—	102	57
		WORKHOUSE, Cornwallis Road	—	8	4
		Infirmary (Holborn Union)	—	412	257
10.—HACKNEY	3. Tollington	WORKHOUSE Schools	—	4	—
	3. Central Hackney	Workhouse (City of London Union)	—	—	3
	5. South-east Hackney	Workhouse Schools (Shoreditch Union)	—	7	1
		{ WORKHOUSE { Infirmary	—	647	339
		WORKHOUSE (Cottage Homes)	—	—	30
11.—ST. GILES	1 St. Giles and Bloomsbury	*Workhouse (Poplar Urban)	—	—	—
12.—STRAND	1. Strand	WORKHOUSE	64	31	9
13.—HOLBORN	1. Holborn	WORKHOUSE, Casual Ward	—	—	—
14.—LONDON CITY ..	2. St. Sepulchre and All-hallows	WORKHOUSE	—	1	1
15.—SHOREDITCH ..	2. Hoxton New Town	Workhouse (Holborn Union)	247	116	13
	4. Haggerston	{ WORKHOUSE { Infirmary	—	484	265
		WORKHOUSE	—	43	27
		Infirmary	—	469	982
16.—BETHNAL GREEN ..	3. Bethnal Green, East..	—	—	—	—

NOTE.—Whenever a Workhouse and an Infirmary are situated in the same enclosure they are bracketed together in this Table, and are indicated in Table 18 by a single *W*.

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1903.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
1.—WHITECHAPEL...	2. Mile End New Town	Infirmary ..	382	249	133
2.—ST. GEORGE IN THE EAST.	1. St. George and St. John	{ WORKHOUSE ..	1	1	—
		{ Infirmary ..	246	131	115
3.—STEPNEY ..	1. Shadwell and Ratcliff	Casual Ward ..	—	—	—
4.—MILE END OLD TOWN.	2. Mile End Old Town, Eastern.	WORKHOUSE ..	—	—	—
		{ WORKHOUSE ..	4	4	—
		{ Infirmary ..	334	172	162
		Workhouse (Whitechapel Union) ..	45	23	22
		Infirmary (City of London Union) ..	82	39	43
		Infirmary (Poplar and Stepney Sick Asylum) ..	631	359	272
		Workhouse (Stepney Union) ..	108	67	41
		WORKHOUSE ..	85	44	41
		Infirmary (Poplar and Stepney Sick Asylum), Branch of ..	2	1	1
		WORKHOUSE ..	8	8	—
2.—SOUTHWARK ..	1. Christchurch, South-wark.	WORKHOUSE ..	25	19	6
	4. St. George the Martyr West.	WORKHOUSE ..	—	—	—
3.—ST. OLAVE, BERMONDSEY.	6. St. Peter, Walworth ..	WORKHOUSE ..	68	20	48
	1. St. Olave ..	WORKHOUSE (Children's Home) ..	33	17	16
	2. Bermondsey ..	WORKHOUSE ..	—	—	—
	3. Rotherhithe ..	{ Infirmary ..	5	5	—
		{ Casual Ward ..	391	236	155
4.—LAMBETH..	3. Lambeth Church, Second.	WORKHOUSE (Renfrew Road) ..	131	63	68
		Infirmary (Brook Street) ..	617	314	303
		WORKHOUSE (Princes Road) ..	—	—	—
5.—WANDSWORTH ..	7. Norwood ..	WORKHOUSE Schools ..	27	9	18
	3. South-west Battersea ..	Infirmary ..	584	340	244
	5. Streatham ..	WORKHOUSE ..	99	50	49
		Workhouse, Fairfield House (Chelsea Union) ..	1	1	—
		Workhouse, St. Anne's Home (St. Pancras Union) ..	12	11	1
	6. Springfield ..	WORKHOUSE ..	5	4	1
		WORKHOUSE (Wandsworth and Clapham Intermediate Schools) ..	—	—	—
6.—CAMBERWELL ..	2. Camberwell ..	WORKHOUSE ..	173	88	85
		Infirmary ..	444	254	190
	3. Peckham ..	Infirmary (Southwark Union) ..	647	404	243
		WORKHOUSE (Gordon Road) ..	27	17	10
		WORKHOUSE (Children's Homes) ..	—	—	—
7.—GREENWICH ..	5. Greenwich, East ..	Workhouse (St. Olave's Union Children's Home) ..	1	1	—
		{ WORKHOUSE ..	81	37	44
		{ Infirmary ..	360	217	143
8.—LEWISHAM ..	1. Eltham ..	WORKHOUSE Schools ..	—	—	—
	3. Lewisham ..	Workhouse (St. Mary's Roman Catholic Schools) ..	—	—	—
		{ WORKHOUSE ..	14	4	10
		{ Infirmary ..	293	157	136
9.—WOOLWICH ..	3. Plumstead, West ..	Workhouse (St. Olave's Union) ..	49	27	22
	4. Plumstead, East ..	WORKHOUSE ..	—	—	—
		{ Infirmary ..	245	134	111
10.—CROYDON ..	6. Mitcham ..	WORKHOUSE Schools ..	—	—	—
11.—HENDON ..	4. Hendon ..	Workhouse (Hobson Union) ..	62	46	16
12.—EDMONTON ..	2. Wood Green ..	Workhouse, Infirmary (Central London Sick Asylum) ..	122	68	56
	5. Edmonton ..	Workhouse (Shoreditch Union) ..	1	1	—
		Workhouse (Strand Union) ..	48	21	27

METROPOLITAN ASYLUM HOSPITALS (LONDON RESIDENTS ONLY).

—FULHAM ..	4. North-east Fulham ..	Western Fever Hospital	149	77	72
—HAMPSTEAD ..	1. Hampstead ..	North Western Fever Hospital	128	61	67
—HACKNEY ..	3. Central Hackney ..	Eastern Fever Hospital	168	79	89
—ST. OLAVE, BERMONDSEY.	3. Rotherhithe ..	South Wharf Shelters	—	—	—
—LAMBETH ..	6. Brixton ..	South Western Fever Hospital	82	43	39
—WANDSWORTH ..	5. Streatham ..	Fountain Fever Hospital	18	7	11
—GREENWICH ..	2. Deptford, Central ..	Grove Fever Hospital	103	41	62
—LEWISHAM ..	3. Lewisham ..	South Eastern Fever Hospital	116	65	51
—WOOLWICH ..	1. Charlton ..	Park Fever Hospital	91	35	56
—DARTFORD ..	3. Dartford ..	Brook Fever Hospital	165	78	87
—EDMONTON ..	3. Tottenham ..	Long Reach Hospital (Small-pox)	12	10	2
	5. Edmonton ..	Gore Farm Convalescent Hospital (Small-pox)	—	—	—
		North Eastern Fever Hospital	101	54	47
		Northern Convalescent Fever Hospital	3	1	2

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1903.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
GENERAL HOSPITALS.					
1a.—PADDINGTON ..	1. St. Mary, Paddington	Children's Hospital ..	82	43	39
	2. St. John, Paddington	St. Mary's Hospital ..	342	202	140
1b.—KENSINGTON ..	1. Kensington Town ..	Kensington Dispensary and Children's Hospital ..	16	8	1
	2. Brompton ..	St. Luke's House ..	25	10	15
2.—FULHAM ..	2. South Hammersmith	Queen's Jubilee Hospital ..	11	5	6
3.—CHELSEA ..	2. Chelsea, South ..	West London Hospital ..	159	87	72
		St. Cyprian's Home for Incurables ..	—	—	—
4.—ST. GEORGE, HANOVER SQUARE.	2. Belgrave ..	Victoria Hospital for Children ..	54	28	26
		Cheyne Hospital for Children ..	7	2	5
	3. St. Margaret and St. John.	St. George's Hospital ..	347	216	131
		Hospital for Women and Children ..	—	—	—
5.—WESTMINSTER ..	2. St. Anne, Soho ..	Westminster Hospital ..	261	142	118
6.—ST. MARYLEBONE	1. All Souls ..	Home Hospital ..	—	—	—
		Middlesex Hospital ..	378	217	161
		St. Elizabeth's Home ..	8	—	—
		Ladies Hospital, Harley Street ..	—	—	—
		Surgical and Medical Home ..	—	—	—
	3. St. Mary ..	All Saints Home for Incurables ..	2	2	0
	4. Christchurch ..	Samaritan Free Hospital ..	14	—	14
	5. St. John ..	Home for Incurables ..	—	—	—
		Hospital for Incurable Children ..	4	2	2
		St. John and St. Elizabeth Hospital ..	31	7	24
7.—HAMPSTEAD ..	1. Hampstead ..	St. Peter's Home, Kilburn ..	21	—	21
		Hampstead Home Hospital ..	29	16	13
		Hospital for Incurables (Friedenheim) ..	97	40	57
		St. Luke's House ..	—	—	—
		Tudor House Convalescent Home ..	—	—	—
		Hospital of Saint Francis ..	22	15	7
8.—ST. PANCRAS ..	2. Tottenham Court ..	University College Hospital ..	250	163	87
		Home Hospital ..	17	10	7
		Medical and Surgical Home ..	5	2	3
		Oxygen Home ..	2	1	1
	3. Gray's Inn Lane ..	Royal Free Hospital ..	184	124	60
	4. East St. Pancras ..	London Temperance Hospital ..	113	61	52
	5. North St. Pancras ..	North West London Hospital ..	36	23	11
9.—ISLINGTON ..	2. Upper Holloway ..	Great Northern Central Hospital ..	203	123	80
		Winifred House Convalescent Home ..	—	—	—
	7. Highbury ..	Mildmay Memorial Cottage Hospital ..	9	5	4
		Invalid Home ..	1	—	1
10.—HACKNEY ..	1. Stoke Newington ..	Invalid Asylum ..	2	—	2
	4. South West Hackney	Metropolitan Free Hospital ..	160	83	72
12.—STRAND ..	1. Strand ..	Charing Cross Hospital ..	126	84	42
13.—HOLBORN ..	1. Holborn ..	King's College Hospital ..	211	121	90
14.—LONDON CITY ..	1. St. Botolph ..	London Homœopathic Hospital ..	60	31	29
	2. St. Sepulchre and All- hallows ..	Hospital for Sick Children ..	328	182	146
15.—SHOREDITCH ..	1. Shoreditch, South ..	City Police Hospital ..	1	1	0
		St. Bartholomew's Hospital ..	617	384	233
		Convent Hospital ..	3	—	3
16.—BETHNAL GREEN	1. Bethnal Green, North	North Eastern Children's Hospital ..	124	65	59
		Mildmay Medical Mission Hospital ..	41	21	20
17.—WHITECHAPEL ..	2. Mile End New Town	London Hospital ..	1311	758	553
19.—STEPNEY ..	1. Shadwell and Ratcliff	East London Children's Hospital ..	335	191	144
21.—POPLAR ..	2. Bromley ..	Poplar Hospital ..	107	73	34
22.—SOUTHWARK ..	2. St. Saviour, South- wark ..	Guy's Hospital ..	664	391	273
	4. St. George the Martyr, West ..	Evelina Hospital for Children ..	130	64	66
	5. Trinity, Newington ..	Hospital of St. Francis ..	—	—	—
24.—LAMBETH ..	1. Waterloo Road ..	Royal Hospital for Women and Children ..	17	6	11
	2. Lambeth Ch., First ..	St. Thomas's Hospital ..	633	392	241
	5. Kennington, Second ..	Belgrave (Children) Hospital ..	2	1	1
	7. Norwood ..	British Home for Incurables ..	9	4	5

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1903.

DISTRICT.	SUB-DISTRICT	NAME OF INSTITUTION.	Deaths.		
			Persons.	Males.	Females.
WANDSWORTH ..	3. South-west Battersea	Bolingbroke House Hospital	41	29	12
	4. Clapham	The Hostel of God	63	27	36
GREENWICH ..	7. Southfields	Nightingale Nursing Home	—	—	—
	4. Greenwich, West ..	Royal Hospital for Incurables	8	3	5
LEWISHAM ..	1. Eltham	Miller Memorial Hospital	16	13	3
	2. Lee	Invalids' Home	—	—	—
	4. Sydenham	Cottage Hospital	10	4	6
WOOLWICH ..	1. Charlton	St. John's Hospital	23	10	13
	2. Woolwich	Home for Sick Children	6	2	4
	4. Plumstead, East ..	Cottage Hospital, Kidbrooke	8	4	4
		Cottage Hospital	8	5	3
		Crole-Wyndham Conval. Home, Shrewsbury House	—	—	—

HOSPITALS FOR SPECIAL DISEASES.

PADDINGTON ..	1. St. Mary, Paddington	Lock Hospital	2	—	2
KENSINGTON ..	2. Brompton	Consumption Hospital, part of	79	60	19
ULHAM	1. North Hammersmith	St. John's Hospital for Skin Diseases	2	1	1
HELSEA	1. Chelsea, North ..	Consumption Hospital, part of	63	41	22
GEORGE, NOVER SQUARE.	1. Mayfair and Knightsbridge.	Cancer Hospital	112	48	64
	3. St. Margaret and St. John.	Hospital for Women	13	—	13
ESTMINSTER ..	1. St. James, Westminster	Royal Orthopaedic Hospital	—	—	—
	2. St. Anne, Soho ..	Gordon Hospital for Fistula	3	3	—
		Grosvenor Hospital for Women and Children	6	—	6
T. MARYLEBONE	1. All Souls	Hospital for Diseases of the Throat	4	3	1
		Hospital for Women	18	1	17
		Hospital for Diseases of the Heart	14	4	10
		Male Lock Hospital	1	1	—
		Royal Ear Hospital	—	—	—
AMPSTEAD ..	1. Hampstead	West End Hospital for Paralysis	1	1	—
		London Throat Hospital	2	1	1
		National Orthopaedic Hospital	—	—	—
		Home for Consumptive Females	1	—	1
T. PANCRAS ..	3. St. Mary	Western Ophthalmic Hospital	—	—	—
		Hospital for Epilepsy and Paralysis	—	—	—
	5. St. John	North London Consumption Hospital	10	9	1
		St. Saviour's Hospital for Cancer	6	—	6
LINGTON	1. West St. Pancras ..	London Skin Hospital	—	—	—
	2. Tottenham Court ..	Metropolitan Ear, Nose, and Throat Hospital	1	1	—
	3. Gray's Inn Lane ..	Central London Throat and Ear Hospital	2	1	1
	4. East St. Pancras ..	Central London Ophthalmic Hospital	2	1	1
TRAND	6. Islington, South East	British Hospital for Diseases of the Skin	—	—	—
		Hospital for Women	26	1	25
HOLBORN	1. Strand	London Fever Hospital	5	1	4
	1. Holborn	Royal Westminster Ophthalmic Hospital	—	—	—
HOREDITCH ..	4. Finsbury	St. Peter's Hospital for Stone	29	28	1
		City Orthopaedic Hospital	—	—	—
		National Hospital for Paralysis	43	26	17
		Alexandra Hospital for Hip Diseases	1	1	—
ETHNAL GREEN ..	2. Hoxton New Town ..	St. Mark's Hospital for Fistula	2	2	—
	3. Bethnal Green East ..	Royal London Ophthalmic Hospital	6	4	2
OUTHWAIRK	1. Christchurch, Southwark.	Royal Hospital for Diseases of the Chest	63	41	22
	4. St. George the Martyr, West.	City of London Hospital for Diseases of the Chest ..	84	61	23
	1. Romford	Hospital for Diseases of the Skin	—	—	—
ROMFORD		Royal South London Ophthalmic Hospital	2	—	2
		Dagenham Small Pox Hospital*	—	—	—

* London residents only.

TABLE 21 (continued).—Deaths in Public Institutions registered during the 52 Weeks of 1903.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Deaths.	
			Persons.	Males.
LYING-IN HOSPITALS.				
6.—ST. MARYLEBONE	3. St. Mary	Queen Charlotte's Lying-in Hospital ..	7	—
10.—HACKNEY ..	4. South West Hackney ..	Salvation Army Maternity Hospital ..	34	17
11.—ST. GILES ..	1. St. Giles and Bloomsbury.	British Lying-in Hospital ..	3	10
13.—HOLBORN ..	4. Finsbury	City of London Lying-in Hospital ..	18	5
20.—MILE END OLD TOWN.	1. Mile End Old Town Western.	East End Mothers' Home ..	22	11
24.—LAMBETH ..	1. Waterloo Road ..	General Lying-in Hospital ..	6	1
	4. Kennington, First ..	Clapham Maternity Hospital ..	3	14
		Women	32	14
		Children		
MILITARY AND NAVAL HOSPITALS.				
4.—ST. GEORGE, HANOVER SQUARE.	3. St. Margaret and St. John.	Station Hospitals	8	8
27.—GREENWICH ..	5. Greenwich, East ..	Seamen's Hospital	110	107
29.—WOOLWICH ..	1. Charlton	Herbert Hospital	35	35
	2. Woolwich	Garrison Female Hospital	7	2
		Royal Arsenal Infirmary	8	7
		Auxiliary Hospital	—	—
HOSPITALS FOR FOREIGNERS.				
10.—HACKNEY ..	4. South West Hackney ..	German Hospital	129	91
11.—ST. GILES ..	1. St. Giles and Bloomsbury.	French Hospital	50	31
13.—HOLBORN ..	1. Holborn	Italian Hospital	27	19
LUNATIC ASYLUMS.*				
13.—HOLBORN ..	4. Finsbury	St. Luke's Hospital for Lunatics	10	4
15.—SHOREDITCH ..	1. Shoreditch, South ..	Hoxton House Lunatic Asylum	34	25
16.—BETHNAL GREEN	3. Bethnal Green, East..	Bethnal House Lunatic Asylum	84	38
21.—POPLAR ..	1. Bow	Grove Hall Lunatic Asylum	16	9
22.—SOUTHWARK ..	4. St. George the Martyr, West.	Bethlem Royal Hospital for Lunatics	16	8
25.—WANDSWORTH ..	5. Streatham	Middlesex County Lunatic Asylum†	1	1
	6. Springfield	Metropolitan Asylum, Tooting Bec	117	66
26.—CAMBERWELL ..	2. Camberwell	Middlesex County Lunatic Asylum†	11	5
30.—EPSOM ..	1. Carshalton	Camberwell House Lunatic Asylum	58	31
	2. Epsom	Peckham House Lunatic Asylum	27	12
		London County Lunatic Asylum, Banstead†	187	91
		London County Lunatic Asylum, Horton†	245	131
37.—GODSTONE ..	1. Godstone	London County Lunatic Asylum, Horton Manor† ..	32	—
		Metropolitan Asylum for Imbeciles, Caterham† ..	125	63
38.—CROYDON ..	1. Coulsdon	London County Lunatic Asylum, Cane Hill† ..	135	75
42.—DARTFORD ..	3. Dartford	Metropolitan Asylum for Imbeciles, Darent† ..	77	37
125.—UXBRIDGE ..	3. Hayes	City of London Lunatic Asylum, Stoney† ..	34	19
		London County Lunatic Asylum, Dartford Heath† ..	166	94
128.—BARNET ..	3. Finchley	London County Lunatic Asylum, Hanwell† ..	256	117
137.—WATFORD ..	3. Rickmansworth ..	London County Lunatic Asylum, Coiney Hatch† ..	256	97
189.—ROMFORD ..	2. Ilford	Metropolitan Asylum for Imbeciles, Leavesden† ..	131	64
		London County Lunatic Asylum, Claybury† ..	191	111

* Private Lunatic Asylums are excluded from this list, except those in which pauper lunatics are received.

† London residents only.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the 52 Weeks include																
						Deaths of		Deaths from												Deaths in Public Institutions.	Uncertified Causes of Death.	
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.									
	LONDON—OUTER RING	..	368580	2044861	64824	261667	7393	7228	18	632	140	366	835	166	1089	997	2248	3916	120			
30 : 1	Carshalton <i>w,2F,2H</i>	12228	32997	751	203	63	94	7	—	—	1	4	6	2	6	14	28	29	1			
2	Epsom, part of <i>W,w,2F,H</i>	10423	15548	363	186	32	82	—	—	—	5	3	1	1	5	3	4	63	4			
37 : 1	Godstone, part of <i>W,W</i>	2754	2692	92	25	14	5	—	—	—	—	—	—	—	—	—	2	5	—			
38 : 1	Coulsdon <i>..</i>	11068	8166	154	44	11	17	—	—	—	—	—	—	2	1	1	3	—	—			
2	South Croydon <i>..</i>	..	48309	1105	464	100	172	—	16	—	—	1	14	—	—	10	3	26	1			
3	West Croydon <i>3W,F,H</i>	9012	42888	1403	849	189	268	—	7	—	4	17	26	5	16	40	92	375	—			
4	North Croydon <i>H,..</i>	41638	1186	439	118	151	—	—	2	—	1	1	23	—	—	14	17	58	14	—		
5	Penge <i>w,..</i>	770	22465	476	215	55	78	—	5	—	2	3	—	5	12	27	—	—	—			
6	Mitcham <i>w,..</i>	11689	29903	977	335	91	106	—	1	—	1	5	—	—	18	13	33	2	1			
39 : 1	Wimbledon <i>F,3H</i>	3221	41632	1199	393	93	122	—	4	—	1	3	8	1	1	12	12	34	17	—		
2	Kingston <i>W,H</i>	6224	42068	1252	661	145	259	—	—	—	2	1	1	—	3	20	30	73	214	—		
3	Surbiton <i>F,H</i>	3048	15017	356	150	39	56	—	—	—	—	—	—	—	—	4	7	22	11	—		
4	Esher, part of <i>H</i>	5402	13100	299	132	32	45	—	8	1	1	1	—	—	7	14	7	—	—			
40 : 1	Hampton <i>H,L</i>	4564	23458	667	247	60	73	—	1	2	1	—	—	9	12	26	16	1				
2	Richmond <i>W,H</i>	2162	28885	572	408	59	177	—	3	—	3	1	—	6	13	28	109	5	—			
2	Mortlake <i>F</i>	2847	20628	628	258	76	81	—	4	—	1	5	4	2	14	33	42	5	—			
41 : 1	Bromley <i>F,2H</i>	4703	27554	680	285	83	92	1	3	—	—	2	5	3	3	23	25	10	—	4		
2	Beckenham <i>H</i>	7825	28497	669	242	64	78	—	—	—	—	—	—	—	—	—	—	11	19	1		
3	Orpington, part of <i>W</i>	10113	9857	268	192	24	197	—	1	—	—	—	—	—	—	—	—	5	7	107	2	
4	Chislehurst <i>2H</i>	7333	18446	423	157	40	46	—	5	—	—	—	—	—	2	7	—	—	—			
42 : 1	Bexley <i>F,H</i>	8678	21511	628	234	64	81	1	1	—	2	3	2	5	12	18	3	4	9	7		
2	Erith <i>F,H</i>	3854	25296	1013	284	92	59	—	4	—	1	5	2	4	15	18	26	9	7			
3	Dartford <i>W,F part of</i>	43	30	—	—	—	—	—	—	—	—	—	1	1	43	—	—		
124 : 1	Sunbury <i>w</i>	11054	18683	611	249	74	58	—	7	2	14	10	—	—	5	21	24	—	1			
2	Staines <i>W,H</i>	13277	15178	486	230	63	77	—	9	—	15	6	1	—	16	47	2	—	—			
125 : 1	Hillingdon <i>W,F,H</i>	6035	13661	430	237	43	84	—	—	—	5	11	2	—	3	8	11	55	2			
2	Uxbridge <i>..</i>	12757	8984	277	104	29	32	1	1	1	1	2	—	—	4	3	7	—	—			
3	Hayes <i>w,F,H</i>	8066	16358	579	193	77	45	—	1	—	3	8	—	—	5	8	12	—	—			
126 : 1	Isleworth <i>3W,2F,H</i>	6859	30863	1009	636	126	232	—	4	7	10	15	2	2	13	25	40	247	2			
2	Twickenham <i>F,H</i>	2421	20991	607	255	67	86	—	1	—	2	10	7	—	5	13	23	12	2			
3	Brentford <i>2F,2H,L</i>	4319	48289	1478	604	195	187	—	3	—	1	7	33	5	32	24	42	31	3			
4	Chiswick <i>H</i>	1249	28909	908	331	97	96	—	2	—	1	1	2	—	22	9	33	—	—			
5	Acton <i>w,3H</i>	6132	48914	1561	589	121	147	—	14	1	3	4	29	5	34	16	43	16	3			
127 : 1	Harrow <i>F,H</i>	13809	25523	755	248	65	56	—	1	—	3	11	1	3	11	26	6	2	—			
2	Edgware <i>F,2H</i>	6994	4521	88	34	9	11	—	—	—	1	—	—	1	—	2	2	—	—			
3	Willesden <i>W,F,2H</i>	4384	11481	4059	1515	475	340	—	84	13	9	69	8	64	42	105	175	13				
4	Hendon <i>W,F</i>	8382	22450	650	287	71	99	—	2	2	2	9	—	8	15	24	58	1				
128 : 1	South Mimms <i>2F,H</i>	17753	7308	169	73	17	28	4	—	—	1	—	7	1	11	11	14	66	3			
2	Barnet <i>W,3H</i>	3324	17970	472	246	38	99	—	2	—	1	7	1	5	20	31	9	—	—			
3	Finchley <i>F,2H</i>	4688	33692	948	325	90	99	—	9	—	1	7	1	7	11	44	12	—	—			
4	Hornsey <i>F,H</i>	2875	72056	1589	592	131	187	—	14	1	11	21	—	—	18	10	26	104	6	2		
2	Wood Green <i>H</i>	1625	34233	1128	366	113	106	—	7	6	5	33	2	5	22	19	32	97	132	1		
3	West Tottenham <i>R</i>	48853	1708	605	223	115	—	42	—	6	25	2	2	19	71	24	134	217	3			
4	East Tottenham <i>F,H</i>	53688	1824	754	221	182	—	35	—	6	25	2	2	19	71	24	35	67	3			
5	Edmonton <i>W,w,2F</i>	7491	61892	2259	948	292	266	—	17	3	9	11	19	7	23	12	35	67	3			
6	Enfield <i>2W,F,H</i>	12801	42738	1325	544	146	162	—	13	1	9	11	19	7	23	12	35	67	3			
7	Waltham Abbey	11017	6549	185	70	18	22	—	1	—	1	2	—	—	1	3	7	5	9	—		
8	Cheshunt <i>F,H</i>	8479	12929	349	116	21	37	—	1	—	1	2	—	—	1	4	4	7	5	—		
135 : 1	Hatfield, part of <i>W</i>	3305	664	8	4	1	3	—	5	—	3	1	1	4	9	6	—	8	—	—		
137 : 1	Bushey <i>H</i>	9333	9173	235	89	19	46	—	5	—	2	—	—	—	—	—	—	6	—	—		
2	Watford, <i>W,2F part of</i>	8	5	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
186 : 1	Stratford <i>H</i>	1072	44827	1447	590	182	99	—	25	2	3	20	4	33	42	65	66	2				
2	Plaistow <i>F,2H</i>	1249	90921	36771	1371	558	173	—	49	13	52	77	19	114	36	82	152	5				
3	Canning Town <i>H</i>	1556	70718	2824	1065	455	122	—	46	1	9	49	5	122	61	120	55	2				
4	Forest Gate <i>w</i>	806	60892	1531	598	154	179	—	21	1	8	20	3	19	16	47	2	3	3			
5	North East Ham <i>w</i>	58676	2180	641	228	125	22	—	22	4	5	28	8	19	29	62	10	5	5			
6	South East Ham <i>3F</i>	3326	57342	1618	481	191	69	—	18	8	9	5	39	10	43	24	1					
7	Wanstead <i>F</i>	1679	9179	187	100	17	40	—	6	1	1	2	1	3	5	7	1	1	1			
8	South Leyton <i>2W</i>	631	50467	1656	1063	216	394	—	16	4	12	28	7	55	19	43	566	13				
9	North Leyton <i>W,w,F</i>	1963	48445	1611	806	162	216	—	23	11	15	16	18	19	23	45	285	13				
10	Walthamstow <i>3H,L</i>	6504	108929	3877	1209	434	256	—	56	2	5	41	15	65	47	108	42	3				
187 : 1	Chigwell, part of <i>2FAH</i>	11778	16397	429	189	39	55	—	7	5	15	8	3	5	9	15	25	2				
2	Epping <i>W,F part of</i>	—	15	—	11	—	—	—	3	2	1	—	—	—	—	—	—		
189 : 1	Romford, part of <i>W,2F</i>	6556	6091	225	141	40	48	3	1	11	1	13	18	3	12	24	41	154	2			
2	Ilford <i>FL</i>	8496	41234	1515	609	136	170	—	—	8	2	19	19	4	23	17	25	19	1			
3	Barking Town <i>F</i>	3803	21547	850	322	98	47	—	8	2	19	19	4	23	17	25	19	1				
	Central Lond. Sick Asy., Hendon.	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
	London Fever Hospital	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—		
	Met. Asy. Bd. Hospitals	—	—	—	—	23	—	—	—	1	—	—	—	—	—	—	—	—	23	—		
	Met. Imbecile Asylum	—	—	—	—	5	—															

TABLE 23.—LONDON.—Weekly Deaths from the principal EPIDEMIC DISEASES during the Four
Fifty Years

	SMALL-POX.				MEASLES.				SCARLET FEVER.				DIPHTHERIA.			
	1900	1901	1902	1903	1900	1901	1902	1903	1900	1901	1902	1903	1900	1901	1902	1903
YEAR	4	229	1314	13	1936	1958	2361	2054	361	584	563	362	1558	1344	1181	752
March Quarter.. ..	1	—	734	5	602	434	730	671	84	91	154	99	533	308	365	241
June	2	2	596	2	762	545	714	760	97	163	136	82	320	234	256	175
Sept.	—	35	73	3	329	437	346	247	70	170	139	91	299	349	243	147
Dec.	1	192	1	3	243	542	571	376	110	160	134	90	406	453	317	189
Week.																
1	—	—	29	1	62	21	52	37	6	9	18	13	58	24	24	18
2	—	—	45	1	51	34	38	40	7	9	14	7	49	25	27	20
3	—	—	55	—	45	36	57	38	6	9	12	11	40	32	29	18
4	—	—	34	—	46	24	46	41	6	8	11	6	37	23	31	8
5	—	—	39	—	27	25	41	28	10	8	12	8	46	24	24	15
6	—	—	64	1	33	20	51	45	7	4	14	8	51	29	31	22
7	—	—	54	—	50	36	47	45	5	5	21	9	35	20	32	27
8	—	—	64	—	42	36	64	57	4	5	4	6	48	27	26	15
9	1	—	75	2	41	36	67	68	9	4	10	7	26	19	41	17
10	—	—	80	—	39	33	65	63	8	6	5	7	41	25	25	15
11	—	—	81	—	56	35	91	62	6	10	10	7	35	30	18	24
12	—	—	53	—	50	42	57	74	3	6	11	5	36	14	27	27
13	—	—	61	—	60	56	54	73	7	8	12	5	31	16	30	15
14	—	—	54	—	62	38	73	48	7	8	10	3	32	21	22	11
15	—	—	73	—	59	52	65	74	8	8	10	4	19	26	23	18
16	—	—	42	—	53	37	63	80	5	3	9	7	17	11	21	22
17	1	—	42	—	68	50	56	68	11	6	10	9	20	20	23	15
18	—	—	43	—	72	39	33	64	4	9	12	10	21	20	24	14
19	1	1	44	—	56	39	45	55	4	17	13	7	29	23	30	12
20	—	—	37	—	49	33	52	67	6	14	8	11	22	14	25	13
21	—	—	24	1	56	44	59	59	8	18	8	5	29	22	21	10
22	—	—	48	—	68	48	65	65	7	17	13	4	29	13	14	12
23	—	—	29	—	60	35	54	38	11	17	14	11	24	15	13	12
24	—	—	29	—	64	38	44	52	5	21	8	3	28	13	10	12
25	—	—	24	1	42	42	56	51	9	13	12	5	21	18	16	14
26	—	—	1	17	53	51	44	39	12	9	12	3	29	18	14	10
27	—	—	13	—	35	49	35	34	10	8	13	9	20	27	16	10
28	—	—	13	—	42	37	37	28	4	17	6	8	26	24	15	10
29	—	—	15	—	54	45	48	36	5	10	13	9	21	30	20	13
30	—	—	4	—	30	60	32	14	6	20	16	7	27	28	31	16
31	1	7	—	—	29	45	25	17	5	15	9	7	24	28	29	5
32	1	4	—	—	25	40	31	24	6	10	16	8	25	24	13	11
33	2	5	—	—	20	37	28	22	4	16	11	4	17	30	21	8
34	—	3	1	—	22	26	31	18	10	12	14	12	14	27	15	17
35	7	2	1	11	40	18	12	5	13	11	3	19	22	18	14	14
36	22	13	—	22	13	22	8	4	14	9	10	19	20	13	9	9
37	7	2	1	17	13	16	13	3	13	14	3	17	28	23	13	9
38	9	2	1	9	19	15	11	8	7	8	8	30	27	13	8	8
39	3	3	1	17	13	13	8	10	5	13	8	2	40	34	16	17
40	5	—	—	—	13	13	8	10	—	—	—	—	—	—	—	—
41	3	—	—	—	4	14	17	9	14	14	9	10	29	30	27	13
42	3	—	—	—	11	14	18	14	7	22	6	8	26	54	22	10
43	6	1	—	—	20	21	32	21	10	9	14	7	36	33	21	12
44	6	—	—	—	10	24	41	15	8	12	13	13	42	36	24	18
45	16	—	1	—	22	38	44	31	8	10	8	7	35	33	21	11
46	14	—	—	—	18	60	37	36	8	4	12	4	32	35	23	20
47	22	—	1	21	50	44	37	11	12	8	6	22	37	29	9	9
48	1	21	—	—	33	54	46	24	11	12	10	7	29	40	15	10
49	16	—	—	—	23	41	38	31	11	12	10	5	20	31	27	15
50	26	—	1	20	61	60	41	8	12	10	7	7	36	34	25	9
51	24	—	—	—	26	65	67	40	4	15	11	7	36	34	25	9
52	24	—	—	—	27	78	42	59	7	15	12	9	26	28	22	27
53	—	—	—	—	—	—	54	—	—	—	12	—	—	—	—	29

Years 1900-1903; and the AVERAGE WEEKLY Numbers from these DISEASES during the 1853-1902.

WHOOPING-COUGH.				FEVER.			DIARRHEA and CHOLERA.			WEEKLY AVERAGE in 50 Years, 1853-1902.						YEAR.				
1900	1901	1902	1903	1900	1901	1902	1903	1900	1901	1902	1903	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea & Cholera.		
1948	1609	1860	1631	765	548	590	396	3640	3931	2504	2958	14	39	*	20	49	28	68	YEAR.	
518	594	465	760	204	146	110	91	134	187	137	266	17	38	30	20	68	28	14	March Qr.	
595	609	532	445	124	74	69	49	150	216	174	270	18	49	26	17	58	24	22	June ,	
545	240	469	217	162	171	197	87	2934	3159	1645	1737	9	31	37	19	34	27	205	Sept. ,	
280	166	414	209	275	157	214	169	422	369	548	685	10	40	50	25	34	34	30	Dec. ,	
26	29	18	59	19	18	7	10	10	9	10	14	15	49	38	22	59	30	13	Week.	
37	32	22	41	23	17	11	7	9	16	12	14	17	46	37	20	61	31	14 1	
34	38	21	96	17	13	4	11	10	15	13	22	18	42	37	19	65	29	14 2	
39	37	23	76	13	16	9	4	15	17	14	19	17	34	33	19	70	30	14 3	
45	44	27	75	17	13	6	12	14	11	9	28	19	29	30	21	70	29	14 4	
51	49	31	55	22	13	8	6	12	12	10	25	19	28	30	21	71	28	14 5	
40	52	43	43	17	7	17	11	12	10	4	15	18	34	28	19	68	27	14 6	
43	57	46	65	18	9	8	5	7	19	14	15	19	34	27	19	66	25	15 7	
37	37	44	55	13	7	7	5	6	14	10	14	18	38	28	18	66	28	14 8	
45	43	53	38	13	8	9	4	8	14	12	29	17	41	23	19	68	28	13 9	
49	63	50	46	7	6	5	8	17	13	12	24	16	41	23	18	70	25	14 10	
45	55	53	60	7	8	6	3	8	21	11	20	17	44	25	18	74	27	12 11	
50	62	35	47	20	5	2	6	6	12	16	19	18	45	24	17	71	26	13 12	
51	74	41	33	12	4	1	10	8	9	12	14	19	47	24	18	71	26	13 13	
49	58	48	38	9	7	1	1	8	14	14	17	20	49	24	17	69	26	14 14	
40	48	50	52	8	10	5	3	18	12	12	27	19	50	23	18	67	25	13 15	
42	66	52	39	6	2	8	4	11	16	7	17	20	49	26	16	63	25	15 16	
35	45	45	33	3	7	5	4	16	9	18	19	19	48	25	18	61	23	14 17	
56	48	36	32	15	4	5	5	8	16	17	19	20	49	25	17	58	25	15 18	
50	58	33	32	8	5	7	3	7	22	11	18	20	50	27	17	59	24	15 19	
48	33	41	32	10	10	6	2	11	15	10	18	18	52	27	17	54	24	18 20	
37	32	49	23	8	7	11	1	1	15	11	25	17	52	28	17	50	23	21 21	
49	35	37	30	9	7	8	4	3	15	26	16	28	17	50	28	18	46	24	23 22
35	24	24	28	4	2	2	2	3	20	25	14	25	17	28	18	44	23	22 23	
53	25	31	26	12	4	8	3	17	23	16	24	16	46	28	18	44	23	20 24	
37	22	47	19	7	6	15	6	21	46	22	38	14	45	30	18	42	24	100 25	
43	15	47	36	13	3	17	5	27	73	42	46	12	41	31	19	42	26	162 26	
40	17	35	19	10	11	11	4	100	140	48	47	12	41	32	19	42	24	233 27	
47	24	49	11	14	10	19	8	300	294	47	83	11	40	33	19	41	26	297 28	
44	20	25	19	7	11	17	5	398	403	69	95	9	38	34	20	36	25	304 29	
44	19	37	15	7	18	16	4	399	372	93	139	9	34	35	19	34	26	281 30	
44	24	43	8	8	11	9	9	299	411	118	184	9	32	36	18	32	27	257 31	
44	17	27	13	17	25	12	7	314	379	116	187	9	29	38	18	31	27	230 32	
39	20	37	12	9	12	15	6	392	352	159	196	9	24	38	18	30	28	212 33	
31	27	35	20	15	17	11	12	262	275	244	220	8	21	41	17	31	29	200 34	
57	8	35	23	14	17	5	166	188	252	217	8	18	42	20	29	31	161 35		
48	14	25	12	14	14	22	10	133	138	257	139	8	17	43	22	32	130 36		
27	13	27	13	18	19	16	6	123	88	178	146	7	17	50	24	25	32	102 37	
18	11	26	9	15	18	29	13	110	78	126	132	8	19	52	25	24	33	76 38	
27	10	26	11	22	11	18	12	75	50	111	125	8	23	53	24	24	33	61 39	
20	6	25	10	19	19	24	14	55	56	60	67	7	27	54	26	25	34	48 40	
18	11	14	8	22	10	7	12	43	42	53	74	7	29	56	24	25	34	36 41	
13	12	21	11	20	12	20	18	28	28	32	53	8	35	55	23	27	35	30 42	
16	10	17	8	25	16	14	17	23	20	25	60	10	39	53	25	28	34	22 43	
15	15	21	13	17	15	15	12	18	15	23	29	10	41	53	24	32	36	22 44	
27	15	32	17	26	17	19	14	9	17	19	31	10	45	53	26	35	35	18 45	
21	12	27	20	25	10	15	12	13	23	27	12	49	51	24	37	35	17 46		
34	11	41	24	21	10	12	15	14	10	16	23	13	49	47	26	42	34	15 47	
28	15	31	22	19	5	12	8	15	13	12	22	14	51	47	25	44	33	14 48	
22	20	40	21	22	8	9	9	11	14	13	15	14	55	41	24	50	32	13 49	
31	18	32	35	22	6	11	10	9	13	15	27	14	56	39	24	55	30	13 50	
—	—	61	—	—	14	—	—	—	—	20	—	—	—	—	—	—	—	— 51	
—	—	61	—	—	14	—	—	—	—	—	—	—	—	—	—	—	—	— 52	
—	—	61	—	—	14	—	—	—	—	—	—	—	—	—	—	—	—	— 53	

* The weekly averages for scarlet fever and for diphtheria relate to the 43 years 1860-1902.

TABLE 24.—Temperature at Greenwich; Population; Total Deaths, and Deaths at Seven groups of Ages, in London, in each Week of 1903.

POPULATION estimated to the middle of 1903.				4613812	111585	392465	1326309	1634056	840692	287094	21611	
Number of Week.	WEEK ENDED.	TEMPERATURE.			AGES AT DEATH.							
		Mean.	Highest Reading.	Lowest Reading.	ALL AGES.	Under 1 Year.	1-5	5-20	20-40	40-60	60-80	80 and upwards.
	YEAR (of 52 Weeks)	° 50°0	° 87°5	° 23°6	72109	17213	8514	3580	8962	14460	15472	3908
	First Quarter (13 Weeks).	44°1	68°0	23°6	19945	4303	2576	954	2357	3948	4587	1215
	Second (13 Weeks). "	51°9	84°8	28°4	16900	3441	2210	901	2218	3527	3720	883
	Third (13 Weeks). "	59°8	87°5	33°4	16182	4613	1677	863	2047	3152	3124	706
	Fourth (13 Weeks). "	44°4	64°8	23°8	19082	4851	2051	862	2340	3833	4041	1104
1	January 10	46°5	53°9	35°0	1660	351	176	73	211	309	420	120
2	" 17	30°1	37°0	23°6	1545	283	190	62	193	315	393	109
3	" 24	40°4	48°9	33°3	1848	382	218	82	194	373	474	125
4	" 31	46°7	52°6	39°3	1569	300	199	71	179	298	408	114
5	February 7	42°5	52°1	30°7	1558	379	192	77	201	288	340	81
6	" 14	47°7	56°0	36°4	1504	347	175	78	191	306	325	82
7	" 21	44°4	58°3	26°2	1556	335	216	87	202	321	309	86
8	" 28	45°0	54°4	35°2	1444	308	189	69	172	301	328	79
9	March 7	42°7	54°9	34°0	1450	324	197	71	167	298	325	68
10	" 14	42°9	57°8	29°5	1443	297	219	59	168	291	335	74
11	" 21	46°6	57°2	32°8	1521	321	211	71	180	302	336	100
12	" 28	51°0	68°0	38°6	1461	346	190	90	165	269	309	92
13	April 4	46°2	56°6	35°4	1386	335	204	64	134	277	287	85
14												
15	" 11	46°4	56°8	33°3	1345	337	172	65	178	255	271	67
16	" 18	39°5	49°5	30°2	1422	278	211	82	173	296	308	74
17	" 25	42°1	58°4	28°4	1483	304	201	69	178	324	326	81
18	May 2	49°4	60°9	34°7	1533	305	224	65	182	314	361	92
19	" 9	50°4	65°3	38°2	1387	260	182	70	166	304	334	71
20	" 16	48°8	60°9	31°3	1278	248	168	70	172	277	274	79
21	" 23	54°6	77°9	35°4	1313	266	187	77	182	243	292	66
22	" 30	58°4	77°5	38°1	1232	256	168	63	163	260	254	68
23	June 6	57°0	82°6	42°0	1220	256	152	63	159	271	265	51
24	" 13	52°8	65°1	37°1	1095	200	123	69	150	246	249	58
25	" 20	49°9	67°0	41°3	1161	239	154	78	175	216	239	60
26	" 27	59°6	83°3	38°7	1197	258	136	67	154	253	278	51
	July 4	63°2	84°8	50°6	1234	234	142	63	186	268	279	62
27												
28	" 11	63°6	87°5	42°2	1176	254	129	75	165	260	288	55
29	" 18	60°7	77°1	46°0	1145	249	132	59	159	236	267	43
30	" 25	60°5	74°9	45°7	1128	261	136	72	153	222	245	39
31	August 1	53°6	71°5	49°0	1191	289	120	73	154	258	237	60
32	" 8	61°2	77°5	44°2	1149	327	129	43	125	242	232	51
33	" 15	59°5	73°5	45°3	1256	342	125	75	158	262	249	44
34	" 22	58°3	73°4	47°6	1272	410	114	73	157	231	225	62
35	" 29	58°1	71°0	44°3	1266	416	122	78	145	223	231	51
36	September 5	62°9	82°0	48°9	1245	389	146	66	143	216	231	54
37	" 12	53°7	67°9	40°3	1344	482	124	64	183	231	212	48
38	" 19	51°7	64°3	38°4	1402	466	147	66	175	241	262	55
39	" 26	59°3	70°5	50°5	1365	396	122	66	176	269	256	80
	October 3	59°3	70°7	50°2	1214	332	131	53	154	261	249	64
40												
41	" 10	54°9	64°8	39°2	1283	352	156	69	167	262	229	48
42	" 17	52°0	62°6	42°3	1351	407	144	58	177	244	272	49
43	" 24	49°3	51°6	36°5	1333	360	140	56	183	256	251	87
44	November 7	47°1	56°2	35°2	1426	370	145	65	175	270	272	70
45	" 14	48°4	57°0	35°3	1476	398	152	66	187	289	283	95
46	" 21	41°1	54°6	26°4	1473	357	189	62	185	292	309	88
47	" 28	45°3	53°1	34°2	1536	406	157	74	171	288	350	79
48	December 5	35°2	45°8	25°2	1578	401	165	71	166	317	359	99
49	" 12	41°5	52°8	28°5	1669	379	162	73	190	375	388	102
50	" 19	42°0	49°9	36°2	1436	347	156	61	176	312	336	98
51	" 26	40°2	48°9	34°1	1204	262	128	60	140	260	279	75
52	January 2	32°6	43°5	23°8	1866	408	209	82	235	380	428	124

TABLE 25.—Births and Deaths Registered in London, and Meteorology at Greenwich, in each Week of 1903.

No. of Week.	Week ended.	BIRTHS.			DEATHS.			Mean Tem- pera- ture of the Air.	Mean of the		Degree of Humidity (complete satura- tion = 100).	Fall of Rain in Inches.	Amount of Horizontal Movement of the Air in each Week.	Sun above Horizon in Hours.	Regis- tered Sunshine in Hours.
		Males.	Femls.	Total.	Males.	Femls.	Total.		Highest Readings of the Thermo- meter.	Lowest Readings of the Thermo- meter.					
1	Jan. 10	1367	1294	2661	805	855	1660	46°5	50°1	42°0	85	0°95	3157	55°9	10°6
2	" 17	1147	1202	2349	774	771	1545	30°1	33°7	28°4	64	0°21	2309	57°4	23°2
3	" 24	1353	1240	2583	930	918	1848	40°4	43°7	36°0	92	0°36	1453	59°7	4°8
4	" 31	1343	1309	2652	801	768	1569	46°7	49°7	43°4	81	0°37	3336	62°0	13°7
5	Feb. 7	1422	1343	2765	797	761	1558	42°5	47°5	36°7	83	0°22	2537	64°7	15°7
6	" 14	1332	1364	2696	778	726	1504	47°7	52°5	43°3	84	0°00	2656	67°4	11°3
7	" 21	1306	1209	2515	798	758	1556	44°4	51°7	37°1	77	0°01	2611	70°6	29°7
8	" 28	1224	1225	2449	733	711	1444	45°0	50°9	39°9	77	1°13	4177	73°7	16°6
9	March 7	1278	1234	2512	741	709	1450	42°7	49°5	36°1	83	0°86	2987	76°8	12°0
10	" 14	1328	1256	2584	720	723	1443	42°9	52°1	33°4	77	0°17	1604	80°1	31°3
11	" 21	1324	1272	2596	773	748	1521	46°6	52°9	40°8	71	0°17	3549	83°4	32°8
12	" 28	1276	1309	2585	714	747	1461	51°0	58°9	43°3	72	0°60	3346	86°6	39°8
13	April 4	1287	1178	2465	763	623	1386	46°2	52°4	40°5	78	0°81	2937	89°8	20°1
14	" 11	1240	1199	2439	710	635	1345	46°4	53°4	39°7	72	0°03	2561	93°0	23°2
15	" 18	1252	1216	2468	749	673	1422	39°5	47°5	32°6	62	0°05	2654	96°1	55°4
16	" 25	1425	1328	2753	766	717	1483	42°1	51°6	32°4	66	0°00	2035	99°1	27°8
17	May 2	1312	1299	2611	807	726	1533	49°4	57°5	42°7	81	1°42	1887	102°2	29°0
18	" 9	1332	1205	2537	708	679	1387	50°4	59°1	43°6	82	0°79	1485	105°1	16°4
19	" 16	1316	1299	2615	663	615	1278	48°8	57°1	41°1	76	0°31	2054	107°6	20°0
20	" 23	1345	1280	2625	684	629	1313	54°6	65°8	43°5	87	0°34	1703	110°1	57°0
21	" 30	1294	1220	2514	642	590	1232	58°4	69°3	47°3	72	0°33	2011	112°2	63°1
22	June 6	1203	1213	2416	619	601	1220	57°0	68°0	47°0	71	0°13	2132	113°9	63°7
23	" 13	1319	1265	2584	609	486	1095	52°8	60°1	46°1	84	2°34	1870	115°2	21°2
24	" 20	1206	1145	2351	555	606	1161	49°9	55°9	44°4	85	3°73	1769	115°7	16°5
25	" 27	1426	1460	2886	588	609	1197	59°6	70°9	48°0	71	0°00	1266	116°1	65°0
26	July 4	1284	1244	2528	659	575	1234	65°2	76°5	53°9	59	0°00	1772	115°5	82°7
27	" 11	1290	1307	2597	635	541	1176	63°6	75°0	53°0	65	0°00	2008	114°6	59°5
28	" 18	1265	1316	2581	601	544	1145	60°7	71°0	52°4	74	0°57	1346	113°0	28°5
29	" 25	1199	1243	2442	605	523	1128	60°5	70°1	52°7	80	3°18	1502	111°1	30°6
30	August 1	1280	1233	2519	670	521	1191	58°6	67°3	52°5	84	1°52	2032	108°9	20°9
31	" 8	1303	1178	2481	640	503	1149	61°2	72°3	51°4	70	0°35	2142	106°4	53°1
32	" 15	1329	1234	2563	650	605	1255	59°5	69°6	51°5	79	2°11	2184	103°7	42°1
33	" 22	1331	1417	2748	661	611	1272	58°3	67°5	51°6	74	1°11	2200	100°7	45°2
34	" 29	1255	1218	2473	668	598	1266	58°1	67°0	50°4	78	1°23	2229	97°8	33°9
35	Sept. 5	1248	1206	2454	662	583	1245	62°9	73°5	52°4	78	0°86	1918	94°7	49°6
36	" 12	1300	1205	2505	735	609	1344	53°7	62°7	45°8	78	0°55	2627	91°5	39°4
37	" 19	1319	1265	2584	737	665	1402	51°7	60°4	43°1	75	0°01	1763	88°4	45°5
38	" 26	1225	1178	2403	718	647	1365	59°3	66°9	54°1	89	0°22	1375	85°2	28°3
39	Oct. 3	1186	1110	2296	680	564	1244	59°3	67°9	52°5	85	0°61	1775	82°1	30°5
40	" 10	1209	1169	2378	662	621	1283	54°9	61°7	49°9	85	1°05	2823	78°8	20°3
41	" 17	1266	1171	2437	726	625	1351	52°0	58°2	46°4	81	1°39	2951	75°8	22°5
42	" 24	1231	1114	2345	680	653	1333	49°3	54°7	43°4	86	0°60	1961	72°5	7°1
43	" 31	1294	1273	2567	725	676	1401	50°8	56°5	44°5	84	1°39	2462	69°4	21°0
44	Nov. 7	1261	1302	2563	764	662	1426	47°1	53°2	40°8	87	0°23	1266	66°4	15°9
45	" 14	1278	1188	2466	768	708	1476	48°4	53°3	42°4	88	0°26	1947	63°7	4°8
46	" 21	1212	1119	2331	767	706	1473	41°1	46°4	34°7	84	0°07	2266	61°1	8°6
47	" 28	1186	1156	2342	791	745	1536	45°3	49°4	40°1	82	1°18	2831	58°9	6°1
48	Dec. 5	1244	1216	2460	789	789	1578	35°2	39°5	30°3	83	0°28	2391	56°9	2°5
49	" 12	1245	1203	2448	878	791	1669	41°5	45°3	35°6	86	1°12	2551	55°6	1°6
50	" 19	1331	1213	2544	752	734	1486	42°0	45°1	38°1	88	0°02	1794	54°6	9°3
51	" 26	909	893	1802	586	618	1204	40°2	42°9	37°1	89	0°00	1363	54°6	0°3
	1904.														
52	Jan. 2	1454	1374	2828	957	909	1866	32°6	35°7	28°8	78	0°09	1670	54°7	8°7

TABLE 26.—METEOROLOGICAL TABLE for LONDON, 1903.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

The hours of observation are 9 a.m. and 9 p.m. [local time]

The hours of nose vault are 7 a.m. and 9 p.m., local time. The averages used are obtained from observations extending over 50 years for Rain and Temperature, and 16 years for Sunshine. *Wind Force*—Beaufort Scale (0-12) is used. The number of observations of moderate and strong winds (force 4-7), the number of observations of gales are given in the table.

TABLE 26—continued.

Cloud.	Rain and other forms of Precipitation.		Weather.		Number of days of		Wind Force (0-12).		Wind Direction.						Number of Observations at 9 a.m. and 9 p.m.								
	Number of Days.	from	Moist in a day.	Amount.	Day of Month.	Cloud.	Fog.	Gale.	Clear Sky.	Thunderstorm.	Number of Observations and 9 p.m. (Scale 0-10).	Number of Days.	from	Moist in a day.	Amount.	Day of Month.	Cloud.	Fog.	Gale.	Clear Sky.	Thunderstorm.	Number of Observations and 9 p.m. (Scale 0-10).	
1903.																							
January	6.3	18	21.3	0.14	59	5	1	1	0	2	6	3	1	—	—	2	2	10	4	8	24	6	0
February	6.2	10	1.37	-0.11	0.39	28	2	2	0	1	6	1	5	—	0	2	2	2	6	26	14	2	
March	5.3	18	2.20	+0.74	0.38	30	2	6	0	0	4	0	2	—	0	2	0	0	0	18	28	10	4
April	6.9	11	1.85	+0.19	0.53	26	3	1	0	4	10	1	0	2	2	16	4	2	2	4	12	8	10
May	6.2	15	1.95	-0.05	0.34	3	0	1	5	7	8	2	0	0	2	8	8	8	4	8	18	4	2
June	6.8	10	6.07	+4.05	1.32	15	0	1	0	4	11	1	0	1	2	14	14	8	4	4	8	2	4
July	6.8	13	5.27	+2.80	2.47	23	0	1	2	2	14	0	0	1	2	4	2	0	4	12	22	8	8
August	6.2	17	4.83	+2.47	1.15	11	0	1	2	1	8	0	0	0	0	0	0	0	0	4	16	32	6
September	5.9	15	2.24	-0.01	0.77	4	0	0	1	4	10	3	2	5	0	6	4	12	6	10	16	2	4
October	7.1	24	4.44	+1.63	0.72	11	0	0	0	4	16	3	0	15	0	0	0	2	8	22	24	4	2
November	6.8	16	1.93	-0.34	0.68	27	1	1	0	3	14	11	0	9	0	10	4	2	2	8	20	8	6
December	7.4	12	1.27	-0.50	0.58	10	2	1	0	2	18	7	0	8	2	6	6	6	16	8	14	4	0
Year	6.5	179	35.54	+11.01	—	—	11	16	10	34	125	32	10	—	12	70	50	62	48	130	234	72	52

[†] A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m. and 9 p.m. is less than ², and as an "overcast" day if the average is greater than ⁸. Record is also kept of days persistently cloudy and days persistently overcast from midnight to midnight. The numbers of such days for the period April to December, 1903, are:—clear sky, 0, 2, 0, 0, 0, 0, 0, 1, 3, 6; and overcast, 3, 1, 6, 0, 0, 1, 3, 6.

TABLE 27.—Number of Services, and Average Daily Quantity of Water DELIVERED by the London Water Companies in each Month of 1903.

Metropolitan Water Supply.

COMPANIES.		NUMBER OF SERVICES IN											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total Services	959,262	960,655	963,032	964,762	966,797	968,502	970,521	972,376	974,620	976,433	977,554	978,881
FROM THAMES	455,098	455,742	457,067	457,970	458,801	459,052	460,802	461,643	462,880	463,811	464,377	464,894
FROM LEA AND OTHER SOURCES	504,164	504,913	505,965	506,792	507,996	508,550	509,119	510,733	511,740	512,822	513,377	513,987
FROM THAMES.													
CHELSEA	39,451	39,459	39,485	39,504	39,456	39,500	39,532	39,581	39,585	39,683	39,654	39,654
WEST MIDDLESEX	89,285	89,328	89,589	89,688	89,928	89,928	89,928	89,969	90,216	90,256	90,360	90,360
SOUTHWARK AND VAUXHALL	127,518	127,644	127,798	127,920	128,079	128,228	128,342	128,450	128,620	128,810	128,871	128,871
GRAND JUNCTION	72,400	72,400	72,400	72,400	72,431	73,216	73,483	73,773	74,180	74,478	75,149	75,149
LAMBETH	126,930	127,486	127,486	127,486	128,352	128,813	129,187	129,463	129,986	130,337	130,860	130,860
FROM LEA AND FROM OTHER SOURCES.													
NEW RIVER	176,939	177,002	177,248	177,424	177,902	178,125	178,327	178,623	178,724	178,883	178,930	179,026
EAST LONDON	221,585	222,005	222,690	223,137	223,657	224,283	224,699	225,286	225,730	226,165	226,550	226,550
KENT	105,906	106,430	106,027	106,231	106,788	106,788	107,109	107,411	107,730	108,009	108,282	108,611
AVERAGE DAILY SUPPLY OF WATER IN GALLONS DURING THE MONTHS OF													
COMPANIES.		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
		210,406,512	202,511,546	200,181,434	201,502,102	215,297,148	220,434,368	239,307,499	212,366,474	219,370,983	210,422,746	204,543,338	198,233,189
Total Quantities supplied ..													
FROM THAMES	112,214,604	108,675,611	107,043,329	107,342,432	114,525,558	117,140,205	127,890,831	111,872,171	116,206,071	112,715,628	108,770,323	104,514,423
FROM LEA AND FROM OTHER SOURCES	98,191,888	93,835,935	93,184,105	94,159,670	100,771,590	103,294,363	111,416,668	100,494,303	103,664,912	97,707,118	93,773,015	93,708,766
FROM THAMES.													
CHELSEA	11,439,032	11,246,071	11,413,549	11,372,667	12,375,484	12,685,667	13,456,129	11,581,613	12,012,333	12,128,387	11,541,533	11,449,677
WEST MIDDLESEX	22,175,378	21,428,954	21,568,918	21,631,685	23,477,787	24,304,063	26,288,364	22,328,174	23,669,445	23,248,611	22,553,983	22,553,983
SOUTHWARK AND VAUXHALL	33,023,949	34,140,396	30,538,220	30,642,985	31,029,082	32,213,760	34,775,376	31,688,338	32,681,452	31,920,086	30,497,924	30,497,924
GRAND JUNCTION	17,491,113	16,776,810	16,651,408	17,215,097	17,793,168	19,890,511	20,386,994	16,718,168	16,362,529	16,075,718	15,491,124	15,491,124
LAMBETH	28,086,032	27,586,678	27,558,852	30,488,186	31,443,847	33,470,452	33,884,652	33,323,673	27,456,016	28,459,364	28,459,364	28,459,364
FROM LEA AND FROM OTHER SOURCES.													
NEW RIVER	39,373,372	37,787,381	37,656,767	38,227,612	41,332,507	41,455,500	46,613,010	40,509,687	42,413,789	39,604,765	39,902,760	38,025,409
EAST LONDON	41,043,000	38,757,000	38,159,000	38,133,000	41,001,500	42,801,000	44,316,000	41,594,000	42,216,000	38,856,000	38,810,000	38,810,000
KENT	17,775,626	17,291,654	17,352,338	17,999,155	18,448,685	19,037,863	18,380,616	18,635,123	18,244,353	17,160,255	17,547,357	17,547,357

NOTE.—The quantities of water in the above Table include the supply for various purposes other than for domestic consumption.

TABLE 28.—AVERAGE NUMBER OF SERVICES, and AVERAGE DAILY QUANTITY OF WATER DELIVERED for ALL PURPOSES and for DOMESTIC PURPOSES, by the LONDON WATER COMPANIES during 1903.

WATER COMPANIES.	AVERAGE NUMBER of SERVICES during the Year.	AVERAGE DAILY SUPPLY OF WATER DURING THE YEAR.					
		Delivered.		Used for Domestic purposes.†			
		Gallons.	Cubic Metres.*	Gallons.	Gallons per Service.		
					1902.	1903.	
Total	969,467	211,256,462	959,835	173,230,299	183	179	
FROM THAMES	460,254	112,409,266	510,727	92,175,598	207	200	
FROM LEA AND FROM OTHER SOURCES	509,213	98,847,196	449,108	81,054,701	161	159	
FROM THAMES.							
CHELSEA	38,546	11,889,329	54,019	9,749,250	244	247	
WEST MIDDLESEX	89,881	22,867,103	103,896	18,751,024	205	209	
SOUTHWARK AND VAUXHALL	128,252	31,273,829	142,091	25,644,540	210	200	
GRAND JUNCTION	73,689	16,974,784	77,124	13,919,323	214	189	
LAMBETH	128,886	29,404,221	133,597	24,111,461	190	187	
FROM LEA AND FROM OTHER SOURCES.							
NEW RIVER	178,096	40,183,547	182,572	32,950,509	185	185	
EAST LONDON	224,104	40,412,000	183,610	33,137,840	150	148	
KENT	107,013	18,251,649	82,926	14,966,352	143	140	
Columns	..	1.	2.	3.	4.	5.	6.

* A cubic metre is equal in volume to 35·3 cubic feet, or to 220·09668 imperial gallons. It is nearly equivalent to the old English *tun* of four hogsheads, holding 35·248 cubic feet. It is in general use on the Continent; and its volume of water weighs a metric *ton*, differing inconsiderably in weight from the *ton* in common use. It is equal to 100 decalitres: thus a decalitre equals 2·2009668 gallons.

† According to returns of the London Water Companies made to the Select Committee on East London Water Bills (Session 1867), it is estimated that during the year 1866 about 82 per cent. of the total supply of water for all purposes was for domestic use; this proportion has been applied in estimating the quantities in columns 4, 5, and 6, showing the gallons probably used for domestic purposes. The average daily quantity of water supplied by the London Companies during the year 1903 was 211,256,462 gallons (959,835 cubic metres, equal to about as many *tuns* by measure, *tons* by weight), of which about 173,230,299 gallons (787,065 cubic metres) were probably used for domestic purposes. The average quantity used daily for domestic purposes to each service (see col. 6) is equal to 81·3 decalitres, and, assuming 7·0 persons to each service, corresponds to 25·6 gallons (11·6 decalitres) to each person. The Returns of the Water Companies include services to uninhabited houses.

Colonial and Foreign Cities.

TABLE 29.—Births and Deaths in the Year 1903 in certain Colonial and Foreign Cities.

CITIES.	POPULATION (enumerated or estimated). (a)	BIRTHS. (Excluding Stillborn.)	DEATHS. (Excluding Stillborn.)	ANNUAL RATE per 1000 Persons living.		DEATHS FROM SOME EPIDEMIC DISEASES.					
						Small-pox	Measles.	Scarlet Fever.	Diphthe- ria.	Whooping- cough.	Fever. (b)
				Births.	Deaths.						
CALCUTTA	881,707	13182	29765	14·9	33·7	50	91	—	43	5	13043 ¹
BOMBAY	776,006	16375	50·13	21·1	65·1	1477	1115	—	3	19	23121 ¹
MADRAS	509,346	19830	19205	39·0	37·8	7	96	9	9	7	6134 ¹
SYDNEY	508,770	12749	5913	25·0	11·6	—	6	49	72	44	85
BRISBANE	122,815	3190	1611	26·0	13·1	—	25	5	22	9	45 ¹
PARIS	2,680,550	54055	48790	20·3	17·9	21	446	137	399 ²	204	298
BRUSSELS	575,896	11710	8752	20·3	15·2	129	89	7	57 ²	65	67
ANTWERP	281,376	7199	4060	25·6	14·4	28	148	7	37 ²	19	31
AMSTERDAM	542,675	15179	7520	28·1	14·0	5	128	8	58 ²	70	46
ROTTERDAM	349,267	12122	5373	34·7	15·4	—	170	7	44 ²	98	43
THE HAGUE	223,940	6552	3163	29·3	14·1	—	—	2	11 ²	26	9
COPENHAGEN	417,000	11902	6610	28·5	15·9	—	50	35	60 ²	55	26
STOCKHOLM	307,306	7073	4409	23·0	17·3	—	75	9	67 ²	36	7
CHRISTIANIA	224,600	7437	3147	33·1	15·3	—	77	15	94 ²	22	5
ST. PETERSBURG	1,333,600	39159	31716	29·4	23·8	155	918	385	641 ²	374	769
MOSCOW	1,125,000	35534	30940	31·6	27·5	71	555	698	783 ²	198	264
BERLIN	1,931,701	47764	31879	24·7	16·5	—	341	331	246 ²	433	63
HAMBURG	747,004	19466	12466	26·1	16·7	—	189	335	160 ²	106	32
DRESDEN	491,600	15423	8570	31·4	17·4	1	119	54	75 ²	125	28
BRESLAU	439,022	13601	10431	31·0	23·8	—	47	59	96 ²	111	33
MUNICH	515,000	17080	10680	33·2	20·7	—	140	24	74 ²	60	19
VIENNA	1,761,931	50662	32818	28·8	18·6	—	383	117	424 ²	231	69
PRAGUE	422,331	10983	8027	26·0	19·0	4	110	149	51 ²	81	122
BUDA-PESTH	790,529	21036	14959	26·6	18·9	—	282	512	309 ²	35	57
TRIESTE	185,524	5883	4740	31·7	25·5	1	40	8	26 ²	50	22
ROME	491,074	12097	9733	24·6	19·8	2	63	10	34 ²	44	256
MILAN	514,869	13086	10888	25·9	21·8	—	56	7	179 ²	39	236
TURIN	335,656	6935	6897	20·7	20·5	6	17	4	31 ²	98	67
VENICE	153,359	3957	3514	25·8	22·9	—	46	2	21 ²	21	56
CAIRO	624,338	24713	20629	39·6	33·0	15	365	1	287 ²	?	726
ALEXANDRIA	349,310	12840	10083	36·8	28·9	109	4	2	58 ²	?	230 ²
NEW YORK	3,732,903	94755	67864	25·4	18·2	5	508	734	2190 ²	324	743
CHICAGO	1,885,000	—	28920	—	15·3	47	278	296	637 ²	270	609
PHILADELPHIA	1,378,624	31028	25947	22·5	18·8	—	141	189	608 ²	291	960
BOSTON	600,929	16000	10632	26·6	17·7	13	50	65	214 ²	108	119
BALTIMORE	533,000	8620	10141	16·2	18·3	2	77	84	160 ²	64	207
SAN FRANCISCO	410,000	5761	7623	14·1	18·8	1	29	13	111 ²	114	91
NEW ORLEANS	310,000	—	6705	—	21·6	4	2	8	35 ²	27	200
BUENOS AIRES	879,406	31636	13996	36·0	15·9	207	88	53	113 ²	28	157

^a The populations in the majority of cases are estimated to the middle of the year 1903; in some cases, however, the last census populations are given.

^b Including deaths from Malarial fever in the Indian, African, and American cities, and in Rome, and in Milan.

* Including deaths from Croup.

† Including 8,222 deaths from Plague in Calcutta, 20,788 in Bombay, 5 in Madras, 11 in Brisbane, and 80 in Alexandria.

‡ Including 1,990 deaths from Cholera in Calcutta, 17 in Bombay, 28 in Madras, and 3 in Alexandria.

FIRES IN LONDON DURING THE YEAR 1903.

The Chief Officer of the Metropolitan Fire Brigade reported to the London County Council that the number of fires attended during 1903 was 3400, being 174 less than the number in the preceding year, and 129 less than the average in the ten years 1893-1902. According to this report the lives of 369 persons were seriously endangered, and 86 of these were lost. The numbers of lives lost by fires in London in the four preceding years were 119, 74, 97, and 116 respectively.

The authorised strength of the brigade included 1347 officers and men. The brigade possessed 72 land fire engine stations, 5 floating stations, and 21 street and sub-stations; also 1 fire float, 5 steam fire engines on barges, 77 land steam fire engines, 1 motor steam fire engine, 17 manual fire engines, 184 hand fire escapes, 29 long fire ladders, 45 miles of hose, 927 fire alarms, and 265 telephone lines or bell ringing fire alarms. The cases of injury occurring in the brigade during the year were 210 against 181, 204, and 209 in the three preceding years.

Number of Fires and of False Alarms attended during the Eleven Years 1893-1903, and in each Month of 1903.

YEARS AND MONTHS.	TOTAL CALLS.	FALSE ALARMS AND CHIMNEYS.	FIRES.				Per-centages.	
			Serious.	Slight.	Total.			
						Serious.	Slight.	
1893..	4824	1414	180	3230	3410	5·3	94·7	
1894..	4111	1050	151	2910	3061	4·9	95·1	
1895..	4845	1212	142	3491	3633	3·9	96·1	
1896..	4878	1262	122	3494	3616	3·4	96·6	
1897..	4652	1152	168	3332	3500	4·8	95·2	
1898..	4654	1069	205	3380	3585	5·7	94·3	
1899..	4850	1004	216	3630	3846	5·6	94·4	
1900..	4529	1144	115	3270	3385	3·4	96·6	
1901..	4805	1121	99	3585	3684	2·7	97·3	
1902..	4727	1153	76	3498	3574	2·2	97·8	
1903	4644	1214	61	3339	3400	1·8	98·2	
1903.	450	130	8	312	320	2·5	97·5	
	393	124	7	262	269	2·6	97·4	
	384	111	3	270	273	1·1	98·9	
	397	95	2	300	302	0·7	99·3	
	376	100	6	270	276	2·2	97·8	
	384	95	3	286	289	1·0	99·0	
	418	116	5	297	302	1·7	98·3	
	340	81	4	255	259	1·5	98·5	
	344	82	5	257	262	1·9	98·1	
	331	95	5	231	236	2·1	97·9	
	347	98	6	243	249	2·4	97·6	
	480	117	7	356	363	1·9	98·1	

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS OF
GREATER LONDON DURING THE 52 WEEKS ENDED 2ND JANUARY, 1904.

Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.

Date when change came into operation.	DISTRICT and Sub-district.				Name of Parish transferred.	Popu- lation, 1901.		
	Decreased by change.		Increased by change.					
	Name.	No.	Name.	No.				
1903. 1 July	ST. PANCRAS .. Camden Town (abolished).	8 5	ST. PANCRAS .. Somers Town (re-named East St. Pancras).	8 4	St. Pancras (part of), viz., No. 3 Ward, and part of No. 6 Ward.	3895		
"	ST. PANCRAS .. Camden Town (abolished).	8 5	ST. PANCRAS .. Regent's Park (re-named West St. Pancras).	8 1	St. Pancras (part of), viz., part of No. 4 Ward.	1111		
"	ST. PANCRAS .. Somers Town- (re-named East St. Pancras).	8 4	ST. PANCRAS .. Regent's Park (re-named West St. Pancras).	8 1	St. Pancras (part of), viz., part of No. 5 Ward.	8807		
	8.—ST. PANCRAS:—On this date Kentish Town sub-district was renamed "5, North St. Pancras."							
1 Nov.	14.—LONDON CITY:—On this date St. Sepulchre (2) and Allhallows Barking (3) sub-districts were united and called St. Sepulchre and Allhallows (2).							
1 July	22.—SOUTHWARK:—On this date Borough Road (4) and London Road (5) sub-districts were united and called St. George the Martyr West (4).							

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.